4

	r		·		r <u> </u>	Accession and a second s	- <u>r</u>	
COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
	1	1						
50109	0 China	L 1051**	CENTRIFUGAL PUMPING SYSTEM	\$ 450,000.00	12/08/1999	for end use/user info - stainless steel pumps on 1051 list	US	15/08/1999:tech info (direct); 16/08/1999:info sent to MDOU; 17/08/1999:info from the Chinese M. to US; 17/08/1999:info from GOI; 18/12/1999:end-use/user info; 19/04/2001:end-use/user info; 18/07/2001:tech info (dir); 31/08/2001:end-use/user info; 13/09/2001:tech specs & end-use info; 01/10/2001:BVS OKINFO reminder; 28/03/2002:info retransmitted (US); 26/06/2002:tist A - fax to mission:
	1	1					1	
					ļ			
	ł				1			
1	1	1			Ì		1	
							1	
1		1.000	0.000000000000					
50129	8 Cyprus	NOINFO	CASING PIPES	\$ 1,481,700.98	05/06/2001	1 US: Provide the material composition of the pipes and any linings; Provide the requested material composition as either an ASTM or DIN standard alloy or as a	US	01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 27/06/2002:para 18;
						percentage I		
	1	1		1		composition by weight for each alloy component.		
							1	
2								
60065	4 China	L 1051	AGRICULTURAL	\$ 650,000.00	04/11/1999	9 US: Item #24 on 1051 list	US	05/11/1999:partial ROH; 04/04/2000:EU info UNOHCl; 27/11/2000:tech info; 07/01/2002:end use-
			EQUIPMENT					user info (not requested); 26/06/2002:list A - fax to mission;
1		1.					1	
							1	
3				1		1. m.	1	
60103	3 Tunisia	L 1051	WHEEL BARROW SPRAYERS	\$ 248,500.00	12/01/2000	0 US: goods on 1051 list.	US	02/05/2000:partial ROH (UK); 13/09/2001:clarification (not requested); 26/06/2002:list A - fax to mission;
				ł			- ·	
		· ·				· · · · · · · · · · · · · · · · · · ·		
4	1			ļ				
60123	4 Tunisia	L 1051	WHEEL BAROW	\$ 193,750.00	11/01/2000	0 US: goods on 1051 list.	ÚS	03/05/2000:partial ROH (UK); 13/09/2001:clarification (not requested); 26/06/2002:list A - fax to
	1							mission;
	ł	1	Į	[ļ	
1	1					4 		
1	1				}	 The the state of the state 		
	1	1			1			
_	1]					
<u></u>	L	_L	L	L	1	1		

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
601335	Belgium	WMD**	SPARE PARTS FOR HATCHERIES	\$ 1,178,553.66		WMD dual- amend1 use items: concern related to S/2001/560, Page 25, Paragraph 9 and S/195/208, Page 16, par 1.11 -Hatchery equipment can be used to produce grow and cultivate biological agents. Provide previously requested specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, minimum internal diameter, maximum pressure, actuator response time, and cross-sectional drawings (Items #47, #48, and #71). Provide previously requested specifications for actuator including dimensions, weight, type, manufacturer's data sheets, a description of the purpose and use, and crass-sectional drawings (Item #78).I Provide requests for alloy composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	15/03/2000:Brief tech and end-use info; 20/03/2000:detailed tech info to US; 11/04/2000:reminder; 24/04/2000:tech clarifications on hatcheries; 07/09/2000:reminder; 11/01/2001:tech info (US); 25/01/2001:capabilities of hatcheries; 01/10/2001:BVS OKINFO reminder; 13/11/2001:amendment to delete item (F); 26/11/2001:US changed reason; 30/01/2002:BVS NOINFO reminder; 13/02/2002:tec specs; 14/02/2002:status changed to Inactive Hold; 20/02/2002:status changed to On Hold; 24/04/2002:US changed reason; 12/06/2002:tech specs; 20/06/2002:para 18;
<u> </u>	4 France	D 1051	MOBILE CRANE WITH SPARE PARTS	\$ 3,340,000.00	10/08/2000	goods appear to be 1051 - tab 10, p45, 2.6 - request info used to determine goods are not SCR 1051	US	11/10/2000:end-use/user info (not requested); 27/10/2000:end-use/user info (not requested); 09/11/2001:further info (direct); 20/06/2002:para 18;
60159	9 France	D 1051	VETERINARY VACCINE	\$ 17,220.00	21/11/2000	goods on 1051 list at tab 10, pg 31, para 1.8, list C	US	
	6 Lebanon	D 1051	TRUCKSIPARTS	\$ 569,800.00	08/05/200	goods on 1061 list	US	31/05/2000:tech spes & graphics; 01/09/2000:trief end-use info (not requested); 29/11/2000: additional clarifications and reminder; 11/12/2000:tech specs to US & UK (not requested); 11/01/2001:end-use info (not requested) US; 13/05/2002:para 18;

and a second provide a second for the second for th

.

- [COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason contracts and a second se	holdby	HoldAction
					 	• .	All a state of the		
	601893	Jordan	1051	HEAT EXCHANGER &	\$ 1,525,000.00	06/11/2000		US	11/12/2000:end-user info and tech info to US & UK; 11/01/2001:partial ROH (UK) w. monitoring; 26/06/2002:list A - fax to mission;
	1			SPARES					
								·	
								l	
10									
	601908	Italy	0	GASKETS; PACKING	\$ 72,237.50	12/09/2000	UK: Confirmation of monitoring required.	UK	31/10/2000:end-user info; 10/01/2001:UK changed reason; 17/08/2001:UK changed reason; 28/06/2002:para 18;
					·				
						· ·			
							har may a		
11									
	601913	Belgium	D 1051	RAW MATERIALS	\$ 106,315.79	24/10/2000	1051 list items: S/2001/560, Page 18, Paragraph 10.4.3 - corrosion resistant conduits (tech alloy-20 hollow bars) (items 0	US	08/12/2000:statement from UNMOVIC stating that items # 11-84 are not the 1051 list; 30/01/2001:reminder; 04/04/2001:reminder; 20/08/2001:US changed reason; 28/06/2002:para 18;
					l .		#77 - #84)	1	
	Ì								
							the second s		
	1							ł	
12	601933	Itoh	OKINFO	CENTRIFUGAL	\$ 13,707.00	08/11/2000	Provide specific end-use and end-use location for each of these pumps including a	US	23/01/2001:tech info; 20/02/2001:US changed reason; 28/03/2001:end-use info (direct);
	. 001900	italy	ONINFO	PUMPING		00/11/2000	description of the process or processes and equipment in which they will be used.	0.5	26/10/2001.BVS OKINFO reminder; 28/06/2002:para 18;
				SYSTEM & SPARE PARTS		·		[
1	İ					Į	and the second		
						ł	and the second se		
					l	1	and the second		
13	601936	Belgium	0	SPARE PARTS	\$ 1,185,358.48	08/12/2000	UK: Confirmation of monitoring required.	UK	10/01/2001:UK changed the reason; 16/01/2001:tech specs; 20/03/2001:partial ROH (US);
			-				الموادي والمحادية ويرجيهم المحاد		19/06/2001:drawings, specs and filtering cloth sample to UK (not requested) (directly); 17/08/2001:UK
						1	 A second sec second second sec		changed reason; 28/06/2002:para 18;
							AND DETERMINED		
			}						
14							a de la companya de l Internación de la companya de la comp		
14	601938	Turkey	NOINFO	CLEROL LC	\$ 44,600.00	04/12/2000	US: Provide previously requested chemical composition for Clerol LC 5013 including the	US	07/12/2000:partial ROH (UK); 13/12/2000:tech info and end-use info on CLEROL LC 5013;
						}	molecular weight range and the approximate number of each ethylene oxide and		01/10/2001:BVS OKINFO reminder; 28/03/2002:info retransmitted (US); 28/06/2002:para 18; 08/07/2002:US changed reason;
				1		1	propylene oxide units per molecule (item #1).		00/07/2022.05 chaliged 188501;
						ļ			
					ļ	ļ			
15			[l			and the second		
.~		L		L	L	I	L	I	L., <u></u>

an an an 1930 an Arganach An Anna 1930 an Arganach

الاصليم بالألب بيرا الأربية الراها فالأ

	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
	601946	Belgium	D 1051**	PUMPS	\$ 766,683.00		#2, #8, #8, and #9); provide the material composition for "acid-proof cast iron" by percentage composition of each of its alloy components (items #5, #8 and #9); provide the composition of all pump linings (items #4, #6, #8 and #9); provide a complete, legible copy of all data sheets; UK: Confirmation of monitoring required.	· ·	20/02/2001:UK changed reason; 17/08/2001:UK changed reason; 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 29/10/2001:material composition; 09/11/2001:status changed to On Hold; 02/01/2002:BVS OKINFO reminder; 28/06/2002:para 18;
16	601047	Lebanon	D 1051**	LABORATORY	\$ 72,410.38	40/40/0000	1051 item: Tab 10/ Page 12, Paragraph 10.4.1.3 corrosion resistant distillation column	US	30/01/2001:brief EU info (not requested); 20/02/2001:end-use info; 08/03/2001:US changed reason;
	001947	Lebanon	0 1051	EQUIPMENT & ACCESSORIES	\$ 72,410.38	12/12/2000	(Item #7 and #8); provide specifications for the microprocessor including the type manufacturer thermal specifications and maximum certified clock speed (item #11).0	[· · ·	30/01/2001:bnef EO imio (nor requested); 20/02/2001:end-use imio; 00/03/2001:DS changed reason; 12/03/2001:end-use/user info (not requested); 19/04/2001:additional info (not requested); 24/04/2001:tech info; 01/10/2001:BVS OKINFO reminder; 28/06/2002:para 18;
						· ·			
								Ì	
17							en an		
	601956	italy	WMD	COMPRESSORIAC	\$ 566,320.00	29/12/2000	US: WMD dual use item: concern related to S/1995/208, Pg 12, Para 10.4.2 -corrosion resistant pump designed for 97 - 98% sulfuric add (316 stainless steel and Hastalloy components) II Amend 1-Due to the complexity of this piece of equipment, the technical parameters do not appear sufficient for normal operation in the stated environment. How will epoxy lined cast iron withstand the corrosive environment? Is the company willing to install the compressor in Basrah and performs periodic maintenance of the equipment and report status directly to the 661 committee. If the company concurs, please provide a contract amendment stating that it will provide installation and the terms of supplier oversight, and that this amendment is approved by the full 661 Sanctions Committee. Provide the engineering requirement for the complexity and sophistication of a liquid-ring compressor when other suitable compressors of lower technical capability are available.		03/01/2001:partial ROH (UK); 23/01/2001:tech info; 23/02/2001:end-use/user info; 02/03/2001:US changed reason; 19/03/2001:add info; 06/04/2001:US changed reason; 20/04/2001:clarification; 19/10/2001:reminder; 23/04/2002:addendum to delete DU-items; 10/06/2002:additional info; 28/06/2002:para 18;
							the superior of the second		
			1						
		ļ	ł	-		1	 Market and a second se Second second sec second second sec		
							$(1,2,2,2) = \frac{1}{2} \left(\frac{1}{2} \left(\frac{1}{2} \right)^2 \right)^{-1} \left(\frac{1}{2} \left(\frac{1}{2} \left(\frac{1}{2} \right)^2 \right)^{-1} \left(\frac{1}{2} \left(\frac{1}$		
;									
18						ľ			

2. Construction (Construction) (C

ي. ويعاد الإدكارين عادة وهذا الالحاري

СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
601959	Russian Federation	WMD*	COPPER PLATES	\$ 70,000.00	05/01/2001	US: WMD dual-use. Provide a description, the chemistry and diagrams/photographs of the referenced process to the produce chlorine. I	US	10/01/2001:partial ROH (UK); 06/04/2001:US changed reason; 01/05/2001:drawings and specs; 18/09/2001:US changed reason; 23/11/2001:end-use info for copper plates; 18/12/2001:US chang reason; 20/02/2002:BVS NOINFO reminder; 08/03/2002:status changed to Inactive Hold; 18/03/2002:US changed reason; 21/03/2002:US changed reason; 05/06/2002:status changed to C Hold as per new procedures; 28/06/2002:para 18;
						a an		
					-			
601960	Saudi Arabia	Noinfo	SPRAYING MACHINE	\$ 868,639.39	09/02/2001	Provide specs for all pumps including dimensions, weight, type, material composition for all components and linings, inlet/outlet pressures, rotation speed and cross-sectional drawings (item #3 of Annex 1). Provide end-use and end-user.	US	13/02/2001:US changed the reason; 02/04/2001:US changed reason; 19/04/2001:specs and drawings (UK/US); 25/04/2001:UK changed reason; 22/05/2001:tech specs and drawing; 29/05/2001:partial ROH (UK); 06/06/2001:end-use, tech specs and drawing for sprayer (06/06/0 16/08/2001:US changed reason (S/2001/560); 19/10/2001:tech specs and drawings; 26/10/2001
						n de la construcción de la constru La construcción de la construcción d La construcción de la construcción d		NOINFO reminder; 09/11/2001:status changed to Inactive Hold; 05/06/2002:status changed to C Hold as per new procedures; 28/06/2002:para 18;
				<u> </u>	L	and the second sec		<u></u>
		·				and a start and A start and a st A start and a st		
						n an		
						n go satti <mark>s</mark> taren Marian.		

•

-

народия **5**0000 Малана Спара Сталана се стала Спара Сталана се стала Спара Сталана се стала Сталана се стала се стала

-

СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
601963	China	D 1051*	VALVES	\$ 207,837.20	30/04/2002	US: 1051 list item: S/2001/560, Page 19, Paragraph 10.4.4 - PTFE-Lined valves (items #45 and #46). 0 Provide specifications for all valves including material composition for all wetted parts and linings (items #1 through #5 and #21 through #24)@Provide specifications for the FEB lining including proper polymer nomenclature and chemical composition (item #47). Provide material composition for "UB6" including percentage composition by weight for each alloy component. Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. UK: Require detailed end-use/user information for the goods in this contract	US, UK	28/06/2002:para 18;
						an taon ang pangang pa Pangang pangang br>Pangang pangang		
1						a start and a s		
601964	China	D 1051	RUBBER EXPANSION JOINT	\$ 31,499.39	15/01/2001	US: 1051 item: S/2001/560, Page 18, Paragraph 10.4.3 PTFE-coated rubber expansion joints (items #1 through #15).0 UK: Confirmation of monitoring required.	US, UK	16/08/2001:US changed reason (S/2001/560); 17/08/2001:UK changed reason; 28/06/2002:para 18
						and a state of the second		
2 601982	Denmark	6	TUBES AND	\$ 1.037.798.71	13/02/2001	UK: Confirmation of monitoring required.	UK	20/02/2001:UK changed reason; 16/03/2001:tech info; 02/05/2001:partial ROH (US); 17/08/2001:UH
3			BENDS					changed reason; 28/06/2002:para 18;
601995	Egypt	OKINFO	CRANES & SPARE PARTS	\$ 2,520,000.00	26/06/2001	Provide previously requested detailed manufacturer's information on the crane including manufacturer's data sheets, photographs, drawings, and specifications for the stabilization and leveling system. Provide previously requested detailed information on the "Silecer complete" (item #10-3 in spare parts list).		19/06/2001:transferred from Number 701625 on 19-Jun-01, last status in P7 was On Hold by the US (US: item #1 crane mounted on truck on 1051 list at tab 10, pg 46, para 2.7; 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 23/11/2001:tech info (dir); 30/11/2001:status changed to On Hold; 07/01/2002:tech specs and drawings; 22/01/2002:BVS OKINFO reminder; 07/02/2002:US changed reason; 27/02/2002:tech specs and drawings (dir); 28/06/2002:para 18;
						an an diga ana gara ang ang ang ang ang ang ang ang ang an		
					-			
4			1			and the second		

ر المحالي المحالي والمحالي المحالي المحالي . المحالي المحالية المحالي المحالي .

6 and the second s

hvan s

.

OMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason			 - 78			holdby	HoldAction
601996	ltaly	WMD**	TRUCK MOUNTED DRILLING RIGS W/ ACC/SPARES		26/06/2001	and MR3000 drillin degrees, i.e., off-a Provide specificati photographs and d weight and full dirr stabilization and le	ng rigs (iten ixis and whi ions for the drawings of nensions of eveling syst ed, set-up t	ns #1 and # at is the ma MR3000 in f the vehicle f the mast (i tem includir time, loadin	#187). Can t aximum drilli ncluding the e in the oper item #187). ng a descrip ng, drawings	he truck drill in of ng diameter poss manufacturer's d ation and travel p Provide specifica tion of the operat and photograph	ible for the system? ata sheets, ositions, and tions for the		26/06/2001:US changed reason; 13/09/2001:transferred from Number 701961 on 19-Jun-01, last status in P7 was On Hold by the US (pending further tech review); end-use info (not requested), reminder (13/09/01); 13/09/2001:reminder; 13/09/2001: end-use info (not requested); 20/09/2001: changed reason; 01/10/2001:BVS NOINFO reminder; 26/10/2001:BVS NOINFO reminder; 07/11/2001:info sent direct; 09/11/2001:status changed to Inactive Hold; 13/11/2001:status chang to On Hold; 08/01/2002:BVS OKINFO reminder; 14/03/2002:additional info; 23/04/2002:US chang reason; 20/05/2002:additional info; 28/06/2002:para 18;
					·					an a			
									لی میں ² دی۔ در جار ہے در جار				
		<u> </u>	L							ي. يوني مركز			<u> </u>
										ng palan			
										×			
								•			15		
									·· . ·	an a			
								en de Englise	n an	in an			
								9. <u>)</u> (. 	i i la fre North Statustic	1997 gooddau Henris yn yw yw yw Henris yw yw yw yw yw Henris yw			
									· - :				
									на страни 1913 г. с.	à stragera	,		
									7				

n an an an an Araba. An Daoine an Aighteac

and a second
Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
NONEO	LADODATODY			 1.33 - มีการหนึ่ง สารณ์และ 1.6 มีละ 		· · · · · · · · · · · · · · · · · · ·
NUINPU	EQUIPMENT	3 340,0/19.5€	20/06/200	Provide previously requested specs for all stainless steel water distillation apparatus including manufacturer's data sheets, internal and external dimensions, drawings, and material composition for all componentis and linings (item #7). Provide previously requested specifications for the centrifuge including manufacturer's data sheets, type, a compilete description of the separation technique used and a photograph (item #38) (NOTE: centrifugal extraction does not make sense for bitumen).Provide previously requested specifications including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressure, rotation speed and drawings for vacuum pump (items #8) and air compressor in triaxial load frame (item #30).Provide test previously requested specifications requiring thermometer with - 200 to +650 C range, and technical and operating specifications for digital thermometer (item #9).Provide the previously requested power rating for the ultrasonic transducers (item #11). Provide previously requested specs for all computers including processor type and manufacturer, maximum certified clock speed, certified thermal operating range, and MTOPS rating (items #13).Provide previously requested dimensions, temperature range, accuracy and precision for water bath (items #16 and #34). Provide previously requested technical and operating specs including any computers or microprocessors for heat of hydration calorimeter (item #18) and compression tester (item #22), provide previously requested technical spects and drawings for load sensors and transducers in compression tester (item #22), compression machine (item #37), triaxial load frame (item #30), and manometer in triaxial load frame (item #30), rovide previously requested operating specifications for microwave ovens and test methods they will be used for (item #29). Provide previously requested operating apecifications, function and drawings for triaxial load frame (item #30). Provide previously requested specifications f	US	19/06/2001:transferred from Number 702244 last status in P7 was On Hold by the US and UK (US: goods on 1051 list as indicated by Sec't & for tech specs on centrifugal extractors & grain size analyzer; UK: require tech specs for impex-rated item); 22/06/2001:tech specs; 19/10/2001:US changed reason (S/2001/560, S/2001/51); 19/12/2001:BVS NOINPC reminder; 04/01/2002:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 28/06/2002:para 18;
				1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		
	NOINFO	NOINFO LABORATORY	NOINFO LABORATORY \$ 345,079.56	NOINFO LABORATORY \$ 345,079.56 26/06/200	NOINFO LABORATORY EQUIPMENT \$ 345,079.56 26/06/2001 Provide previously requested specs for all stainless steel water distillation apparatus including manufacturer's data sheets, internal and external dimensions, drawings, and material composition for all components and linings (liter #7). Provide previously requested specifications for the centrifuge including manufacturer's data sheets, type, a complete description of the separation technique used and a photograph (liter #30) (NOTE: centrifuga extraction does not make sense for bitumen).Provide previously requested specifications including dimensions, weight, type, material composition for all components and linings, flow rate, inlevoute pressure, rotation speed and drawings for vacuum pump (liters #8) and air compression in travial load frame (liter #30).Provide test previously requested specifications requiring thermometer with - 200 to +650 C range, and technical and operating specifications for digital thermometer (liter #11). Provide previously requested specifications requiring thermaenture (liters #13).Provide previously requested specifications for digital thermometer (liter #11). Provide previously requested specifications for digital thermometer (liter #13).Provide previously requested technical and operating speci- including any computers or microprocesson to the at 01 Myrdation calorimeter in travallouters or microprocesson for head of hyrdation calorimeter in travallouters or microprocesson tester (liter #22), Provide previously requested technical appecs and drawings for load sensors and transducers in compression tester (liter #23), and manometer in travallout and frame (liter #30), and manometer in travallouted load frame (liter #30), Provide previously requested operating specifications for discrimenter (liter #24). Provide previously requested operating specifications for microwave overs and test methohin-line and operating specifications including prec	NOINFO LABORATORY EQUIPMENT \$ 345,079.56 26/06/2001 Provide previously requested specifications, liternal and external dimensions, drawings, and material composition for all components and litings (tem #7). Provide previously requested specifications for the centrifuge including manufacturer's data sheets, type, a complete description of the separation technique used and a photograph (item #38) (NOTE: centrifuga extraction does not make sense for bitumen). Provide previously requested specifications including dimensions, weight, type, material composition for all components and linings, flow rate, infelvoted pressure, rotation speed and drawings for vacuum pump (items #8) and air compressor in traixial load frame (tem #30). Provide test previously requested specifications requiring thermometer with - 200 to -650 C range, and technical and operating specifications for digital thermometer (item #9). Provide previously requested specs for all computers including processor type and manufacturer, maximum cetfiled clock speed, cetfiled thermal operating range, and MTOPS rating (items #13). Provide previously requested specs and drawings for range, accuracy and previously requested dimensions, temperature range, accuracy and previously requested dimensions, temperature range, accuracy and previously requested specs for all computers including processor type and manufacturer, maximum cetfiled clock speed, cetfiled thermal operating range, and MTOPS rating (items #13). Provide previously requested technical and operating specs including any computers or microprocessor for head of drawing for rotad range in manufacturer, maximum cetfile of hydration calorimeter (item #30). And manometer in triaxial load frame (item #30), and manometer in triaxial load frame (item #30), and manometer in triaxial load frame (item #30), and manometer in triaxial load frame (item #30). Provide previously requested operating specifications for micror wa

و این است. منطق است میشوند میشو است است است است است. in a second s $\sqrt{n} (2\pi) \sim (n + \ell_1 \beta_1) (q_2 \beta_1) (q_3 \beta_2 \beta_3) = 1/6$ or q_3 .

and a straight state of the sta

1w.r. and the second second

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
				<u> </u>				
601998	France	D 1051*	CRANE WITH SPARES PARTS	\$ 8,764,537.15		1051 list item: S/2001/560, page 32, Paragraph 2.5.1 - Servo valves (items #59, #911, and #1027). Previously requested specifications, in English, for all valves including actuator response time and material composition for all components and linings (items #88, #546, #319, #926, #927, #929, and #931). Previously requested specifications, in English, for all valves including weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, and actuator response time (items #63, #459, and #925). Provide specifications for all cranes including the manufacturer's data sheets, photographs and drawings of the vehicle in the operation and travel positions, dimensions, weight and full dimensions of the mast, a description of the stabilization and leveling system operation, leveling accuracy and speed, set-up time, loading, and specifications for any automated leveling equipment items #1, #407, and #843). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition		18/09/2001:transferred from Number 702663 on 19-Jun-01, last status in P7 was On Hold by the 18/09/2001:US changed reason; 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed Inactive Hold; 09/11/2001:tech info (direct); 21/11/2001:status changed to On Hold; 08/01/2002:E OKINFO reminder; 23/04/2002:US changed reason; 27/06/2002:para 18;
						by weight for each alloy component.		
	ļ							
						a the Manteet e		
						ale de la constant de		
					Į			
							[
						en e		
						La des de la companya de		
						1. 1. At 65 14 4.		
						and the state of the		
			÷					· · ·
						an a		
						an frances and the second s Second second br>Second second		
						Sand to be a start of the start of the		•
						(1) Statistica Contraction and Contraction		
						ette i trada de la tradición y substituí. A seconda de la tradición de la		
						and the second secon		
						1 = 1 = 1 = 1		
						a a construction and a construction of the second second second second second second second second second secon Second second br>Second second		

-9

· 2

.....

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
602053	Jordan	NOINFO	SPARES FOR COMPRESSORS	\$ 1,061,039.61		Provide technical specifications for probe including function, dimensions, material composition of major components, manufacturer's data sheets, principle of operation, accuracy, range, linearity, certified thermal operating range, threshold, and technical drawings (Clark, type 3M10/8: items #007, #012, #013, and #049). Provide technical specifications for crosshead assembly including function, dimensions, material composition of major components, manufacturer's data sheets, and technical drawings (R type 6HHE: item #3). Provide technical specifications for "liner" including function, dimensions, material composition of major components, manufacturer's data sheets, and technical drawings (IR type 6HHE: item #19). Provide technical specifications for case packing set including function, dimensions, material composition of major components, manufacturer's data sheets and technical drawings (I-R type GB: item #11). Provide all requested alloy material composition as a percentage composition by weight for each alloy component. Provide all requested non-alloy or polymer material compositions as an IUPAC or CAS designation, as a standard commercial designation, and as a percentage composition by weight for each component.		12/08/2002:para 18;
700577	France	WMD	VETERINARY VACCINE	\$ 277,800.00		WMD dual-use item: concern related to S/1995/208, Page 16, Paragraph 1.12 - Vaccines against List 2	US	06/10/2000:letter from the French; fax from CPS; 22/11/2000:amendment to delete item #2 (DIFTOSEC); maintain hold; 24/07/2001:US changed reason for hold of Amend.2 (S/2001/560); 05/07/2002:para 18;
700725	Spain	1051	PESTICIDE	\$ 317,870.00	11/05/2000	US: Goods are on the 1051 list as indicated by the Secretariat,	US	12/05/2000:UK changed reason; 09/10/2000:partial ROH (UK); 17/06/2002:US changed reason; 26/06/2002:list A - fax to mission;
						Balandari ang pang pang pang pang pang pang pang		

and the second second

.

6	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
							a na sa		
	700869	France	1051	VETY CHEMICALS	\$ 153,386.00		US: Goods on 1051 list, as indicated by the Secretariat; UK: Require UNMOVIC to be present in Iraq for impex-rated growth media items highlighted by Sec't. Special monitoring (details to be specified) needed for items 2-7	US, UK	15/06/2000:UK changed reason; 28/11/2000:tech specs; 29/03/2001:addendum to delete items w/dual use; 12/04/2001:amendment application; 26/06/2002:list A - fax to mission;
31							and a second		
	700979	France	WMD*	PHOTOMETER	\$ 173,435.00		Company has already agreed to delete items #1, #2, #5, #6, #7, #8, #15, and #16 - but it is not clear due to many numbering schemes exactly to what pieces of equipment those numbers correspond. Provide a list of EXACTLY what is proposed for shipment to Iraq based on the item numbers given in the original Comm. WMD dual-use item: concern related to S/1995/208, Page 14, Paragraph 1,3 - liquid nitrogen containers (items #3, and #4).	US	14/09/2000:tech specs; 29/09/2000:partial ROH (UK) w. monitoring; 21/11/2000:addendum to delete item # 7; 05/10/2001:US changed reason; 08/10/2001:clarification to US; 16/10/2001:tech info (dir); 18/12/2001:BVS OKINFO reminder; 20/03/2002:US changed reason; 22/05/2002:para 18;
32							the standard statement and statement		
	701023	Jordan	D 1051	DRIP UNITS SETS	\$ 451,875.00	29/06/2000	Items #38, 39 appear to be on 1051 list. Request OIP to provide tech info/assessments used to determine that pumps are not subject to provision of SCR1051.	US	13/07/2000:tech specs on pumps; 07/08/2000:1051 clarification (as per request) to US; 28/08/2001:reminder; 09/04/2002:reminder; 14/05/2002:tech info; 15/05/2002:tech specs; 22/05/2002:para 18; 18/06/2002:tech specs to UNMOVIC-OLDHOLDINFO1;
33									
	701213	UAE	D 1051**	PUMPS	\$ 191,202.00	20/09/2000	US:1051 list items: S/2001/560, Page 18, Paragraph 10.4.2 -Corrosion resistant pumps (items #4, #7 and #8).0 WMD dual-use items related to S/1995/208, Page 12, Paragraph 10.4.2 -rubber-lined pumps (items #1 through #3, #5 and #6). Provide previously requested cross- sectional drawings for all pumps ordered. 0 UK: Confirmation of monitoring required.	US, UK	19/10/2000:Material composition end-use/user info (to US & UK); 07/11/2000:UK changed reason; 25/01/2001:tech specs, material composition and end-use/user info; 20/02/2001:US changed reason; 21/06/2001:US changed reason; 16/08/2001:US changed reason (S/2001/SO); 17/08/2001:UK changed reason; 18/09/2001:tech specs & drawings; 26/10/2001:BVS OKINFO reminder; 28/05/2002:US changed reason; 19/06/2002:tech specs; 08/07/2002:para 18;
34	704 45			DEOTIONE	\$ 434 140 00	0410010000			
35	701457	Jordan	D 1051**	PESTICIDE	\$ 434,140.00	04/08/2000	Goods appear to be on 1051 list at tab 10, pg 6, #1.60. OIP to provide tech info/assessments used to determine that the above goods are not subject to SCR 1051.	US	09/10/2000:OIP clarification to US; 26/04/2002:tech info; 22/05/2002:para 18;
Ī	701652	China	D 1051	STEAM TRAP;	\$ 120,680.00	24/10/2000	WMD dual-use item: concern related to S/2001/560, Page 19, Paragraph 10.4.4 - valves	US	23/05/2002:para 18; 27/06/2002:specs;
				VALVES			(ftem #26)		
36							and a second		
		L	_ 	L	L	L		I	

 $(a,a) \in \{a,b\}$

and second a Agriculture Holds as of 14 August 2002

-

•

R	OMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
Ī	701750	China	1051	PESTICIDE	\$ 121,000.00	23/08/2000		US	02/07/2001:US changed reason; 24/07/2002:list A - fax to mission;
							when an amendment is circulated removing item #1.		
							and the second secon		
									T
37							n an the state of the		· · ·
Γ	701770	Belarus	D 1051	MOBILE CRANE WITH SPARE	\$ 279,642.00	28/08/2000	goods appear to be on 1051 list at tab 10, pg 14, para 1.2. OIP to provide tech info/assessments used to determine that goods are not subject to SCR 1051	US .	20/02/2001:letter from the mission of the Republic of Belarus; 12/06/2001:specs (not requested); 06/12/2001:additional info (not requested); 23/05/2002:para 18;
				PARTS					our 12/2007. auditional nito (not requested), 20/00/2002. para 10,
			· .						
38									
Γ	701884	Italy	0	ALLOY STEEL	\$ 86,206.0	18/09/2000	UK: Confirmation of monitoring required.	UK	23/01/2001:tech specs; 15/02/2001:reminder; 14/03/2001:partial ROH (US); 06/06/2001:material composition (not requested); 17/08/2001:UK changed reason; 09/07/2002:para 18;
									tomposition (not requested), modizour.ok changed reason, oaronzouz.para no,
							an an an tao amin' am Aona amin'		
					· ·		a tha an an 1977 tha Might Condition that an		
39									
	701912	Saudi Arabia	OKINFO	SPRAYING MACHINE	\$ 1,417,500.0	0 06/09/2000	Provide previously requested specifications for the ceramic pumps including cross- sectional drawings, material composition for all wetted components (provide material	US	12/09/2000:UK changed reason; 16/01/2001:amendment to delete items; 12/03/2001:specs & end- use info (US/UK); 16/03/2001:partial ROH (UK); 27/07/2001:US changed reason (S/2001/560);
							composition of ceramic lining), and pump flow rate (item #3). Provide all requested alloy		13/09/2001:clarification (not requested); 01/10/2001:BVS NOINFO reminder; 19/10/2001:tech specs
							material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	l	and drawings; 18/12/2001:BVS OKINFO reminder; 20/03/2002:US changed reason; 06/05/2002:tech specs; 23/05/2002:para 18;
			{			•			
40							and the second		
- [701955	Spain	1051	1 PESTICIDE	\$ 112,070.0	12/09/2000	Goods are on the 1051 list as indicated by the Secretariat and WMD dual-use item: concern related to S/2001/560, Page I	US	28/12/2000:tech specs; 24/09/2001:US changed reason; 26/06/2002:list A - fax to mission;
							6, Paragraph A.19 - Fosetyl-Al Mancoceb is separatable and easily converted to Diethyl		
							phosphonate (item #1).		
							and a second		
							$\chi = e^{i \omega t} d q$		
41							اردی اور این		
ſ	702001	France	OKINFO	GEAR BOXES	\$ 49,325.0	0 11/09/2004	For detailed end use equip. How will equip be used at the phosphate production facility?	US	16/10/2000:detailed explanation; 02/11/2000:reminder; 22/02/2001:detailed explanation on file to US at meeting w/US tech experts; end-use/user info; 01/10/2001:BVS OKINFO reminder;
		1. ¹				1	a survey a second second		09/07/2002:para 18;
		1	1	1	1			1	
			1				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	

1. 1. 1. 20 March 19
12

.

وأخالكم أخرابهم والمربعة لمحاجر المحا and the second sec

COMM	mission	Hold Status	Goods	Amou	int	Date of Hold	Reason	holdby	HoldAction
702071	italy	WMD	SPRAYER.	s	514,500.00	19/09/2000	WMD dual-use item: concern related to S/1995/208, Tab 10, Page 16, Paragraph 1.9	US	03/10/2000:additional clarification; 12/10/2000:partial ROH (UK) w monitoring; 27/07/2001:US
			TRACTOR MOUNTED SPRAYER				and Page 22, Paragraph 8.1 and S/2001/560, Page 24, Paragraph 7.2.		changed reason (S/2001/560); 09/08/2001:tech specs; 13/09/2001:clarification (not requested); 26/10/2001:BVS OKINFO reminder; 19/03/2002:US changed reason; 09/07/2002:para 18;
							 Starger was got in the time to a source of the timeto a source of the time to a source of the time to a source of		
702077	litelu	WMD**	WHEEL BARROW		708,750.00	20/00/2000	WMD dual-use item: concern related to S/2001/5601 Page 24, Paragraph 7.2 -	us	03/10/2000:tech specs for sprayers; 12/10/2000:partial ROH (UK) w monitoring; 27/07/2001:US
102011	licity	WMD	SPRAYERS	,	700,750.00		wheelbarrow sprayer (item #1); Please provide material composition, dimensions, maximum pressure, flow rate, droplet size distribution, and drawing for nozzle (component of spray lance for item #1).	05	changed reason (S/2001/560); 09/08/2001: tech clarification; 13/09/2001:clarification (not requeste 26/10/2001:BVS OKINFO reminder; 19/03/2002:US changed reason; 23/04/2002:tech specs; 19/09/07/2002:para 18;
							(component of spray rance for hern #1).		uaio//2002.hera 10,
							and the second secon		
702083	Spain	D 1051*	OLIVE OIL PLANT	\$	300,740.00		1051 list item: S/2001/560, Page 22, Paragraph 4.1 - continuous centrifuges (item #4). Provide specifications for mono pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (item #3). Provide all requested alloy material	US	11/01/2001:partial ROH w. monitoring; 15/02/2001:tech specs; 29/03/2001:US changed reason; 08/05/2001:brief tech info; 01/10/2001:BVS OKINFO reminder; 20/03/2002:US changed reason; 09/07/2002:para 18;
							speet and closs solution and STM or DIN standard alloy and as a percentage composition compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component?		
							(1) And Control (1997年)、「日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日		
702304	Japan	OKINFO	SPARE PARTS	\$	588,772.00	16/10/2000	Provide specifications for all pumps for which the spare parts are destined including	US	09/02/2001:reminder; 11/07/2001:end-use/user info; 21/08/2001:end-use/user info; 02/10/2001:L
			FOR PUMP SETS				dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings. Provide previously		changed reason; 27/11/2001:tech specs; 29/01/2002:BVS OKINFO reminder; 09/05/2002:remind 10/07/2002:para 18;
							requested specific company, location, and specific chemical and mechanical processes for which these parts are destined.	1	
							and the second		
								1	

Histopolina Avgin

and a second
`

ين. محكمات الأرامي من المعام الأماني وال

and a star water and a star water and a star water and a star water and a star water and a star water and a st The star water and a star w

13

والمعادية والمستعدين والمستوالي والمستوالي

 $\cdots = q_{-1}$

.

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
702308	Austria	OKINFO	PRODUCTION EQUIPMENT	\$ 11,859,376.39		Provide previously requested rotation speed, dimensions, weight, and drawings for all pumps; Provide previously requested technical specifications for all welders including type, voltage/current, specifications, and manufacturer's data sheets (items #7, #311, #317, #321, #324, #326, #327). Provide an explanation why an emulsion is used as the cooling medium (item #33). Provide specifications for all pumps, valves and tanks included in the filtering plant including material composition of all components and linings, manufacturer's data sheets and a complete description of the process (item #79). Identify the polyester that is used as an ingredient for items #686, #687, #688 and #691). Provide the reaction mechanism for the polymerization (items #686, #687, #688, #691, #693 and #763). Provide specifications for the hydrostatic test unit including the maximum test pressure, pump specifications and maximum diameter of pipe that can be tested. Provide specifics on the limitation of maufactured. Provide specifications on the pipe lining equipment including what materials can be used to line pipes. Provide an explanation why no actuator response time can be given for solenoid valves. I Provide specifications for the CNC lathe mentioned in additional information. Provide the previously requested accuracies and tolerances for the universal milling machine.	US	05/02/2001:detailed specs; 14/02/2001:tech info; 26/02/2001:US changed reason; 09/03/2001:U changed reason; 27/03/2001:tech specs; 04/04/2001:specs; 01/08/2001:US changed reason; 27/08/2001:tech specs; 08/11/2001:B/S OKINFO reminder; 23/05/2002:tech specs; 13/06/2002:partial ROH (UK); 19/06/2002:tech specs; 10/07/2002:para 18;
702353	Italy	PFE	TRANSMISSION SHAFT	\$ 124,992.57	24/10/2000	pending further tech review	US	01/10/2001:BVS OKINFO reminder; 10/07/2002:para 18;
702369	ltaly	D 1051	OLIVE OIL PLANT	\$ 553,284.00		US: 1051 list item: Tab 10, Page 14, par 1.3.2 and Tab 10, Page 21, Paragraph 4.1 for continuous centrifugal horizontal extractor (item #11) and centrifugal separator (item #14); Tab 10, Page 12, Paragraph 10.4.1.1 corrosion resistant tanks (items #15 and # 16);	US	19/12/2000:tech specs to US & UK; 15/01/2001:OIP clarification to US; 01/02/2001:US changed reason; 27/03/2001:partial ROH (UK); 22/08/2001:tech info; 10/07/2002:para 18;
702402	Italy	NOINFO	WHEEL BARROW SPRAYERS	\$ 1,603,140.00		US: Please provide specifications for all nozzles including material composition, dimensions, maximum pressure, flow rate, droplet size distribution, mean droplet or particle size versus flow rate relationship and drawing.	US	04/12/2000:comments on "dual use items" and tech info (not requested); 30/07/2001:US chang reason (S/2001/560); 30/07/2001:partial ROH (UK); 13/09/2001:clarification (not requested); 01/10/2001:BVS NOINFO reminder; 22/10/2001:clarification (FAO's report); 24/10/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 10/07/2002:para 18;
	1	1	1	1				

•

ľ	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason The second second second	holdby	HoldAction
	702403	Italy	OKINFO	COMPRESSOR SPARE PARTS	\$ 279,400.00		parts for ammonia compressors (all items)	US	12/12/2000:tech specs on gear boxes; 01/02/2001:US changed reason; 11/07/2001:end-use/user info; 21/08/2001:end-use/user info; 26/10/2001:BVS NOINFO reminder; 07/11/2001:tech info; 09/11/2001:status changed to Inactive Hold; 13/11/2001:status changed to On Hold; 08/01/2002:BVS OKINFO reminder; 11/07/2002:para 18;
51									
52	702405	ltaly	WMD	COMPRESSOR SPARE PARTS	\$ 247,850.00	03/11/2000	WMD dual use item: concern related to \$/1995/208, Page 31, Paragraph 34.5 - spares for ammonia compressors that are dual-use equipment used in Ammonia cracking synthesis converters and units)	US	12/12/2000/tech specs (not requested); 15/01/2001:OIP clarification to US; 09/03/2001:US changed reason; 23/05/2001:US changed reason; 18/06/2001:US changed reason; 21/08/2001:end-use/user info (not requested); end-use/user info (not requested); 11/07/2002:para 18;
52	702406	Italy	D 1051*	COMPRESSOR SPARE PARTS	\$ 53,750.00	02/11/2000	1051 list item: Tab 9, Page 31, Paragraph 34.5 Ammonia crackers; provide specifications for the ammonia compressor for which the spare parts are destined including II inlet/outlet pressures, rotation speeds, flow rates, and compressing medium.	US	12/12/2000:tech specs; 01/02/2001:US changed reason; 11/07/2001:end-use/user info; 21/08/2001:end-use/user info (not requested); 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 16/07/2002:para 18;
53	700400	T	405	YEAST-NOZZLE	070.040.00	00/14/0000		10.114	
54	702439			SEPARATOR	\$ 278,216.03	29/11/2000	US: Goods are on the 1051 list as indicated by the Secretariat, UK: Require UNMOVIC to be present in Iraq.	US, UK	05/12/2000tech info to US; 07/12/2000:UK changed reason; 07/12/2000tech info to US; 07/03/2001:US changed reason; 05/04/2001:end-use info (not requested) (UK/US) (05/04/01);; 12/04/2001:end-use info (not requested) (UK/US) (12/04/01); 26/06/2002:list A - fax to mission;
55	702446	Germany	D 1051**	WASTE HEAT BOILER	\$ 1,222,531.64	15/01/2001	Goods are on the 1051 list as indicated by the Secretariat and 1051 list item: Tab 10, Page 12, 10.4.1.1 - reactor vessels; Provide the previously requested material composition of all components by percentage composition of each alloy component (SA 302 Gr C, SA 213 T12, SA 387 Gr 12, SA 336 F12, SA 106 Gr B, Carbon Steel); Specify if any of the components is lined and if so please provide the composition of the lining; Provide the specific end-use and a description of the specific end-use process.	US	17/01/2001:partial ROH (UK); 25/01/2001:tech info; 16/05/2001:US changed reason; 26/06/2001:tech info (dir); 11/07/2001:end-use/user info; 21/08/2001:end-use/user info; 26/10/2001:BVS OKINFO reminder; 26/06/2002:list A - fax to mission;
56	702457	Lebanon	D 1051	PRESS FILTERS	\$ 248,756.96	21/11/2000	US: Goods are on the 1051 list at \$/2001/560, Page 22, Paragraph 4.3 - Filtration equipment (item #1).	US	01/12/2000:partial ROH (UK) (01/12/00);; 05/12/2000:catalogue from the supplier; 05/04/2001:end- use info (not requested); 12/04/2001:end-use info (not requested); 30/07/2001:US changed reason (S/2001/560); 08/01/2002:addendum to contract terms of payment only; 11/07/2002:para 18;

and a substance of the second s

15------

.

	СОММ	mission	Hold Status	Goods	Amour	nt	Date of Hold	Reason	holdby	HoldAction
57	702467	Belgium	WMD	PUMPS	\$	34,750.00				08/01/2001:tech info and 1051 determination; 10/01/2001:UK changed reason for hold; 15/01/2001:OIP clarification to US; 16/02/2001:US changed reason; 17/08/2001:UK changed reason; 11/07/2002:para 18;
58	702493	Belgium	D 1051	PUMPS,GEAR BOXES AND MOTORS	\$	148,074.80			US, UK	10/01/2001:UK changed the reason; 23/01/2001:tech specs; 12/02/2001:US changed reason; 17/08/2001:UK changed reason; 11/07/2002:para 18;
59	702513	India	OKINFO	SUPPLY FOR FIRE BRICKS	\$	116,886.08	12/12/2000	need info on how material will be used at facility	US	09/02/2001:end-use/user info; 28/03/2001:info on material use; 01/05/2001:end-use/user info; 19/09/2001:reminder; 01/10/2001:BVS OKINFO reminder; 20/12/2001:reminder; 27/03/2002:reminder; 16/04/2002:reminder; 30/04/2002:end-use/user info; 03/06/2002:end-use/user info; 11/07/2002:para 18;
60	702533	UAE	D 1051**	ELECTRICAL SUPPLIES	\$	324,465.56	28/12/2000	1051 item: tab 10, pg 14, para 1.3 - equipment for storing microorganisims (item #8); please provide specs. for all compressors including temperature range, maximum volume (in cubic meters) which compressor can support and manafacturer's data sheets.	US	09/03/2001:US changed reason; 12/04/2001:end-use info (not requested); 19/04/2001:tech specs for compressors; 07/05/2001:reminder; 08/08/2001:tech specs; 01/10/2001:BVS OKINFO reminder; 11/07/2002:para 18;
61	702548	France	0	GEAR BOXES	\$	94,180.70	11/01/2001	UK: Confirmation of monitoring required.	UK	15/01/2001:UK changed reason; 07/03/2001:partial ROH (US); 17/08/2001:UK changed reason; 11/07/2002:para 18;
62	70256	2 Italy	1051*	MACHINES	\$	550,000.00	13/03/2001	US: Goods on 1051 list as indicated by Sect: UK: Require confirmation that technical specifications are the same for all the lathes. Require information on whether the lathes'specifications have been assessed under ISO 230-2. Require details of which firm manufactures these lathes. Also need details of exact end use and user of the equipment.	US, UK	14/03/2001:UK changed reason; 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 26/06/2002:list A - fax to mission;

and the case of the 16

and the second secon

Ī	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
		·		1			a ser a construction and a series of the ser		
	702573	Austria	1051	MOLASSES CLARIFIER	\$ 384,394.34	23/01/2001		US, UK	23/02/2001.tech info; 05/04/2001:end-use info (not requested); 12/04/2001:end-use info (not requested); 26/06/2002:list A - fax to mission;
							and the second secon		
							and the second secon		
63							 A state of the sta		
	702576	China	105	PESTICIDE	\$ 24,000.00	24/01/2001	US: Goods are on the 1051 list as indicated by the Secretariat	US	22/02/2001:partial ROH (UK); 26/06/2002:list A - fax to mission;
		1							
				1	1				
							the second s		
			2	1					
64	702590) Tunisia	WMD*	SPRAYERS;	\$ 503,999.75	24/01/200	US: WMD dual-use item: concern related to S/2001/560, Page 24, Paragraph 7.2 -	US, UK	26/03/2001:US changed reason; 17/08/2001:US changed reason (S/2001/560),; 13/09/2001:darffication (not requested); 01/10/2001:BVS NOINFO reminder; 18/10/2001:tech specs;
]		SPARE PARTS]		sprayers (item #1). Provide the previously requested description of the purpose and use for and material composition of the antivortex (Annex 2, list A: item #18).		13/12/2001:BVS OKINFO reminder; 22/03/2002:US changed reason; 12/07/2002:para 18;
							Provide all requested alloy material compositions as both an ASTM or DIN standard		
			1				alloy and as a percentage composition by weight for each alloy component. UK: Require tech specs of the particle sizes produced by the impex-rated 'Mounted Sprays'		
							and the impex-rated component of the spare parts.		· ·
			1						
				1			いっかがた ちょう 読み し		
							No. of the second se		
65									
65	702651	Lebanon	DU	GENERATOR	\$ 1,334,266.14	19/04/200	Goods have dual military use.	US	08/05/2001:end-use/user info (not requested); 21/06/2001:answer from the supplier; 12/07/2002:para
65	702651	Lebanon	DU	GENERATOR SETS/PARTS	\$ 1,334,266.14	19/04/200		US	08/05/2001:end-use/user info (not requested); 21/06/2001:answer from the supplier; 12/07/2002:para 18;
65	702651	Lebanon	DU		\$ 1,334,266.14	19/04/200	Goods have dual military use.	US	
65	702651	Lebanon	DU		\$ 1,334,266.14	19/04/200	Goods have dual military use.	US	
65	702651	Lebanon	DU		\$ 1,334,266.14	19/04/200	Goods have dual military use.	US	
65	702651	Lebanon	DU		\$ 1,334,266.14	19/04/200	Goods have dual military use.	US	

.

×

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hoidby	HoldAction
67	702653	Cuba	NOINFO	SUGAR CANE HARVESTERS; ACCESSORIES; SPARE PARTS	\$ 369,244.08	12/10/2001	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and drawings (item #131 in spare parts list).IProvide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #113, #19 through #121 in spare parts list). Provide specifications for all filters and filter element including pore size, maximum efficiency at 0.3 micron, flow rate, material composition, maximum pressure, and dimensions (items #132 through #134). Provide specifications for combines, furrow makers, and mowing machines including manufacturer's data sheets, drawings, photographs; and material composition for all components and linings (items #11 through #3). Provide specifications and itemized listings for all repair kits including dimensions, material composition for all components and linings, and drawings (items #126 through #130 in spare parts list). Pro for alloy material composition as both an ASTM or DIN standard ality and as a percentage composition by weight for each alloy component.	US	12/12/2001:BVS NOINFO reminder; 28/12/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 12/07/2002:para 18;
68	702658	Italy	NOINFO	FILTERS	\$ 90,969.30	18/06/200	Provide the previously requested specifications for the filter cloth including pore size and efficiency (item #1). Provide previously requested specifications for the spreader roller including drawings with dimensions and photographs (item #2). Provide the previously requested specific end-use including the specific process or processes in which the materials will be used (item #1 and #2).	US	07/09/2001:tech info & end-use (info added 13/03/02); 01/10/2001:BVS NOINFO reminder; 31/10/2001:status changed to Inactive Hold; 13/03/2002:status changed to On Hold; 20/03/2002:BVS OKINFO reminder; 03/05/2002:US changed reason; 12/07/2002:para 18;
69	702665	France	WMD*	VETY CHEMICALS	\$ 106,416.00	25/05/200	US: WMD dual-use concern related to S/1995/215, Page 24, Paragraph 28.14 - dye laser components (items #14, #15, #16, #47, and #48) and S/1995/208, Page 14, Paragraph 1.2 - detection and assay systems (items #65, #66 and #69); Povide the molecular structure, function and use of oracet blue (item #58); Provide specific tests in which the following items are to be used; #2, #3, #4, #5, #6, #7, #9, #12, #13, #17, #18, #25, #26, #27, #29, #30, #31, #32, #33, #44, #45, #56, #59, #60, #61 and #63. UK: We cannot approve this contract until as a minimum UNMOVIC is present in the country unless the following items are removed. All growth media (beef extract, Peptone, Cooked Meat Medium, Triogycolate medium, Brilliant Green (assumed to be Brilliant Green Agar), Sillinet broth and Triple sugar iron). We assume the Impex rated Elisa kit to be equivalent to that in 700869, for which we have no concern. If this is not the case we would require technical specifications.	US, UK	29/05/2001:UK changed reason; 20/08/2001:US changed reason; 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 12/07/2002:para 18;

ر ما به کر مانو به دونه این ا $-\alpha \in \{[d_1 \otimes \gamma_{i+1}^*, \gamma_{i+1}$ and pression that at 1997 - C. M. W. Star Starting and Start A Charles and the 18

v

and the second second

Agriculture Holds as of 14 August 2002 i na sin in s

٠

*

MM	mission	Hold Status	Goods	Amount	Date of Hold	Reason and the second s	holdby	HoldAction
						a sa		
702673	Italy	NOINFO	WASTE HEAT BOILER	\$ 732,454.79	28/09/2001	US: Provide previously requested end-use, end-user, and end-use locations for all items.	US	01/10/2001:partial ROH (UK); 15/10/2001:detailed tech specs (dir); 28/11/2001:BVS NOINFO reminder; 14/12/2001:status changed to Inactive Hold; 10/01/2002:US changed reason; 05/06/2002:status changed to On Hold as per new procedures; 12/07/2002:para 18;
						and the second		
						an an tha an		
						n an		
								<u> </u>
02705	Lebanon	WMD	PRESS FILTERS	\$ 257,145.30		US: WMD dual use item: concern related to S/2001/560, Page 22, Paragraph 4.3 - filter presses (item #1).0	US	21/01/2002:partial ROH (UK); 12/07/2002:para 18;
		· ·						
						· · ·		
						2. See a second s Second second se Second second s Second second seco		
02757	France	0	TRACTOR/SPARE PARTS	\$ 1,764,565.74	06/12/2001	US: The U.S. would have no objection provided valves (item #255 and #294) and pump (item #283) are deleted from the contract and an amendment deleting these valves and pumps is submitted	US	06/02/2002:BVS NOINFO reminder; 21/02/2002:status changed to Inactive Hold; 18/03/2002:t specs (dir); 20/03/2002:partial ROH (UK); 26/03/2002:status changed to On Hold; 05/06/2002: changed reason; 21/06/2002:clarification; 15/07/2002:para 18;
			1					
			1			and the Constraint of the second states		
02761	Lebanon	DU	GENERATOR SET	\$ 440,028.38	21/11/2001	Dual military use.	US	06/06/2002:clarification; 15/07/2002:para 18;
					1	$V_{ij} = [A_{ij}]_{ij} (A_{ij}) (A_{i$		
			1			· · · · ·		
02762	Belgium	OKINFO	SPARES FOR	\$ 1,092,773.64	15/11/2001	US: Provide technical specifications for spare parts including function, dimensions,	US, UK	15/01/2002:tech info; 15/01/2002:tech specs; 16/01/2002:BVS NOINFO reminder; 20/03/2002
			BIRD-PRAYON			drawings, and material composition (terms #1 through #6). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage		OKINFO reminder; 15/07/2002:para 18;
i			(Increase			composition by weight for each alloy component. Provide all requested polymer material		· · · · · · · · · · · · · · · · · · ·
						compositions as both an IUPAC or standard commercial designation and as a		
				ł		percentage composition by weight for each component. UK: Confirmation of end-use monitoring.	Į.	
02764	Italia	OKINFO	GEAR BOXES	\$ 219,161.82	27/11/2001	US: Please confirm that the four bladed turbines are made of un-coated carbon steel	US, UK	28/11/2001:UK changed reason; 07/12/2001:tech specs; 05/02/2002:BVS OKINFO reminder;
02704		UKINFU .	GEAR BUAES	\$ 219,101.02	27/11/200	(DIN 1.0485) (items #1 and #3). Provide the specific end-use including processed fluid, a block diagram of the process, and the specific geographical location of end-use. UK: Confirmation of monitoring required	03, 04	2011/2002:US changed reason; 05/06/2002:tech specs; 15/07/2002:para 18;
		}						
	1	1	1	1	1	the second se	1	1

/

٠

~

.

mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
5 Belgium	NOINFO	PUMPS	\$ 132,439.09	06/12/2001	Provide specifications for all pumps including dimensions, weight, material composition for all components and linings, and cross-sectional drawings (items #1 and #2). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and a a percentage composition by weight for each alloy component.	US	06/02/2002:BVS NOINFO reminder; 21/02/2002:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 15/07/2002:para 18;
			-				
7 Jordan	NOINFO	SPARE PARTS FOR COMPRESSORS	\$ 950,295.77		including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, operating temperature ranges and cross- sectional	US	01/05/2002:BVS NOINFO reminder, 15/07/2002:para 18;
					Provide all requests for alloy material composition as both an ASTM or DIN standard		
2 France	NOINFO	TRUCK MOUNTED	\$ 484,000.00	09/11/2000	Provide previously requested specifications for the truck including dimensions, weights	US	15/01/2001:OIP clarification to US; 23/01/2001:tech specs; 24/08/2001:clarification; 31/08/2001:e
		WATER WELL SERVICING RIGS WIACCESS &			(including weights of major components), readable diagrams and photographs in both operational and travel configurations, specifications for the leveling and stabilization system, and manufacturer's data sheets (item #1).		use info; 20/09/2001:US changed reason; 24/09/2001:US changed reason; 23/11/2001:tech info (direct); 07/01/2002:photographs and reminder; 22/01/2002:BVS OKINFO reminder; 27/03/2002:U changed reason; 11/06/2002:para 18;
					$\frac{1}{2} \left[\frac{1}{2} \left$		
2 Italy	WMD	TRUCK MOUNTED	\$ 9,656,540,08	29/11/2000	Conde are WMD dual-use item: concern related to \$/2000/560 Page 42 Parantanh	118	19/12/2000:tech specs forwarded to US; 02/02/2001:US changed reason; 23/02/2001:tech info;
2 1081		DRILLING RIGS W/		2011/2000	8.3.1.		23/02/2001:tech info; 31/08/2001:end-use info (not requested); 13/09/2001:US changed reason (S/2001/560); 13/09/2001:reminder; 13/09/2011:end-use info (not requested); 13/09/2001:remind (13/09/01); 20/09/2001:US changed reason; 04/10/2001:detailed tech specs - repeated; 25/10/2001:tech specs (dir); 31/10/2001:US changed reason; 16/12/2001:additional info; 14/03/2002:additional info; 11/06/2002:para 18;
4 France	D 1051	VETY-				US	15/01/2001:OIP comment to US; 14/05/2001:amendment to delete items; 26/06/2002:list A - fax t Inission;
		LS			a star in an		
9. lordan	WMD	PESTICIDE	\$ 514 791 98	08/12/2000	WMD-dual use	us	03/01/2001:tech info not requested; 07/03/2001:tech clarification repeated; 11/06/2002:para 18;
			• • • • • • • • • • • • • • • • • • • •	00/12/200	n normal and a set of set of the		
			<u> </u>		 A second sec second second sec	•	
	mission 5 Belgium 7 Jordan 2 France 2 Italy 4 France 59 Jordan	S Belgium NOINFO 7 Jordan NOINFO 2 France NOINFO 2 Italy WMD 4 France D 1051	SBelgium NOINFO PUMPS 7 Jordan NOINFO SPARE PARTS FOR COMPRESSORS 2 France NOINFO TRUCK MOUNTED WATER WELL SERVICING RIGS W/ACCESS & 2 Italy WMD TRUCK MOUNTED DRILLING RIGS W ACC/SPARES 4 France D 1051 VETY- PHARMACEUTICA LS	SBelgium NOINFO PUMPS \$ 132,439.09 7 Jordan NOINFO SPARE PARTS FOR COMPRESSORS \$ 950,295.77 2 France NOINFO TRUCK MOUNTED SERVICING RIGS W/ACCESS & \$ 484,000.00 2 Italy WMD TRUCK MOUNTED DRILLING RIGS W/ ACC/SPARES \$ 9,656,540.08 4 France D 1051 VETY- PHARMACEUTICA LS \$ 264,957.08	Belgium NOINFO PUMPS \$ 132,439.09 06/12/2001 7 Jordan NOINFO SPARE PARTS FOR COMPRESSORS \$ 950,295.77 25/02/2002 2 France NOINFO TRUCK MOUNTED WATER WELL SERVICING RIGS W/ACCESS & \$ 484,000.00 09/11/2000 2 Italy WMD TRUCK MOUNTED DRILLING RIGS W/ ACC/SPARES \$ 9,656,540.08 29/11/2000 4 France D 1051 VETY- PHARMACEUTICA \$ 264,957.08 05/12/2000	Balglum NOINFO PUMPS \$ 132,439.09 OB122001 Provide specifications for all pumps including dimensions, weight, material composition as both an ASTM or DIN standard alloy and a a percentage composition to whight for each alloy composition. Zierdan NOINFO SPARE PARTS FOR COMPRESSORS \$ 950,285.77 250022002 Provide specifications for all compressors for which spare parts are being ordered including dimensions, weight, type, material composition as both an ASTM or DIN standard alloy and a a percentage composition to weight for each alloy composition. Zierdan NOINFO SPARE PARTS FOR COMPRESSORS \$ 950,285.77 250022002 Provide specifications for the instruction and linings. Zierdan NOINFO SPARE PARTS FOR COMPRESSORS \$ 950,285.77 250022002 Provide specifications for which spare parts are being ordered including dimensions, weight, type and an ASTM or DIN standard alloy and as a percentage composition ty weight for each alloy component. Zierance NOINFO TRUCK MOUNTED \$ 484,000.00 0971/2000 Provide previously requested specifications for the truck including dimensions, weight footidang weight of major composition, specifications for the truck including dimensions, weight for each alloy component. Zierance NOINFO TRUCK MOUNTED \$ 6,856,540.08 2971/2000 Goods are WMD dusi-use term concern related to Si2000/590, Page 42, Paragraph 3.1	Belgium NOINPO PLMPS \$ 132,439,09 06/12/2001 Provide specifications for all pumps including dimensions, weight, material composition for all composition as both an ASTM or DIN standard alloy and a a percentage composition by weight for each alloy composition. US Zuordan NOINPO SPARE PARTS POR COMPRESSORS \$ 990,295.77 25/02/2002 Provide specifications for all composition is both an ASTM or DIN standard alloy and a a percentage composition by weight for each alloy composition. US Zuordan NOINPO SPARE PARTS POR COMPRESSORS \$ 990,295.77 25/02/2002 Provide specifications for all composition as both an ASTM or DIN standard alloy and as a percentage composition. US Zimace NOINPO TRUCK MOUNTED WATER WELL SERVICING RIGS WAACCESS & 484,000.00 09/11/2000 Provide previously requested specifications for the truck including dimensions, weights water and photograph is in both operational and travel condigurations by weight for each alloy component. US Zimary WMD TRUCK MOUNTED DRILLING RIGS W ACCESS & 9,856,640.08 29/11/2000 Goods are WMD dual-use item: concern related to \$27000560, Page 42, Paragraph US US Alloy VMD VETY- PARAMACEUTICA \$ 284,957.08 05/12/2000 Goods on 1051 list as indicated by Sect and items 13,8,9 are 1051 at bit 10, p14, par

.

ſ	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
				00000	, anoant	Date of Field		noidby	
82	800869	Saudi Arabia	DU	LOW LOADER/PARTS	\$ 4,805,646.71	11/12/2000	Military dual-use item: concern related to S/2002/515, Page 273, 9.A.13 -Low loader (45 tonnes; , 3.25 meters wide; 3.5 inch king pin, 12.00x20 tires; gooseneck, loading ramps) (item #1).		21/12/2000:tech specs including drawings; 06/06/2001:tech specs and drawing; 19/06/2001:specs for items #30, drawing, end-use info; 25/09/2001:US changed reason; 01/10/2001:BVS NOINFO reminder; 14/03/2002:additional info; 28/05/2002:US changed reason; 11/06/2002:para 18;
83	801120	India	D 1051*	AGRICULTURAL SUPPLIES	\$ 155,051.99		US: 1051 list items: S/2001/560, Page 23, Paragraph 5 - Growth medium or components I (items #1, #2, and #7). WMD dual-use items: concern related to S/2001/560, Page 23, Paragraph 5- Growth medium or components just under 5 kg package requirement (items #8, #9, #20, #21, #22, #23, #24, #65, #66, #67, #69, #72, #79, #80, #81, #82, #83, and #84). WMD dual-use item: concern related to ab 10, Page 14, paragraph 1.2- use in classifying mycobacterium (item #19). WMD dual-use item: concern related to S/2001/560, Page 23, Paragraph 6.1 - reagents for immunological assays (items #41 and #42). WMD dual-use item: concern related to Tab 10, Page 16, Paragraph 1.6 -cell culture reagents (items #14, #55, #56, #57, #59, #26, #27, #94, and #95). WMD dual- use item: concern related to S/2001/5601 Page 33, Paragraph 3.3.3 Perchloric acid (item #99). @Provide previously requested a detailed description for the purpose and use of Staph 10 (item #73). Provide previously requested Material Safety Data Sheet (MSDS) for I-napthalenzein (item #98). UK: Due to the presence of many impex-rated items of BW concern, we cannot consider approving this contract unless UNMOV/IC is present in Iraq.		09/01/2001:UK changed reason; 11/10/2001:US changed reason (S/2001/560); 26/10/2001:BVS NOINFO reminder; 09/11/2001:status changed to Inactive Hold; 19/11/2001:reminder; 19/04/2002:reminder; 05/06/2002:status changed to On Hold as per new procedures; 18/07/2002:para 18;
84	801210	France	WMD	WATER AND SOIL ANALYSIS EQUIPMENT	\$ 294,122.08	27/02/2001	WMD dual - use item: concern related to S/2001/560, Page 22, Paragraph 3.1 - dissolved oxygen meter (item #13), components and probes (items #13 through #18) and turbidity meter (item #27). WMD dual-use item: concern related to S/1995/208, Page 14, Paragraph 1.3 and Page 16, Paragraph 1.11 - incubator, 0-99.9°C, 115 L capacity (item #38). WMD dual-use item: concern related to S/2001/560, Page 22, Paragraph 33 orbital shaker H2O bath item #34).	US	02/07/2001:end-user info (not requested): 16/07/2001:tech specs (dir); 26/10/2001:BVS OKINFO reminder; 13/02/2002:tech specs; 11/04/2002:US changed reason; 11/06/2002:para 18;
85	801250	Lebanon	105	I CENTRIFUGAL	\$ 340,670.88	30/11/2001		US, UK	08/01/2002:addendum to contract terms of payment only; 26/06/2002:list A - fax to mission;

State State State State State State State
 State Stat

COMM mission holdby Hold Status Goods Amount Date of Hold Reason HoldAction 801282 Egypt OKINFO DIESEL \$ 2,707,910,95 17/01/2001 provide the specific end-use locations for the each of the 135, 150 and 500 WA US 22/01/2001:US changed the reason; 16/05/2001:end-user info and tech specs; 01/10/2001:BVS GENERATING generating sets (items #5, #6, and #7); provide a description of the equipment power OKINFO reminder: 12/06/2002:para 18: 21/06/2002:clarification to UNMOVIC-OLDHOLDINFO1: SETS W/ SPARE requirements for these same generating sets PARTS & ACCESSORIE and the second second A subscription to the second se 86 801309 Belgium NOINFO WATER PUMPS 334,558,48 20/02/2001:UK changed reason; 17/08/2001:UK changed reason; 01/10/2001:BVS NOINFO 13/02/2001 US: provide the specific end-use of the pumps including specific production processes US, UK \$ and machines or processing equipment for which the pumps are destined; confirm the reminder: 24/10/2001;status changed to inactive Hold; 05/06/2002;status changed to On Hold as per pumps are not lined; provide a legible copy of the technical data sheets with dimensions new procedures: 18/07/2002:para 18: weight, and material compositions on them; UK: Confirmation of monitoring required. 87 801639 France SUGAR DRYER 990,808.82 27/02/2001 WMD dual-use item: concern related to S/1995/208, Page 15 Paragraph 1.3.10 -drum 26/03/2001:US changed reason; 12/04/2001:tech specs and drawings; 15/05/2001:US changed WMD \$ US reason; 09/10/2001:US changed reason (S/2001/560); 19/11/2001:tech info (dir); 22/01/2002:BVS COOLER drver (item #1) OKINFO reminder: 04/04/2002:US changed reason: 13/06/2002:para 18: and a state of the second state لأغ وستجدأ وتوسيت ومنته عادته عاديا أسا and the second second 88 801717 Tunisia SEMI-TRAILER W/ \$ 9.656.387.87 21/02/2001 Goods are dual use related to S/1995/208, page 45, para 2.62 13/02/2002:end-use info; 13/06/2002:para 18; DU lus SPARE PARTS AND ACCESSORIES $(1+2\delta)^{1/2} (1+2\delta)^{1/2} (1+$ n dar Norder and Norder and 89 CRANES & SPARE \$ 801718 Tunisia DU 539,149,82 21/02/2001 Goods are dual use related to S/1995/208, page 45, para 2.62 US 13/02/2002:end-use info; 13/06/2002:para 18; PARTS An entry and والمتعارية والمتعارية والمعارية والمتعارية ter serve te seas, see a

> الأربي والإرتباطي المتحري والمتحر المراجع and the second
90

ೆ ಎಂದ ಪ್ರತಿಯುತ್ತಿಗಳು ಕೆಲೆ ಗೆಟ್ಟಿಕ್ ಕ

All and the first states

22 st. 1911 - 22 st. 1911 - 2014 - 2014 - 2014 - 2014 - 2014 - 2014 - 2014 - 2014 - 2014 - 2014 - 2014 - 2014 - 2014 .

.

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason		holdby	HoldAction
COMM	mission	ITUKI SLALUS	Goods	Amount	Date of Hold	Reason		noidby	
	France	WMD**	EQUIPMENT	\$ 2,303,664.52		nitrogen can be used to store BV dimensions, weight, type, materi maximum pressure, minimum ini (items cited under: molecular sie instrumentation control valves; a actuators (listed as component t pumps and compressors includi (tems #1 and #3); provide speci processor type and manufacture operating range, and number of under instrumentation); provide : temperature probe (items #37, #42 and #43); provide specificat maximum efficiency, flow rate, rn dimensions (item #38); venify an rotation speed of 32684 RPM ar			12/06/2001:tech specs (dir); 26/10/2001:BVS OKINFO reminder; 18/07/2002:para 18;
80180	4 Belgium	D 1051*	SPARE PARTS FOR PUMPS	\$ 1,433,392.46	28/02/200	#164, #165, #166, #168, #213, # metal composition citations 20/2 corresponding percentages of e for all casings and impellers and resistance for "acid-proof mechi #75, #77, and #79 - #81); provi spare parts are destined includi	a 12, Paragraph, 10.4.2: Hastellöy pump parts (items \$214, #216, and #219) and please explain the following 5/4 FEP + 20/25/4 NZ 144 By providing the ach metal in the steel. Provide grade of stainless steel I please provide the material composition and corrosion anite cast iron" (items #25, #27, #43 - #47, #59 - #63, de the specifications for the pumps for which these ng dimensions, weight, type, material composition for all te, inlet/outlet pressure, rotation speed, and drawings; ß		01/03/2001:US changed reason; 01/10/2001:BVS NOINFO reminder; 24/10/2001:status chang Inactive Hold; 29/10/2001:material composition; 05/06/2002:status changed to On Hold as per procedures; 14/06/2002:para 18;
80184	1 Tunisia	OKINFO	WATER PUMP SETS AND SPARE PARTS	\$ 4,139,898.90	07/05/200	material composition for all com #1 through #5). Provide all previ	ons for all pumps including dimensions, weight, type, ponents and linings, rotation speed and drawings (items ously requested alloy material compositions as an as a percentage composition hy weight for each alloy	US	09/05/2001:partial ROH (UK); 01/10/2001:BVS NOINFO reminder; 18/10/2001:tech specs; 18/12/2001:BVS OKINFO reminder; 26/03/2002:US changed reason; 09/04/2002:tech specs; 21/05/2002:para 18;

and a second sec

and and a second se Second

1997 - Maria Marina, ang kanalang kanalang kanalang kanalang kanalang kanalang kanalang kanalang kanalang kana Mang kanalang Mang kanalang
WMD**	SPARE PARTS	\$ 14,214,900.00		WMD dual- use item: concern related to S/2001/560, Page 42, Paragraph 8.3.1 -Water well drilling rigs.0 Explain the discrepancy in information where the water tanker was originally listed as made of stainless steel and the current information where the tanker is purportedly made of galvanized steel. Provide the previously requested specific material composition for the water tanker being provided and any linings present (Item #A3-2). Explain the discrepancy in information where the water tanker pump was originally listed as made of stater tanker being provided and any linings present (Item #A3-2). Explain the discrepancy in information where the water tanker pump body made of aluminum. Provide the previously requested specifications for the water tanker pumps including dimensions, weight, type, material composition for all components and linings, flow rate, intel/outlet pressures, rotation speed and cross-sectional drawings (Item #A3-2). Provide all requests for alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		27/07/2001:tech specs; 04/09/2001:US changed reason; 28/09/2001:detailed specifications; 30/10/2001:US changed reason; 02/01/2002:BVS NOINFO reminder; 18/01/2002:status changed to Inactive Hold; 21/01/2002:tech specs; 22/01/2002:status changed to On Hold; 27/03/2002:BVS OKINFO reminder; 24/04/2002:US changed reason; 13/05/2002:tech specs & end-use/user info; 21/05/2002:para 18;
WMD						
WMD					-	
	ANALYSIS EQUIPMENT	\$ 138,363.05	09/03/2001	WMD dual- use item: concern related to S/2001/560, Page 22, Paragraph 4.2 - refrigerated centrifuges (6x500ml, -20°C-+40°C) (item #1).	US	12/03/2001:partial ROH (UK); 01/06/2001:tech specs (dir); 02/07/2001:end-user info (not requester 26/10/2001:BVS OKINFO reminder; 13/02/2002:specs for computers; 26/03/2002:US changed reason; 14/06/2002:para 18;
WMD	ID PESTICIDE	\$ 181,461.67	13/03/2001	WMD dual-use item: concern related to S/1995/208, pg 7, para 2.3: chlorpyrifos	US	13/09/2001:clarification (not requested); 14/06/2002:para 18;
NOINFO	INFO SPARE PARTS	\$ 412,945.00	07/02/2002	alloy or polymer material compositions as both an IUPAC or CAS designation and standard commercial designation/ and as a percentage composition by weight for each component.		10/04/2002:BVS NOINFO reminder; 26/04/2002:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 18/07/2002:para 18;
					major components, means of operation, and technical drawings (item #20). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. Provide all requested non- alloy or polymer material compositions as both an IUPAC or CAS designation and standard commercial designation/ and as a percentage composition by weight for each component.	major components, means of operation, and technical drawings (item #20). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. Provide all requested non- alloy or polymer material compositions as both an IUPAC or CAS designation and standard commercial designation/ and as a percentage composition by weight for each component.

.

Agriculture Holds as of 14 August 2002

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason zero de la constructiva d	holdby	HoldAction
801980	Russian Federation	1051**	HELICOPTER SPARE PARTS	\$ 855,751.30	05/06/2001	US: Goods are on the 1051 list as indicated by the Secretariat and Violation of UNSCR 687 (1991) Paragraph 24(a); WMD dual-use item: concern related to S/2001/560, Page 24, Paragraph 7.1 -aircraft mounted sprayers (item #85). Provide specifications for all pumps including material composition for all components and linings, flow rate, and inlet/outlet pressures (item #1). Provide specifications for all valves including flow rate and material composition for all components and linings (items #2, #55, #56, #61, #62, #81, and #95).0 Provide all requests for alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition for each alloy component. UK: Our experts hav military and biological weapons concerns with the goods in this contract. We therefore cannot consider approving these unless, as a minimum, UNMOVIC is present in the country.	US, UK	27/07/2001:tech specs and drawings; 26/10/2001:BVS OKINFO reminder; 18/12/2001:US change reason; 20/02/2002:BVS NOINFO reminder; 08/03/2002:status changed to Inactive Hold; 03/06/2002:tech specs; 05/06/2002:status changed to On Hold as per new procedures; 21/06/2002:UK changed reason; 26/06/2002:list A - fax to mission;
		1						
801984	ltaly	WMD	GASKETS; PACKING MATERIALS	\$ 446,260.31	14/03/2001	US: WMD dual use items related to S/1995/208, Page 12, para. 10.4.1.6 items #176, #177, #179, #180, and #183 graphite and Teflon gasket material one meter square or greater and 2-3 mm thickness.	US	15/03/2001:UK changed reason (15/03/01); 06/04/2001:add info; 19/04/2001:partial ROH (UK); 11/07/2001:end-use/user info (not requested); 21/08/2001:end-use/user info (not requested); 14/06/2002:para 18;
	Belgium	WMD**	COMPRESSOR W	// \$ 287.312.56	45/02/000/	HoldWMD dual use item: related to S/1995/208, Page 20, Paragraph 4 absorption	US	15/05/2001 info to US (dir); 03/10/2001 tech info; 26/10/2001 BVS OKINFO reminder;
			ACCESSORIES AND SPARES			dryer can be used to supply dehydrated air for drying biologicals (item 2); Please provid the specific end-use application, specific end-use locations and process, and medium compressed for the compressor (item # 1)		23/05/2002:tech specs & additional info; 17/06/2002:para 18; 05/07/2002:tech specs to UNMOV OLDHOLDINFO1;
802031	France	D 1051*	MOBILE CRANE WITH SPARE PARTS	\$ 7,561,869.84	19/03/200	1051 list item: S/2001/560, Page 32, Paragraph 2.5.1 -prohibited servo valves (items #61, #113, #115, and #116); Provide all information in English. Previously requested specifications for all valves including dimensions, weight, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #55,#58, #64, #106, #107, #120, and #283). Previously requested description of the items being repaired by 'repairing' (items #44 through #46, #94, #95, #315 and #316). Previously requested specifications for the pressure transducer including material composition, sensing range, accuracy, manufacturer's data, sheets and drawings (item #170). Previously requested specifications for the pressure transducer including material composition, sensing range, accuracy, manufacturer's data, sheets and drawings (item #170). Previously requested specifications for the pressure transducer including dimensions, weight, material composition for all components and linings, drawings, a description of the operation, sensed and regulated pressure ranges, response time and maximum flow rates (item #282). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	21/05/2001:tech info (dir); 26/10/2001:BVS OKINFO reminder; 09/11/2001:clarification; 19/03/2002:US changed reason; 18/07/2002:para 18;

1. // West

25

and the second second

.

4

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
8021	01 Bulgaria	OKINFO	TOMATO PASTE	\$ 2,986,352.86		Provide previously requested specifications for all pumps including material composition for all components and linings and cross- sectional drawings (components of items #9 and #17). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	30/04/2001:tech specs; 07/09/2001:amendment to delete item; 18/09/2001:US changed reason; 21/11/2001:BVS NOINFO reminder; 07/12/2001:status changed to Inactive Hold; 11/12/2001:tech specs and drawings; 12/12/2001:status changed to On Hold; 21/02/2002:BVS OKINFO reminder; 03/05/2002:US changed reason; 17/06/2002:para 18; 19/06/2002:tech specs to UNMOVIC- OLDHOLDINFO1; 26/07/2002:additional info to UNMOVIC-OLDHOLDINFO2;
	05 France	0	MIXING PLANT FOR CONCRETE W/ACCESSORIES AND SPARES	\$ 1,448,566.45		The U.S. would have no-objection provided the supplier replaces load cells (item #84) with uncalibrated units with an accuracy of only 3% as supplier has indicated an agreement to do so and provided an amendment stating this is recirculated to the committee.0 ID	US	31/08/2001.tech spec; specifications; 02/10/2001.US changed reason; 05/11/2001.info sent direct; 18/12/2001:reminder; 08/01/2002:BVS OKINFO reminder; 14/03/2002:additional info; 21/03/2002:reminder; 04/04/2002:US changed reason; 01/05/2002:tech info (direct); 28/05/2002:US changed reason; 12/06/2002:para 18;
8022	13 UAE	OKINFO	PRINTING MACHINE WITH ACCESSORIES AND SPARES	\$ 3,747,591.20	24/12/2001	Provide specifications for all pumps/compressors including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed, and cross-sectional drawings (items #3.3, #3.7 #4.1, #4.2, and #6.25 through #6.27). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #1.5, #2.8, #2.10, #10.b.8, #10.b.9, and #10.b.10). Provide specifications for all encoders including dimensions, weight, accuracy, angular resolution, thermal operating range, manufacture's data sheets, and photographs (items #3.28). Provide specifications for all actuators including dimensions, weight, type, manufacturer's data sheets, and response time (items #3.33 and #3.34). Provide specifications for all filters including purpose, particle size retention, efficiency, pore size, filter material, size, and environmental tolerances (items #9.3, #10.a.16, #10.b.19, #10.b.20, #10.b.21, #10.b.22, Provide information about the photomultiplier tubes in equipment including photocathode area and anode pulse rise time (items #1, #2, and #6). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.Il Pending further review.		27/02/2002:BVS NOINFO reminder; 15/03/2002:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 27/06/2002:tech specs; 19/07/2002:para 18;
	14 France	WMD**	MXING PLANT FOR CONCRETE	\$ 3,908,822.18	16/04/200	WMD dual-use item: concern related to S/2001/560, Page 44, Paragraph 9.1.3 - load cells (items #84 and #85).Provide previously requested specifications for all valves including material composition for all components and linnings (items #148 and #224). Provide previously requested specifications for all pumps including dimensions, weight, type, material composition for all components and linnings, flow rate, inlet/outlet pressure, rotation speed and cross-sectional drawings (items #11). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	24/08/2001:tech specs; 31/08/2001:specifications; 02/10/2001:US changed reason; 05/11/2001:info sent direct; 18/12/2001:reminder; 08/01/2002:BVS OKINFO reminder; 21/03/2002:reminder; 11/04/2002:US changed reason; 01/05/2002:tech info (direct); 01/05/2002:additional info (dir); 30/05/2002:tech specs; 12/06/2002:para 18;

and in the other

26

and an annual second
a a sua a A sua a s

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
802245	France	NOINFO	CRANES & SPARE PARTS	\$ 2,882,676.44		Correlate all information provided with contract item number and specify exactly for which items the information is being provided. IProvide previously requested specifications, in tabular form, for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (list 1 items #42, #68, #73, #86, #87 and list 2 items #18, #19, #21, #27, #40, #67, #82, and #91). Provide previously requested specifications, in tabular form, for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, intervolutet pressure, rotation speed and drawings (list 1 items #229, #232, and #236). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	18/09/2001:US changed reason; 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed i Inactive Hold; 09/11/2001:tech info (direct); 21/11/2001:status changed to On Hold; 08/01/2002:BV OKINFO reminder; 22/04/2002:US changed reason; 19/07/2002:para 18;
802345	Italy	0	GASKET,O RING,OIL SEALS AND PACKING	\$ 160,798.41	20/04/2001	Confirmation of monitoring required.	UK	19/07/2002:para 18;
802347	Italu	WMD**	WOOD DRY	\$ 266,878.87	20/04/2004	WMD dual use item: concern related to S/1995/208, Page 21, Paragraph 4.5 - spray	US	09/08/2001:tech specs; 24/10/2001:Null/Void; 19/11/2001:reinstated; 21/11/2001:BVS OKINFO
			SYSTEM			drying equipment; provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (thems #29, #77, and #80). Provide technical specifications for control board and automatic drying control to include type of processor, manufacturer, maximum certified clock speed, certified thermal operating range, and number of machine cycles for each floating point operation (Items #48 and #49). Provide description of the EMC sensor and spare parts (Item #89). Provide the percentage material composition for the stanless steel kins and support materials. Provide the minimum droplet size achievable and a readable specification sheet and diagram for the spray nebulizer and associated nozzles.		reminder,
						an a		
						an a		
						Control of the second secon		

•

ς.

 $(x_1, \dots, x_n) = p_{n-1}^{n-1} (x_{n-1} + x_{n-1}^{n-1} + x_{$

•

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
802350	Russian	NOINFO	CENTER PIVOT	\$ 9,335,578.55	19/10/2001	Provide previously requested iternized list of all iterns included in the irrigation systems,	US	19/12/2001:BVS NOINFO reminder; 04/01/2002:status changed to Inactive Hold; 05/04/2002:tech
	Federation		IRRIGATION SYSTEM			as well as spare parts and accessories (Item #1). Specify exact model and specification of items being supplied when providing manufacturer's data sheets. Provide previously requested specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (item #1). Provide previously requested specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (item #1). Provide previously requested specifications for all pipes/tubing including dimensions and material composition of walls and any lining (item #1). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		specs; 05/04/2002:status changed to On Hold; 12/06/2002:tech specs and photos; 14/06/2002:US changed reason; 19/07/2002:para 18;
09						and the second		
80242		OKINFO	SPARE PARTS	\$ 258,544.6		Provide a description of the purpose and use for a "thickener worm gear". Provide specifications for the turntable provided in the drawings including dimensions, weight, photographs, and a description of the purpose and use at Al Qaim.	US	13/08/2001:additional info; 02/10/2001:US changed reason; 05/12/2001:BVS NOINFO reminder; 20/12/2001:status changed to Inactive Hold; 21/12/2001:tech specs; 26/12/2001:status changed to On Hold; 20/02/2002:BVS OKINFO reminder; 04/06/2002:US changed reason; 19/07/2002:para 18; 24/07/2002:tech info to UNIMOVIC-OLDHOLDINFO1;
80246	4 Jordan	WMD*	PESTICIDE	\$ 943,776.0	14/05/200	US: WMD dual-use item: concern related to S/2001/560, Page 9, Paragraph A.44 - methidathion (item #2) is a precursor to 0,0 - diethyl phosphorodithioate; WMD dual- use item; concern related to S/2001/560, Page 9, Paragraph A.42 - bromopropylate (item #1) is a derivative of methyl benzilate. Provide previously requested specific end- use locations for these compounds (items #1 and #2). UK: We have CW concerns with item 1 (bromopropylate 50% EC) in this contract. We cannot therefore consider approving this contract until this item is removed or UNMOVIC is present in Iraq.	US, UK	01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 14/02/2002:end- use/user info; 14/02/2002:status changed to On Hold; 16/04/2002:BVS OKINFO reminder; 14/06/2002:US changed reason; 19/07/2002:para 18;
	9 France	WMD	INDUSTRIAL SAFETY MATERIALS	\$ 304,462.8	5 14/06/200	WMD dual-use item: concern related to S/2001/560, Page 19, Paragraph 10.4.8 (item #1 and #2) - anti-acid and acid resistant overalls (items #1 and #2).	US	27/07/2001:addendum to delete #5; 13/09/2001:US changed reason; 09/11/2001:tech info (sent directly); 09/11/2001:tech info (direct); 12/11/2001:info provided (direct); 08/01/2002:BVS OKINFO reminder; 03/04/2002:US changed reason (waiting for US answer); 05/04/2002:US changed reason; 19/07/2002:para 18;

28 28 28 28 28 28

.

.

an an an Arrayan An Arrayan An Arrayan

Start Annual Sta Indus Start Annual Start An

ſ	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
	802507	UAE	NOINFO	MOBILE AND FIXED PUMP CRETE; ACCESSORIES; SPARE PA	\$ 3,272,820.48		Provide previously specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (KVM34XG list items #41, #42). Provide previously requested specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings (Schwing BP4000 list item #82 and KVM 34XG, KVM 42, BP4000/IDR, and KVM 52 pumps). Provide specifications for all vehicles included in the contract including manufacturer's data sheets, horsepower, payload capacity, number of axles and number of driven axles.	US	21/11/2001:BVS NOINFO reminder; 30/11/2001:tech specs and drawings; 29/01/2002:BVS OKINFO reminder; 11/04/2002:US changed reason; 19/07/2002:para 18;
113	802509	Egypt	DU	GENERATING SET	\$ 588,778.87	13/12/2001	US: Goods are dual military use.	US	25/01/2002:UK changed reason; 28/01/2002:partial ROH (UK) w. monitoring; 05/02/2002:end-
									use/user info; 15/05/2002:end-use/user info; 03/06/2002:end-use/user info; 21/06/2002:clarification; 19/07/2002:para 18;
114	802510	Franco	105	IVETY CHEMICALS	\$ 112.465.72	14/06/2001	US: Goods are on the 1051 list as indicated by the Secretariat and WMD dual-use item:	115	26/06/2002:list A - fax to mission;
	002510	riance		VETT CHEMICALS	\$ 112,403.72	14/06/2001	US. Sodos are on ule foot fact as indicated by the servegatation with order use terms concern related to S/1995/208, Page 21, Paragraph 6.1 - immunological assay systems (items #2 through #5).		
115									

and the stand

ى. بەلەر بىرى ئەتلەر ئەرىغ قۇرىغۇر بىر

.

٠

CO	MM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
								·	
116	802539	France	OKINFO	TOWER CRANE W/ ACCESSORIES AND SPARES	\$ 8,224,888.09		US: Model #K4/56C. Provide previously requested tech spec and itemizations for hydraulic unit (item #69). Provide previously requested specs for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter actuator response time, and drawings (items #111). Provide previously requested description of the purpose and use/drawing and tech specs for replacements of (item #15, #20/#57/#59,#61,#62,#71,#74,#105, and #225). Provide previously requested specs for the block gyrometer including a description of the purpose and use, manufacturer's data sheets, dimensions, weight, accuracy, resolution, linearity, threshold, drawings and photos (items #120). Provide previously requested specs for the DRC block (item #158), Master controller (items #189 and #190), and RTV block (item #208). Model #MD 365B-L16. Provide previously requested specs for all purpos including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outet previously requested description of the purpose and use, manufacturer's data sheets, drawings and photos for the DRC block (item #158), Master controller (items #189 and #190), and RTV block (item #208). Model #MD 365B-L16. Provide previously requested specs for all purps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outet pressures, rotation speed and drawings (items #43). Provide previously requested description of the purpose and use, manufacturer's data sheets, drawings and photos for ther description (item #20, #27, #28, #30, #40, #44, #48, #52, #63, #64, #80, #90, #92, #97, #106, #107, #110 through #112, #112, #114, #112, #114, #153, #159, #162, #107, #106, #107, #110, #112, #114, #112, #114, #133, #148 and #155), encoder (item #65).	US	17/07/2001:tech specs (dir): 17/09/2001:tech info; 26/10/2001:BVS OKINFO reminder; 20/11/2001:tech info (dir): 12/12/2001:end-use/user info; 07/01/2002:reminder (tech info provided earlier): 05/02/2002:tech specs (dir): 22/07/2002:para 18;
	802569	Jordan	OKINFO	REPLACEMENT OF HYDRAULIC- PNUEMATIC SYSTEM	\$ 475,024.85	13/12/2001	Provide specifications for all hydraulic-pneumatic systems including manufacturer's data sheets, an itemized list of components, a description of the function and use, drawings, and photographs (items #1 through #3).	US	21/02/2002:BVS OKINFO reminder; 21/02/2002:US changed reason; 05/04/2002:tech specs; 22/07/2002:para 18;
117	802600	UAE	NOINFO	HYDRAULIC JACKING MACHINE	\$ 1,012,210.80		Identify what additional information corresponds to what line item numbers in the original Comm. Provide previously requested specifications for all valves and solenoid valves for which the kits are destined including type, dimensions, weight, flow rate, maximum pressure, material composition for all components and linings, minimum internal diameter and drawings (items #31, #32, and #106). Provide previously requested specifications for the hydraulic pump including material composition for all components and linings (item #99). Provide specifications for the horizontal boring equipment (hydraulic jacking machine) including presence of computer controls, angular boring capability, boring speed and boring diameters possible. Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold; 03/01/2002:tech specs; 04/01/2002:status changed to On Hold; 07/02/2002:US changed reason; 03/04/2002:tech specs & drawings; 17/06/2002:US changed reason; 22/07/2002:para 18;

and a second secon

and a start of the Agriculture Holds as of 14 August 2002

•

.

•

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
				[and the state of the first of the state of the		
802601	UAE	NOINFO	CRANE	\$ 1,923,067.69			US	01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 22/07/2002:para 18;
19		OKINFO	AGRICULTURAL	\$ 121.098.76	05/40/0004	Denvide anotifications for the mognotic vibrate including the anominant formation	US	17/10/2001:tech specs (dir); 18/12/2001:BVS OKINFO reminder; 05/02/2002:reminder;
80260	6 France	UKINFU	AGRICULI URAL EQUIPMENT	ə 121, u 98.76	05/10/2001	Provide specifications for the magnetic vibrator including the operational frequency range and the maximum force imparted in kilo-Newtons (Item #2).	05	17/7/0/2001;tech specs (dif); 16/72/2001;5/5 OKIN-O feminder; 05/02/2002;teminder; 13/06/2002:tech specs; 22/07/2002:para 18;
20								
80261	Oltaly	OKINFO	FERRULES	\$ 316,263.92	27/08/2001	Provide specifications for all ferrules including drawings, material composition, and manufacturer's data sheets (item #1). D	US	07/09/2001:tech info; 13/11/2001:BVS OKINFO reminder; 22/07/2002:para 18;
						Please provide an itemized listing of the 3,624 pieces and how this corresponds with the ferrule "set" and pending further technical review		
21						 Utada Harrison Altonia Utada Harrison Altonia Utada Harrison Altonia Utada Harrison Altonia 		
80262	4 Jordan	WMD	CHLOROPYRIFOS	\$ 82,759.21	02/07/2001	US: Goods are WMD dual-use item: concern related to S/1995/208, Page 6, Paragraph 1.52 - chloropyriphos (item #1).	US	12/07/2001:partial ROH (UK); 27/08/2001:info related to Durmite UK, US; 22/07/2002:para 18;
						and the second secon The second se Second second br>Second second br>Second second s		
80263	6 Bulgaria	1051**	SPARE PARTS	\$ 203,391.68	09/10/2001	Goods are on the 1051 list as indicated by the Secretariat and WMID dual use related to S/1995/208, Page 14, Paragraph 1.3.3 - plate press filter separator (item # 18). WMD dual use related to S/1995/208, Page 15, Paragraph 1.3.11 - jacketed vessels (item #14) WMD dual use related to S/2001/560, Page 22, Paragraph 3.1 - fermenters (items #1, #16, #19 and #20). Provide specifications for heating reservoir including model number, cross-sectional drawings, and clear photographs (new item #9).		27/11/2001:tech specs; 29/01/2002:BVS OKINFO reminder; 27/03/2002:US changed reason; 12/04/2002:tech specs; 26/06/2002:list A - fax to mission;
23						ార్ సంఘటనలు కార్యకర్తి సంఘటనలు సరిజిల్లిని కార్యకర్తి సంఘటనలు ఆర్. మొది కార్యకర్తి సినిమాలు మార్రామిల్లో ఇంట్ల		

31. 31. 31.

i.

.

1999 - Standing Sta India Standing Stan

PLUE SETS WAD SPACES PLUE SETS WAD SPACES demonstor, wight, type, maintaid compaction for a composition of a composition composition of a composition of a composition of	de the specific alloy used in making the impellers; Provide specifications including US stores, weight, type, material composition for all components and linings, I ate, inlet/outlet pressures, rotation speed and drawings (items #1 and vacuum - component of item #1); Provide an explanation for the requirement that each include a vacuum pumpil e provide all requests for alloy material composition as both an ASTM or DIN
D25K D16K D16K <thd16k< th=""> D16K D16K <thd< td=""><td>de the specific alloy used in making the impellers; Provide specifications including US 24/08/2001:mat comp, specs and drawings; 04/09/2001:info sent direct; 03/10/2001:tech specs & drawings; 08/11/2001:BVS OKINFO reminder; 23/07/2002:para 18; exponent of item #1); Provide an explanation for the requirement that each include a vacuum pumpil e provide all requests for alloy material composition as both an ASTM or DIN</td></thd<></thd16k<>	de the specific alloy used in making the impellers; Provide specifications including US 24/08/2001:mat comp, specs and drawings; 04/09/2001:info sent direct; 03/10/2001:tech specs & drawings; 08/11/2001:BVS OKINFO reminder; 23/07/2002:para 18; exponent of item #1); Provide an explanation for the requirement that each include a vacuum pumpil e provide all requests for alloy material composition as both an ASTM or DIN
124 B02640 Dammak 0 PULP SETS WAD SPACES Immunits registry tips manual accorposition for a signature that each provide a signature composition of the might tips manual accorposition for the registrement that each provide a signature composition of the might tips manual accorposition for the registrement that each provide a signature composition of the might tips manual accorposition for the registrement that each provide a signature composition of the might tips manual accorposition with the signature that each provide a signature composition with the signature composition of the might tips manual accorposition with the signature provide accorposition to the might tips manual accorposition with the signature provide accorposition the signature composition with the signature provide accorposition to the might tips manual accorposition with the signature provide accorposition the signature composition with the signature provide accorposition the signature composition with the signature provide accorposition the signature provide accorpositio	nsions, weight, type, material composition for all components and linings, I ate, inlet/outlet pressures, rotation speed and drawings (items #1 and vacuum - component of item #1); Provide an explanation for the requirement that each include a vacuum pump.II se provide all requests for alloy material composition as both an ASTM or DIN
124 B02640 Dammak 0 PULP SETS WAD SPACES Immunits registry tips manual accorposition for a signature that each provide a signature composition of the might tips manual accorposition for the registrement that each provide a signature composition of the might tips manual accorposition for the registrement that each provide a signature composition of the might tips manual accorposition for the registrement that each provide a signature composition of the might tips manual accorposition with the signature that each provide a signature composition with the signature composition of the might tips manual accorposition with the signature provide accorposition to the might tips manual accorposition with the signature provide accorposition the signature composition with the signature provide accorposition to the might tips manual accorposition with the signature provide accorposition the signature composition with the signature provide accorposition the signature composition with the signature provide accorposition the signature provide accorpositio	nsions, weight, type, material composition for all components and linings, I ate, inlet/outlet pressures, rotation speed and drawings (items #1 and vacuum - component of item #1); Provide an explanation for the requirement that each include a vacuum pump.II se provide all requests for alloy material composition as both an ASTM or DIN
124 AVD 55	ate, inlet/outlet pressures, rotation speed and drawings (items #1 and vacuum - component of item #1); Provide an explanation for the requirement that each include a vacuum pump:1 se provide all requests for alloy material composition as both an ASTM or DIN
124 AND SPARES purp - composed of them #12, Provided an explanation for the readmonth that each purp riched a security material comparison to a kolor an ACM or DNA 124 802646 Demark 0 PLAPS \$ 151,424.15 31/10/2021 The U.S. *would have no ablection provided limits 896 and 2P3 are removed from the color an ACM or DNA US 04/12/2020 Tach. Indiv. 05/02/2022/9/S 0/0/MPD metrinder; 11/07/2012/US changed 125 802646 Demark 0 PLAPS \$ 151,424.15 31/10/2021 The U.S. *would have no ablection provided limits 896 and 2P3 are removed from the contract on all of our repokers are active GO23 as indicated in additional information instruction and are mendened to some speep and. Freelooding metabolic and an amounted to some speep and. Freelooding metabolic and additional information instruction and an amounted to some speep and. Freelooding metabolic and provided limits 896 and 2P3 are removed from the color speep and. Freelooding metabolic and developed provided limits 896 and 2P3 are removed from the color speep and. Freelooding metabolic and additional information instruction and an amounted to some speep and. Freelooding metabolic and additional information instruction and an amounted to some speep and. Freelooding metabolic and provided limits 896 and 2P3 are removed from the color speep and Freelooding metabolic and addition information instruction and an amounted to some speep and. Freelooding metabolic and provided limits 896 and 877 are 296 K MSG metabolic and additional information instruction instruction and an amounted to some speep and. Freelooding metabolic and provided limits 896 and 877 are 296 K MSG metabolic and addition informatin anopreceived and provecop and addited and and anoprece	- component of item #1); Provide an explanation for the requirement that each include a vacuum pump:1 e provide all requests for alloy material composition as both an ASTM or DIN
124 Description Status 201/12022 Intermediate automount of yweight or such ally composed. 0 041/12201 tach risk: 050/22022/05 040/FC reminist; 11/07/2002/US changed 124 00266 Demmit: 0 PUMPE Introduct a such and y and as a parcentage composition by weight or such ally composed. 0 041/12201 tach risk: 050/22022/05 040/FC reminist; 11/07/2002/US changed 125 00266 Demmit: 0 PUMPE Introduct a such and y and as a parcentage composition introduced tack in the parcentage composition intermed tarming the such ally composed. 05 041/12201 tach risk: 050/22022/05 040/FC reminist; 11/07/2002/US changed 126 002660 Demmit: 0 PUMPE Introduct a such and y and park for introduct and an amountent is submitted. 05 041/12201 tach risk: 050/22022/05 040/FC reminist; 11/07/2002/US changed 126 002660 Journal: 0 PUMPE Introduct and y and park for introduct and y and park for introduct and y and park. 05 041/12201 tach risk: 050/2002/20/FB 040/FC reminist; 11/07/2002/US changed introduct and y and park for introduct and y and park for introduct and y and park. 05 041/12201 tach risk: 050/2002/20/FB 040/FC reminist; 11/07/2002/FB 040/FC reminist; 11/07/200/FF 040/FC reminist; 11/07/200/FF 040/FF reminist; 11/0	include a vacuum pump:1 e provide all requests for alloy material composition as both an ASTM or DIN
Booked Dummeh. OKINPO PLAMPS 8 101,4210 Statuser alloy consistent. US 041/22007/tach.infc; 050/22022/s/s ONNPO eminister; 11007/2002/J/s changed 124 800546 Dummeh. O PLAMPS 8 101,4216 3/10/2002 [the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866 and 876 are emoved from the LLS.* would have no abjectors provided lems 866	e provide all requests for alloy material composition as both an ASTM or DIN
124 B02646 Demosek 0 PLMPS \$ 151,62.16 31/102/01 The LLS.* would have no objection provided time sets on aff an area monored from the control of an area monored from the cont	
124 Booked Dearment 0 PUMPS \$ 151,424,16 31/10/2001 (The U.S.* would have to objection provided inter RKB and RKB are removed from the objection provided inter regulates are catalyted. DO25 as in MultiPA are removed from the objection provided inter regulates are catalyted. DO25 as in MultiPA are removed from the objection provided inter regulates are catalyted to the US Massion and an amendment is explicited in the objection provided inter regulates are catalyted to the US Massion and an amendment is explicited in the objection provided inter regulates are catalyted as an anoxytement is explicited in the US Massion and an amendment is explicited. 05 07/01/2002/2002.2002.2005 DOUNFO reminder; 11/07/2002.2US changed 2007/2002.2002.2005 DOUNFO reminder; 11/07/2002.2US changed 2007/2002.2005 and MultiPA are moved from the objection provide in the objection of the objection provide in the objection of the objection provide in the objection of th	
124 N N N N N N 80256 Demmark 0 PUNPS \$ 151,424.15 \$11/02001 The U.S.* would have no objection provided times #86 and #78 are removed from the contract and all other impellers are each true GO25 as indicated in additional information information information applied to the U.S. Mession and an amendment is addritional information informatinformation informatinformation informatinformation	
124 No. No. No. No. No. 80258G Darmark 0 PUMPS \$ 151,424.16 \$11/10207 \$11/10207 Build have no collection provided lams 895 and 878 are removed from the output contract and all other implies an each ton GO25 as indicated in additional information information information and an amendment is submitted. US \$01/12001 tach info; 650022002.BVS OKINFO reminder; 11/07/2002.PVS hollefO insplayed be the US Mesion and an amendment is submitted. US \$01/12001 tach info; 650022002.BVS OKINFO reminder; 11/07/2002.PVS hollefO insplayed be the US Mesion and an amendment is submitted. US \$01/12001 tach info; 650022002.BVS OKINFO reminder; 11/07/2002.PVS hollefO insplayed be the US Mesion and an amendment is submitted. US \$01/12001 tach info; 650022002.BVS OKINFO reminder; 11/07/2002.PVS hollefO insplayed be the US Mesion and an amendment is submitted. US \$01/12001 tach info; 65002/2002.BVS OKINFO reminder; 11/07/2002.PVS hollefO insplayed be the US Mesion and a mendment is submitted. US \$01/12001 tach info; 65002/2002.BVS OKINFO reminder; 11/07/2002.PVS hollefO insplayed be the US Mesion and an amendment is submitted. US \$01/12001 tach info; 65002/2002.BVS OKINFO reminder; 11/07/2002.PVS hollefO insplayed be the US Mesion and a manendment is submitted. US \$01/12001 tach info; 65002/2002.BVS OKINFO reminder; 11/07/2002.BVS hollefO insplayed be the US Mesion and an impact maching inspectation and instrume file insplayed be the US Mesion and Immitted insplayed be the US Mesion and Immitted insplayed be the US Mesion and Immi	
124 And And And And And 802286 Demmit 0 PUMPS \$ 151,424,16 \$11/02001 \$11/02001 Build over ingelies and an encoded load in additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information. US 0/01/2002/accompted to the information applied to the US Massion and an encodence is additional information. US 125 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2001 Build overs are acceptable. Concern the inlined is additional information. US 0/01/2002/accompted to the information. 126 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2001 Build overs are acceptable. Concern the inlined is additional information. US 127 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2002 Build overs are acceptable. Concern the inlined is additional information. US 128 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2002 Build overs area additional information. US 128 002665 Jordam 0KINFO BUILDO2ER/PARR \$ 12,	
124 And And And And And 802286 Demmit 0 PUMPS \$ 151,424,16 \$11/02001 \$11/02001 Build over ingelies and an encoded load in additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information. US 0/01/2002/accompted to the information applied to the US Massion and an encodence is additional information. US 125 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2001 Build overs are acceptable. Concern the inlined is additional information. US 0/01/2002/accompted to the information. 126 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2001 Build overs are acceptable. Concern the inlined is additional information. US 127 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2002 Build overs are acceptable. Concern the inlined is additional information. US 128 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2002 Build overs area additional information. US 128 002665 Jordam 0KINFO BUILDO2ER/PARR \$ 12,	
124 And And And And And 802286 Demmit 0 PUMPS \$ 151,424,16 \$11/02001 \$11/02001 Build over ingelies and an encoded load in additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information applied to the US Massion and an encodence is additional information. US 0/01/2002/accompted to the information applied to the US Massion and an encodence is additional information. US 125 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2001 Build overs are acceptable. Concern the inlined is additional information. US 0/01/2002/accompted to the information. 126 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2001 Build overs are acceptable. Concern the inlined is additional information. US 127 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2002 Build overs are acceptable. Concern the inlined is additional information. US 128 002646 Jordam 0KINFO BUILDO2ER/PARR \$ 12,083,161.95 2011/2002 Build overs area additional information. US 128 002665 Jordam 0KINFO BUILDO2ER/PARR \$ 12,	$\mathcal{L}_{\mathcal{L}}$ and $\mathcal{L}_{\mathcal{L}}$ is the \mathcal{L}
802846 Demanik 0 PLMPS \$ 151,424.18 31/10/2001 Structure and a down inplanes are cased too G253 as indicated in additional information supplied to the US Mission and an amendment is submitted. 04/12/2001/sech higt; 050/22/20/2.BVG DGNPO reminder; 11/07/22/02/LIS charged 125 802846 Anden OKINFO BULLDOZER/PAR \$ 12,083,161.95 22/11/2001 Buldiozars are acceptable. Concern is related to enter space parts. Previously requested specifications for all component messant, minimum internal diameter, actuator response find and integration for all component messant, minimum enternal diameter, actuator response find and integration for all component messant, minimum enternal diameter, actuator response find and integration for all component messant, minimum enternal diameter, Actuator response find and and enternal minima, for a component messant, minimum enternal diameter, Actuator response find and market compositions of all angeose find and and and and and and and and and a	
125 Suzeks Jurdan OKINFO BULLDOZERVRAR \$ 12,083,161.55 2211/2001 Buldicars are acceptable. Concern is reliated to end space parts. Previously requested specifications for all values including dimensions, weight type, methods of composition for all compositions and iming. Adv 71, 427, 487, 487, 487, 497, 493, 493, 493, 493, 493, 493, 493, 493	
125 B02649. Andam OKINFO BULLDOZER/PAR \$ 12,003,161.95 28/11/2001 Buldcozers are acceptable. Concern is related to some sare parts. Previously requested poseficiations for all values including dimensions, weight types, matrial composition for all composities and linings, for wrat. US 07/01/2002/incomplete tech info; 25/01/2002/isch spece; 30/01/2002/isch spece; 2 1265 B02649. Andam OKINFO BULLDOZER/PAR \$ 12,003,161.95 28/11/2001 Buldcozers are acceptable. Concern is related to some sare parts. Previously requested poseficiations for all values including dimensions, weight types, matrial composition for all composition all dimensions. US 07/01/2002/incomplete tech info; 25/01/2002/isch spece; 30/01/2002/isch spece; 2 1276 B02669. Andam OKINFO BULLDOZER/PAR \$ 12,003,161.95 28/11/2001 Buldcozers are acceptable. Concern is related to some sare parts. Previously end to an expect and the spece and concern dimension for all composities and informs, two and the spece all end to an expect and and walk and a line or an expect and and walk and a line or an expect and and walk and a line or an expect and and walk and a line or an expect and and walk and a line or an expect and	J.S. * would have no objection provided items #66 and #78 are removed from the US 04/12/2001:tech info; 05/02/2002:BVS OKINFO reminder; 11/07/2002:US changed reason;
125 802648 Jordan OKINFO BULLDOZER/PAR \$ 12,083,161.85 28/11/2001 Buildozers are acceptable. Concern is related to some pare parts. Previouely requested dependications for all where including dimension, weight, type, material composition for all composition and lings, flow rat, minimum pressure, minimum prestate, minimater composition, minimi and annel composition as do	act and all other impellers are cast iron GG25 as indicated in additional information 23/07/2002:para 18;
B02548 Jordan OKINFO BULLDOZER/PAR \$ 12,083,161.95 22/11/2001 Bulldozers are acceptable. Concern is related to sort apare. Previously requested specifications for all valves including dimensions, wight, type, material dameter, actuator reports and limit, provide, and rows, seeconal drawings (lems 490, material composition for all components and limit, provide, and rows, seeconal drawings (lems 490, #444, #445, #447, #445, #446, #447, #445, #459, #000, #671, 327, 300, #671, 327, 320, 300, 367, 327, 327, 300, 367, 327, 377, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 377, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 300, 367, 327, 327, 328, 347, 347, 347, 348, 347, 348, 347, 347, 348, 347, 347, 347, 347, 347, 347, 347, 347	ied to the US Mission and an amendment is submitted.
B02548 Jordan OKINFO BULLDOZER/PAR \$ 12,083,161.95 22111/2001 Bulldozers are acceptable. Concern is related to social space parts. Previously requested specifications for all valves including dimensions, wight, type, material composition for all components and limits, actuator reprosession, minemating, for all valves including dimensions, wight, type, material dameter, actuator reprosession, field content is and arwing a limit previously for advisors are acceptable. Concern is related to social drawing a limit infernal dameter, actuator reprosession, field content pressure, material composition for all components and limits, flow rate, material composition for all components and limits, flow rate, material dameter, actuator reproduced to social drawing a limit pressure, material composition for all components and limits, flow rate, field/cotte pressures, material composition for all composition function and drawing a limit drawing a limit drawing a limit and results and across-sectional drawing a limit drawing a limit drawing a limit pre- material composition for all components and limit grant and strain pre- tation spece composition, function and drawing a limit draw	
B02648 Jordan OKINFO BULLDOZER/PAR \$ 12,083,161.95 2811/12001 Bulldozers are acceptable, documents and lings, for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, mate	
B02548 Jordan OKINFO BULLDOZER/PAR \$ 12,083,161.95 22111/2001 Bulldozers are acceptable. Concern is related to social space parts. Previously requested specifications for all valves including dimensions, wight, type, material composition for all components and limits, actuator reprosession, minemating, for all valves including dimensions, wight, type, material dameter, actuator reprosession, field content is and arwing a limit previously for advisors are acceptable. Concern is related to social drawing a limit infernal dameter, actuator reprosession, field content pressure, material composition for all components and limits, flow rate, material composition for all components and limits, flow rate, material dameter, actuator reproduced to social drawing a limit pressure, material composition for all components and limits, flow rate, field/cotte pressures, material composition for all composition function and drawing a limit drawing a limit drawing a limit and results and across-sectional drawing a limit drawing a limit drawing a limit pre- material composition for all components and limit grant and strain pre- tation spece composition, function and drawing a limit draw	
B02648 Jordan OKINFO BULLDOZER/PAR \$ 12,083,161.95 2811/12001 Bulldozers are acceptable, documents and lings, for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, mate	
B02648 Jordan OKINFO BULLDOZER/PAR \$ 12,083,161.95 2811/12001 Bulldozers are acceptable, documents and lings, for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, mate	
B02648 Jordan OKINFO BULLDOZER/PAR \$ 12,083,161.95 2811/12001 Bulldozers are acceptable, documents and lings, for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, material composition for all where including dimensions, weight, type, mate	
126 S S 180/2002 US changed reason; 14/06/2002 tech spect; 2 126 802556 UAE OKINFO TRUCK WITH \$ 405,783.76 126 802556 UAE OKINFO TRUCK WITH \$ 405,783.76 126 802556 UAE OKINFO TRUCK WITH \$ 405,783.76	
126 0KINFO TRUCK WITH \$ 405,783.76 1801/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including formations, weight, type, material composition by weight for each alloy composition and the material composition by a set and \$20, Provide all requested and corse-eact and area each	
126 802655 UAE OKINFO TRUCK WITH \$ 405,783.76 180/12002 US: Provide specifications for all hydraulic pumps (for which spare parts are being orderse) in orderse. Sectional drawings (form st24 and #20). US 07/03/2002/tech specs & end-use Info; 30/05/2002.partial ROH (UK); 21/06/2002.c 126 802655 UAE OKINFO TRUCK WITH \$ 405,783.76 180/11/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, fyres, material composition to all composition for all composition asped and composition for all c	
126 802655 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all marked pumps (for which spare parts are being ordered) including dimensions, weight type, material composition by weight for each alloy component. US 07/03/2002:tech specs & end-use Info; 30/05/2002.partial ROH (UK); 21/06/2002.c 126 0KINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all marked pumps including dimensions, weight type, material composition by weight for each alloy component. US 07/03/2002:tech specs & end-use Info; 30/05/2002.partial ROH (UK); 21/06/2002.c 126 0KINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all marked composition by weight for each alloy ecomponent. US 127 07/03/2002:tech specs & end-use Info; 30/05/2002.partial ROH (UK); 21/06/2002.c 18/01/2002 US: Provide specifications for all marked alloy material composition by weight for each alloy ecomponent. 07/03/2002:tech specs & end-use Info; 30/05/2002.partial ROH (UK); 21/06/2002.c	
126 802556 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight type, material composition for all components and limings, flow rate, infel/coulted pressures, rotation speed and cross-sectional drawings (flow #H 07, #138, #139, #136, #165, #166, #261, #459, #469, #523, #350, #455, #465, #465, #466, #273, #139, #145, #165, #166, #261, #459, #469, #523, #501, #	al diameter, actuator response time, and cross-sectional drawings (items #59,
126 802656 UAE OKINFO TRUCK WITH \$ 405,783.76 1801/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being or diracing or diracin	, #130, #138, #168, #189, #277, #279, #300, #367, #372 through #377, #438,
126 802655 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all components and indigs, flow rate, inde/outer pressures, including the material composition, function and drawings of all major composition function and drawings (function and drawings (functin all prequests for allon material composition functi	, #446, #447, #475, #502, #510, #512, #517, #609. and #625 through #631).
126 802555 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all composition so both an ASTM or OIN standard alloy and as a percentage composition for all composition function and drawings of all major composition function and drawings of all major composition for all composition function and drawings of all major composition by weight for each alloy composition function and drawings of all major composition by weight for each alloy composition function and drawings of all major composition for all composition function and drawings of all major composition for all composition for all composition function and drawings of all major composition for all composition function and drawings of all major composition for all composition function and drawings of all major composition for all composition function and drawings of all major composition for all composit and drawings all for each	ously requested specifications for all pumps including dimensions, weight, type,
126 NINFO TRUCK WITH \$ 405,783.76 1801/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all composit composit for all composition for all composition for all composi	
126 802656 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all components in and limings, flow rate, indevoted the presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation speed and cross-sectional drawings (items #24 and #28). Iter/orduit presence, rotation s	
126 802656 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, for, material composition for all compos	
126 0 NINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight (type, material composition for all components (filems #4 and #28). Include all inclusions of all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight (type, material composition for all components (filems #4 and #28). Include all inclusions of all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight (type, material composition for all components and linings, flow rate, intel/outlet pressures, rotation speed and cross-sectional drawings (filems #24 and #28). Include all requests for alloy and as a percentage composition by weight (thr each alloy component. 07/03/2002:tech specs & end-use info; 30/05/2002:partial ROH (UK); 21/06/2002:c 126 02656 UAE 0KINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight (type, material composition for all components and linings, flow rate, intel/outlet pressures, rotation speed and cross-sectional drawings (filems #24 and #28). Interse hydraulic pump repair Kifetims #24 and #28). Interse hydraulic pump repair Kifetims #24 and #280. Interse hydraulic pumprepair Kifetims #24 and #280. Interse hydraul	
126 0KINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all components and linings, flow rate, intel/outlet pressures, rotation speed and cross-sectional drawings (ferm #24 and #28). Provide all requests for alloy material composition to all soft and ASTM or DIN standard alloy and as a percentage composition US 902656 0KINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all components and linings, flow rate, intel/outlet pressures, rotation speed and cross-sectional drawings (ferm #24 and #28). Provide all requests for alloy material acomposition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. 07/03/2002:tech specs & end-use info: 30/05/2002:partial ROH (UK); 21/06/2002:c	
126 B02656 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (fittems #24 and #28). Itemize hydraulic pumps (for which spare parts are being ordered) including quimensions, weight, type, material composition for all orgonoents and linings, flow rate, inlet/outlet pressures, rotation speed and drawings (fittems #24 and #28). Itemize hydraulic pump repair kits (t	
126 Image: Second s	
126 Image: Space of the	
802656 UAE OKINFO TRUCK WITH SPARES 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all composite all for all composition for all composition for all composi	Jonent and the second
802656 UAE OKINFO TRUCK WITH SPARES 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all composite all for all composition for all composition for all composi	and the second
802656 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all composition for	
802656 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all composition for	
802656 UAE OKINFO TRUCK WITH \$ 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all composition for	and the second
802656 UAE OKINFO TRUCK WITH SPARES 405,783.76 18/01/2002 US: Provide specifications for all hydraulic pumps (for which spare parts are being ordered) including dimensions, weight, type, material composition for all components and linings, flow rate, inter/outlet pressures, rotation speed and cross-sectional drawings (items #24 and #28). Itemize hydraulic pump repair kits (items #24 and #28). Provide all requests for alloy material composition by weight for each alloy component apercentage composition by weight for each alloy component and percentage composition by the percentage composition by the percentage composition and by component and pe	(v) And Carl Market and Carl Ma Karl Market and Carl Market
SPARES ordered) including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #24 and #28). Itemize hydraulic pump repair kits (items #24 and #28). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	A second s
SPARES ordered) including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #24 and #28). Itemize hydraulic pump repair kits (items #24 and #28). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. 23/07/2002:para 18;	Provide specifications for all hydraulic pumps (for which spare parts are being US 07/03/2002:tech specs & end-use info; 30/05/2002:partial ROH (UK); 21/06/2002:clarification;
and linings, flow rate, interfoutlet pressures, rotation speed and cross-sectional drawings (items #24 and #28). Itemize hydraulic pump repair kits (items #24 and #28). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	
(items #24 and #28). Itemize hydraulic pump repair kits (items #24 and #28). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	
requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	
percentage composition by weight thr each alloy component	
	энадо сипрознот ву такри на акан акту копроляти на с
127 Jakaset States	

,

~

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
	France	WMD*	MOBILE CRANE WITH SPARE PARTS	\$ 7,227,235.90	07/08/2001	WMD dual use item: concern related to S/2001/560, Page 42, Paragraph 8.3 -cranes, 50T - 6x4x2 with hydraulic outriggers -14.00R25 tires (item AC 60-1), 80T - 8x6x6 with hydraulic outriggers and optional 8x8 - 14.00R25 tires (item AC 80-1), 120T - 10x6x8 with hydraulic outriggers and optional 10x8x8 - 14.00R25 tires (item AC 80-1), 120T - 10x6x8 with hydraulic outriggers and optional 10x8x8 - 14.00R25 tires (item AC 80-1), 120T - 10x6x8 with hydraulic outriggers and optional 10x8x8 - 14.00R25 tires (item AC 80-1), 120T - 10x6x8 with hydraulic outriggers and optional 10x8x8 - 14.00R25 tires (item AC 80-1), 120T - 10x6x8 with hydraulic outriggers and optional 10x8x8 - 14.00R25 tires (item AC 80-1), 120T - 10x6x8 with hydraulic outriggers and optional 10x8x8 - 14.00R25 tires (item AC 80-1), 120T - 10x6x8 with hydraulic outriggers and optional internal dimensions, weight, type, material composition for all components and linings, flow rate, imaximum pressure, minimum internal diameter, actuator response time, and drawings (AC 50-1 spares: items #66, #77, #86, #69, #168, #170, #196, #227, #353, #372, #358, #328, #328, #289, #289, #289, #289, #290, #292, and #294; AC 120 spares: items #46, #49, #110, #121, #129, #220, #221, #222, #223, #224, #225 and #226). IProvide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings (AC 50-1 spares: items #364). Provide all requested alloy material composition by weight for each alloy component.	US	06/09/2001:tech specs for the vehicles (dir); 26/10/2001:BVS NOINFO reminder; 13/11/2001:BVS OKINFO reminder; 22/04/2002:US changed reason; 23/07/2002:para 18;
в								
802686	UAE	NOINFO	GRANE EQUIPPED TRUCK/SPARES	\$ 515,900.00	24/07/2001	Provide specifications for all valves included with Truck spare parts including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time and drawings (items #177, #179, #180, #181, #182, and #191). Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and drawings (items #184 and #187). Provide load leveling capabilities and outrigger specifications for truck. Itemize the "tools" listed under extra equipment; and pending further technical review.		24/07/2001:partial ROH (UK); 26/10/2001:BVS NOINFO reminder; 09/11/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 23/07/2002:para 18;
1	Belgium	PFE	COILS	\$ 398,233.33	12/11/2001	Pending further technical review.	US	15/01/2002:BVS OKINFO reminder; 23/07/2002:para 18;
802701	Italy	WMD*	MATERIAL W/ ACCESSORIES AND SPARES	\$ 2,560,683.76	24/09/2001	US: WMD dual-use item: concern related to S/2001/560, Page 19, Paragraph 10.4.4 – EPDM – lined valves (items #2 through #4, #42 and #43): Provide the previously requested specific end-user and end-use location for all items: Provide previously requested specifications for control panel including a description of the purpose and use, an itemized list of components, manufacturers data sheets and photographs (item #49).1	US	25/09/2001:partial ROH (UK); 28/11/2001:BVS NOINFO reminder; 14/12/2001:status changed to Inactive Hold; 21/12/2001:tech specs (end-user missing); 15/02/2002:US changed reason; 11/04/2002:tech specs (direct)(end-u/r missing); 05/06/2002:status changed to On Hold as per new procedures;
						and a star of the		
1						an a		

ale la serie de la companya de la co Na la companya de la c Na la companya de la c

17	COMM	mission	Hold Status	Goods	1.4		D / ////			
ľ	CIVIIVI	111551011	Hold Status	Goods	Amo	ount	Date of Hold	Reason Control	holdby	HoldAction
132	802718	Austrja	D 1051*	VETY INSTRUMENTS	\$	418,412.54		1051 list item: S/2001/560, Page 21, Paragraph 2.2 -Biological safety cabinets (item #2), Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (components of items #2 and #4). Provide specifications for all condensers and distilling apparatus including material composition of all components and linings, dimensions of all components, surface areas of condensers, and drawings (item #5).		26/10/2001:BVS NOINFO reminder; 09/11/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 24/07/2002:para 18;
	802726	France	NOINFO	GRADER AND SPARES	\$	1,420,901.93	20/08/2001	Provide previously requested specifications for all valves including dimensions, weight, type, material composition for all components and linings, minimum internal diameter, and actuator response time (items #35 and #38). Provide previously requested specifications for all pumps including material composition for all components and linings and flow rate (items #17, #32 and #37). Provide all requests for alloy composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	20/09/2001:tech specs for all valves (dir); 26/10/2001:BVS NOINFO reminder; 21/11/2001:BVS OKINFO reminder; 11/04/2002:US changed reason; 24/07/2002:para 18;
133	802727	France	OKINFO	CRAWLER EXCAVATORS AND SPARES	\$	803,397.55		Concern is related to some spare parts: Provide previously requested specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #47 and #59). Provide previously requested specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and drawings (items #40 and #74). Itemize the toolbox. Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		03/12/2001:tech info (dir); 05/02/2002:BVS OKINFO reminder; 20/03/2002:US changed reason; 06/05/2002:tech specs (direct); 24/07/2002:para 18;
134	802735	France	OKINFO	MOBILE CRANES	\$	6,905,052.54		Provide specifications for all cranes including manufacturer's data sheets, lifting capacity, full extension height drawings, photographs, and stabilization equipment specifications (Item #1); Provide specifications for all valves including dimensions, weight, type, material composition for all components and lipings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (Items #95, #99, #129, #132, #133, #134, #159, #176, #178, #182, #196, #197, #198, and #199); Provide specifications for all SPS including manufacturer's data sheet and drawings (Item #160); Provide specifications for the pump including dimensions, weight type, material composition for all component and linings, flow rate, inleVoutlet pressures, rotation speed, and cross-sectional drawings (Item 205); Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. Request technical specs on generators	US	06/09/2001:tech specs for all cranes (dir); 31/10/2001:BVS NOINFO reminder; 13/11/2001:BVS OKINFO reminder; 24/07/2002:para 18;
135						·				

.

۰.

ſ	OMM	mission	Hold Status	Goods	Amou	unt	Date of Hold	Reason	holdby	HoldAction
	802752	Belgium	OKINFO	AIR COMPRESSORS	\$	220,204.90	27/08/2001	UK: Confirmation of monitoring required.	UK	16/10/2001:tech specs; 18/12/2001:BVS OKINFO reminder; 12/02/2002:partial ROH (US) w observation; 24/07/2002:para 18;
							N .			
136								and the second sec		
	802767	Turkey	OKINFO	RUBBER SEALS	\$	70,971.10	07/09/2001	US: Please provide a complete copy of the contract including all appendices for review (only appendix 7 has been provided and contract contains no price information).	US	17/09/2001:requested info; 19/09/2001:partial ROH (UK); 08/11/2001:clarification; 21/11/2001:BVS OKINFO reminder; 24/07/2002:para 18;
								a sa		
137										
	802769	France	NOINFO	DISINFECTANT FOGGING MACHINE	\$	26,533.27		US: Provide technical and operating specifications, manufacturer's data sheets, aerosol particle size distribution, and I drawings for indoor fogger (item #1).	US	04/09/2001:partial ROH (UK); 08/11/2001:BVS NOINFO reminder; 26/11/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 24/07/2002:para 18;
138										
	802772	Italy	OKINFO	TRUCKS AND SPARE PARTS	\$	3,585,528.90		Please provide previously requested specifications in English for all valves including dimensions, weight 1 type, material composition for all components and linings, flow rate, minimum internal diameter, maximum pressure, actuator response time, and cross-sectional drawings (items #169 and #253). Please itemize the previously requested driver's toolkit and "all standard equipment's outside & inside" listed in annex to contract in English. Please provide previously requested description and specifications in English for items blacked out on the application (items #217, #272, and #230). Please provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	01/11/2001;tech specs; 05/12/2001:US changed reason; 06/02/2002:BVS NOINFO reminder; 21/02/2002:status changed to Inactive Hold; 20/05/2002:tech info; 22/05/2002:tech info; 24/07/2002:para 18;
								 · · · · · · · · · · · · · · ·		
139	802776	Turkey	OKINFO	WAGON, BELT WEIGHT AND TRUCK SCALE	\$	46,025.39		Provide specifications for the scales including manufacturer's data sheet, photographs, and an itemized list of separate components for each scale (items #1 through #3). IlProvide specifications for load cells to include response time, error, weight range, dimensions, and drawing (items # 1, #2 and #3).	US	16/01/2002:BVS NOINFO reminder; 01/02/2002:status changed to Inactive Hold; 18/04/2002:detailed tech specs; 22/04/2002:status changed to On Hold; 24/07/2002:para 18;
140										

	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
	802786	Austria	OKINFO	VETY INSTRUMENTS	\$ 171,925.48		Provide previously requested specifications for all ultrasonic cleaning baths including manufacturer's data sheets, frequency range, detailed drawings and photographs of baths, and temperature capabilities (both heating and cooling) (item #1). Provide previously requested specifications for all culture flasks including material composition, dimensions, and drawings of flask and caps (item #6). Provide previously requested specifications for the cleaning agent including chemical composition and structures for all components/ingredients (item #5).	US	11/10/2001:detailed tech specs; 11/12/2001:BVS OKINFO reminder; 24/04/2002:US changed reason; 12/06/2002:UNOHCl clarification; 25/07/2002:para 18;
141	802801	UAE	WMD	WELDING MACHINE/PARTS	\$ 1,370,454.55	04/10/2001	WMD dual- use item: concern related to S/2001/560, Page 31, Paragraph 2.1 - TIG and MG/MAG welders. MG/MAG welders. MEK 4 and MEK 4S feeder units for welders are set up for semi-automatic welding.	US	19/10/2001:tech specs; 29/11/2001:US changed reason; 07/01/2002:end-use/user info and tech specs; 14/01/2002:end-use/user info; 17/01/2002:end-use/user info; 12/03/2002:BVS OKINFO reminder; 06/05/2002:US changed reason; 25/07/2002:para 18;
142	802817	France	OKINFO	WHEEL EXCAVATORS/PA RTS	\$ 496,197.28	09/10/2001	Wheel excavators are acceptable. Concern is related to some spare parts. Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #51, #56, #63, #72, #77, #126, #130, #131 and #145). Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings; flow rate, inlet/outlet pressures, rotation speed and drawings (item #50). Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure and dimensions (items #1, #2, #9, #120, #125 and #154).	US	26/10/2001:info sent direct; 26/12/2001:BVS OKINFO reminder; 25/07/2002:para 18;
144	802834	4 Spain	OKINFO	ph Meters,Flow Fittings	\$ 62,090.91	02/01/2002	US: Provide technical specifications for transmitter, flow fitting, electrodes, sensors, cables, and universal communicator including function, dimensions, weight, material composition of major components, manufacturer's data sheets, and technical drawings (Items #1 through #8). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. Provide all requested non-alloy or polymer material compositions as both an IUPAC or standard commercial designation and as a percentage composition by weight for each component.	US	03/01/2002:partial ROH (UK); 31/01/2002:tech specs; 03/04/2002:BVS OKINFO reminder; 25/07/2002:para 18;
145	80284	l Italy	OKINFO	EXCAVATORS & SPARE PARTS	\$ 8,209,882.35	28/11/200	Provide specifications for pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #42, #56, #432, #446, and #744). Provide specifications for valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (item #62). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		30/01/2002:BVS NOINFO reminder, 14/02/2002:status changed to Inactive Hold; 11/03/2002:tech specs (dir); 12/03/2002:status changed to On Hold; 28/05/2002:US changed reason; 21/06/2002:additional tech specs; 25/07/2002:para 18;

36⁴

.

ر المراجع
COMM	mission	Hoid Status	Goods	Amo	ount	Date of Hold	Reason	holdby	HoldAction
802851	Jordan	OKINFO	BULLDOZERS	\$	2,826,450.00		Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings (items ##3, #5, #6, #10, #11, #73 and #74). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #7, #8, and #9). Provide specifications for the nozzles to include material composition, number of fluids processed, flow rate and droplet size (item #2); Please itemize all repair kits. Provide a requests for alloy material composition as both an ASTM or DIN standard alloy and as percentage composition by weight for each alloy component.	,	16/01/2002:BVS NOINFO reminder; 01/02/2002:status changed to Inactive Hold; 28/05/2002:tech specs; 28/05/2002:status changed to On Hold; 28/05/2002:tech specs; 26/07/2002:para 18;
802857	Germany	OKINFO	SPARE PARTS FOR PUMPS	\$	338,382.74		US: Provide specifications for all pumps that these spare parts fit including dimensions type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings: UK: Require information regarding the materials of construction for the goods in this contract	US, UK	04/04/2002:tech specs; 26/07/2002:para 18;
802860	Netherlands, the	OKINFO	SPARE PARTS	\$	579,910.00		US: Provide previous1y requested specifications for all valves including dimensions, weight, type, material composition for all components and linings; flow rate, maximum pressure: minimum internal diameter, actuator response time, and drawings (items #13 and #159).0 Provide previously requested specifications for all pumps including dimensions, weight type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings (item #158). Provide all reques for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	,	17/01/2002:tech specs and end-use/user info; 25/02/2002:partial ROH (UK); 07/03/2002:US cha reason; 20/05/2002:tech specs; 08/07/2002:drawings and specs; 26/07/2002:para 18;

.

_____ 14 م م را 14 م میں جب _{را}ب

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
						tan mana ang kana ang		·
802873	Germany	OKINFO	BRACKISH WATER RO SYSTEM; SPARE PARTS	\$ 1,010,177.08		US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #3 and #13). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #10, #11, #12, #22, #23 and #38). Provide the specifications for the tanks and any associated lining including material composition and volume (items #6 and #14). Provide the specifications for the pressure gauges (items #14, #29, #30, #31 and #32), flow meters and transmitters (items #14, #34, and #35), SDI measuring instrument (item #19) including manufacturers data sheets, operating and maximum pressures and material composition: Provide the specifications for the fine filter cartridge (Item #24). Provide an overall flow diagram for the system indicating the location of the contract goods. Provide the chemical composition for the c Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		13/02/2002:partial ROH (UK); 18/03/2002:tech specs; 26/07/2002:para 18;
						and the state of the		
802878	Lebanon	OKINFO	GENERATING SETS AND PARTS	\$ 1,194,045.77	06/06/2002	US: Provide detailed end use and end user information. Identify where each generator would go and the requirements they would support: Explain why generators with high power output are required.	US	10/06/2002:partial ROH (UK) w monitoring; 14/06/2002:end-use/user info; 26/07/2002:para 18

the second second second

particular and a second se Second
- A Martin Strategy -

.

•

СОМ	1M	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
80	02886	Egypt	OKINFO	FIRE FIGHTING VEHICLES WITH SPARES	\$ 2,194,007	10/05/200	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #90, #115, #120, and fire-fighting pumps, including portable units). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (item #364 on the vehicle parts list and item #10 on the spare parts for pump list). Provide specifications for the vehicle including manufacturers data sheets, drawings with dimensions, and photographs (item #1). Provide specifications for all tanks including drawings with dimensions and material composition for wails and any lining (item #402, water tank, foam tank, and dry powder tank). Provide specifications for "body" including function, drawing with dimensions for lining including function and material composition (items #7 and #8 of the spare, parts for pump list). Itemize the contents of all repair kits (items #6 and #7 on the spare parts for monitor list and #2, %9, and #20 on the spare parts for pump list). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	04/06/2002:info provided (direct); 26/07/2002:para 18;
151	02895		OKINFO	GENERATING SET	\$ 1,231,888	11 12/02/200	2 US: Provide specific site locations for this large quantity of generators.	US	13/02/2002:partial ROH (UK) w. monitoring; 05/03/2002:end-use tocations; 21/06/2002:clarification;
152									26/07/2002:para 18;
	02898	Tunisia	OKINFO	PUMP WITH SPARES	\$ 630,023	86 27/02/200	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, inlet/outlet pressures, rotation speed and cross-sectional drawings. Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	01/05/2002:BVS NOINFO reminder; 20/05/2002:tech specs; 26/07/2002:para 18;
	02920	France	WMD	VETY CHEMICALS	\$ 15,447	43 19/04/200	2 US: WMD dual-use item: concern related to S/2001/563, Fage 23, Paragraph 5 – Powdered complex growth media for cultivating microorganisms (items #1 and #2). UK: Our experts have BW concerns with these goods, we therefore cannot consider approving this contract until, as a minimum UNMOVIC are present in the country.	US, UK	22/04/2002:UK changed reason; 29/07/2002:para 18;
154							1966 - gander 1996 - 1967 (h. 1996), prostant anno 1990 -	<u> </u>	L

An and the set of th

.

۰.

jerne en sien Sonnogene sienen en sie

[COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
155	802922	italy		UREA BIMETALLIC STRIPPER	\$ 1,781,519.86	10/04/2002		US	18/04/2002:partial ROH (UK); 26/06/2002:list A - fax to mission;
156	802928	Saudi Arabla	NOINFO	TRUCK WITH SPARES	\$ 178,104.69	15/05/2002	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time and cross-sectional drawings (Items #12, #40 and #41 on the spare parts list). Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressure, rotation speed and cross-sectional drawings (Items #11 and #42 on the spare parts list). Provide specifications for all trucks including manufacturer's data sheets, drawings with dimensions and photographs. Itemize the contents of all repair kits. Provide all requests for alloy material composition by weight for each alloy component.		29/07/2002:para 18;
157	900038	Russian Federation	WMD	OVERHAUL ENGINES	\$ 655,209.76	06/07/2001	US: WMD dual- use item: concern related to S/1995/208, Page 16, Paragraph 1.9- agricultural Mi-2 helicopters. II UK: Our experts have BW concerns with the goods in this contract. As there is currently no monitoring of helicopter activities we cannot consider approving these until, as a minimum, UNMOVIC are present in the country.	US, UK	21/08/2001:clarification and itemized list of tools; 24/09/2001:US changed reason; 19/11/2001:clarification and reminder; 06/12/2001:UK changed reason; 18/12/2001:US changed reason; 30/05/2002:para 18;
158	900039	Russian Federation	D 1051	OVERHAUL AGRICULTURAL HELICOPTERS	\$ 2,417,350.24	30/04/2001	US: 1051 list item: S/2001/560/ Page 24, Paragraph 7.1: agricultural Mi-2 helicopters; WMD dual-use item: concern related to S/1995/208, Page 16, Paragraph 1.9- agricultural Mi-2 helicopters UK: Our experts have BW concerns with the goods in this contract. As there is currently no monitoring of helicopter activities we cannot consider approving these until, as a minimum, UNMOVIC are present in the country.	US, UK	22/05/2001;tech specs for helicopter Mi-2; 01/10/2001:BVS OKINFO reminder; 19/11/2001:clarification and reminder; 06/12/2001:UK changed reason; 18/12/2001:US changed reason (S/2001/560); 30/05/2002:para 18;

40

nd in the set of the second COMM Imission Hold Status Goods Amount Date of Hold Reason holdby HoldAction WMD* DRILLING RIG \$ 12.568,435.01 900101 Tunisia 25/06/2001 WMD dual-use item: concern related to S/2001/560, Page 42, Paragraph 8.3.1- Water US 27/07/2001:tech specs; 06/09/2001:US changed reason; 28/09/2001:detailed specifications; well drilling rigs. Explain the discrepancy in information where the water tanker was 30/10/2001:US changed reason: 02/01/2002:BVS NOINFO reminder: 18/01/2002:status changed to originally listed as made of stainless steel and the current information where the tanker Inactive Hold; 21/01/2002:tech specs; 22/01/2002:status changed to On Hold; 27/03/2002:BVS OKINFO reminder: 24/04/2002:US changed reason: 13/05/2002:tech specs & end-use/user info: is purportedly made of galvanized steel. Provide the previously requested specific material composition for the water tanker being provided and any linings present (item 31/05/2002:para 18; 24/07/2002:tech specs to UNMOVIC-OLDHOLDINFO1; #A3-2). Explain the discrepancy in information where the water tanker pump was originally listed as made of cast iron and the current information which lists the pump body made of aluminum. Provide the previously requested specifications for the water tanker pumps including dimensions, weight, type, material composition for all components and linings, flow rate, iniet/outlet pressures, rotation speed and crosssectional drawings (item #A3-2). Provide all requests for alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. 159 \$ 3,982,502,21 13/06/2001 Provide all answers in English. Provide the previously requested specifications for all 26/07/2001:tech specs; 18/09/2001:US changed reason; 25/04/2002:US changed reason; OKINFO 900111 Tunisia WATER lus PUMP/PARTS 13/05/2002:tech specs: 31/05/2002:para 18: pumps including dimensions, weight, type, material composition for all components and linings, inlet/outlet pressure, rotation speed and cross-sectional drawings (items #1 through #5). Provide all requested alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. and the second sec 160 900144 Poland D 1051 AGRICULTURAL \$ 3.300.804.84 06/06/2001 US: Goods are on the 1051 list as indicated by the Secretariat and 1051 list item: Tab US, UK 20/07/2001:tech specs; 25/07/2001:comprehensive tech specs (dir to US); 26/10/2001:BVS OKINFO AIRCRAFT reminder; 05/12/2001:US changed reason; 26/06/2002:list A - fax to mission; 10, Page 16, Paragraph 1.9, a and the second second and Page 22, Paragraph 8.2 and 8.7; äircraft-mounted sprayers and dusters (Parts table, items #177 and #184). UK: Pending technical experts consideration. and in transformation for the second And the second second 161 900641 Turkey 1051 VETY - DRUGS 328.774.64 21/06/2001 Goods are on the 1051 list as indicated by the Secretariat and WMD dual-use item: US 22/06/2001:UK changed reason: 16/08/2001:technical info: 23/08/2001:partial ROH (UK): \$ concern related to S/1995/208, Page 16, Paragraph 1.12 - vaccines to risk groups IV, III, 24/09/2001:US changed reason; 18/03/2002:US changed reason; 04/04/2002:additional info; and II microorganisms (item #3; Theileria live attenuated viral vaccine) 14/06/2002:US changed reason: 26/06/2002:list A - fax to mission:

> and the second

162

. a second and والمحاصرة والمحاج المراجع

41

.....

х.

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
90077	3 Saudi Arabia	NOINFO	COLD STORE	\$ 612,682.09	05/06/2002	US: Provide specific end-use location and a layout plan for the cold store. Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #14, #14a, #15, #17, and Annex 2: solenoid and expansion valves listed under "Accessories"). Provide specifications for all filter dryers including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (items #4 and Annex 2: filter dire listed under "Accessories"). Provide specifications for all compressors including refrigerant, dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed, drawings, and photographs (item #1). Provide specifications for the aero tape including the material composition and purpose it serves in cold store (item #31). IProvide technical specifications for load cells for weigh bridge including maximum load, precision, response time, manufracturer's data sheets, and num Provide a complete list of parts included in "accessories" (Annex 2: spares for forkilly. Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	10/06/2002:partial ROH (UK); 31/07/2002:para 18;
53	<u> </u>					and the state of the second second second		· .
90077	'4 Saudi Arabia	NOINFO	COLD STORE	\$ 5,467,009.43	05/06/2002	US: Provide specific end-use locations and layout plan for all cold stores. Provide specifications for all valves including dimensions, weight: type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #14, #14a, #14b, #14c, #15, #17, #17a, and Annex 2: solenoid and expansion valves listed under all "Accessories" headings). Provide specifications for all filter dryers including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions; (items #8, #8a, and Annex 2: filter dryers listed under all "Accessories", headings). Provide specifications for the hum/differs including manufacturer's data sheets, material	US	10/06/2002:partial ROH (UK); 31/07/2002:para 18;
	17 Jordan	WMD	COLD STORE	\$ 7,707,540.70	20/12/2001	US: WIMD dual use item: concern related to S/1995/208, Tab 10, Page 14, Paragraph 1.3. UK: We appreciate the extra information we have received regarding this hold, however we are waiting to receive confirmation of monitoring from the OIP, as per our fax of 2/4/02.	US, UK	25/01/2002:tech specs, end-use/user info; 07/03/2002:US changed reason; 02/04/2002:UK chang reason; 25/04/2002:tech specs & clarification; 09/05/2002:UK changed reason; 03/06/2002:para 1 21/06/2002:clarification to UNMOVIC-OLDHOLDINFO1;
90103	36 Jordan	WMD	PESTICIDE	\$ 293,616.11	09/07/2001	Goods are WMD dual-use item: concern related to S/1995/208, Page 6, Paragraph 1.52 Fenitrothion (item #1) (this is all ULV formulation designed for fog-type applications	US	27/08/2001:tech specs; 03/06/2002:para 18;

42.

	COMM	mission	Hold Status	Goods	Αποι	unt	Date of Hold	Reason	holdby	HoldAction
	901076	Lebanon	1051	PESTICIDE	\$	564,798.63	12/07/2001	Goods are on the 1051 list as indicated by the Secretariat.	US	20/08/2001:tech specs; 26/06/2002:list A - fax to mission;
167										
	901080	China	WMD*	ETHYL HEXYL PHTHALATE	\$	800,257.07		Goods are WMD dual-use item: concern related to S/2001/560, Page 34, Paragraph 3.4.1.5 - DOP (item #1) – precursor II to polyfunctional aziridene amides. Please provide the specific end-use, rate of consumption, and end-use location for these goods.	US	28/11/2001:BVS NOINFO reminder; 14/12/2001:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 31/07/2002:para 18;
168										
169		Russian Federation	OKINFO	MOBILE CRANES	\$	548,600.43	08/10/2001	Concern is related to some spare parts. Provide previously requested specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed, and cross-sectional drawings (items #46 through #48 and #180 through #183). Provide previously requeste specifications for all valves including dimensions, weight, type, material composition for all component and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #49,#124, and #184 through #186). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	26/11/2001:specs; 11/12/2001:tech specs; 29/01/2002:BVS OKINFO reminder; 07/03/2002:US changed reason; 01/07/2002:additional info; 06/08/2002:para 18;
170	901393	Egypt	OKINFO	WATER TANKER TRUCK	\$ 5	52,934,869.57	31/07/2001	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #8 and #210); Provide all requests for alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component; Provide specific end-use for equipment		04/09/2001:tech info (direct); 08/11/2001:BVS OKINFO reminder; 22/04/2002:end-use/user info (dir); 21/06/2002:clarification; 06/08/2002:para 18;
171	901401	Denmark	OKINFO	MATERIAL AND EQUIPMENT FOR WASTE HEATLINE BOILER		3,384,615.38	03/08/2001	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and drawings (item #11); Provide an itemized listing of the spare parts for the steam turbine and specifications for those items (item #14); Provide specifications for all steam turbines including dimensions, material composition of all components and linings, drawings, manufacturer's data sheets and capacity (item #13) UK: Pending consideration by experts.	US, UK	22/10/2001:detailed tech specs (FAO report); 26/10/2001:BVS NOINFO reminder; 09/11/2001:status changed to Inactive Hold; 19/11/2001:status changed to On Hold; 26/12/2001:BVS OKINFO reminder; 11/01/2002:tech info; 04/06/2002:para 18;

•••. $\mathcal{A}_{\mathcal{A}_{\mathcal{A}}}$

i.

i i

	mission Hold Status Goods Amount Date of Hold R		Reason	holdby	HoldAction			
901427	Turkey	D 1051*	REHABILITATE COMPLETE LINE FOR SULPHURIC ACID PLAN	\$ 18,145,299.15	29/08/2001	1051 list item: S/2001/560, Page 19, Paragraph 10.4.4 - Corrosion resistant PTFE-lined valves (items #288 through #290); please provide previously requested material elemental composition of NZ 144 stainless steel as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component; and pending further technical review.	US	04/09/2001:UK changed reason; 21/09/2001:detailed tech specs; 06/11/2001:partial ROH (UK) monitoring; 27/11/2001:BVS OKINFO reminder; 23/04/2002:US changed reason; 24/04/2002:U changed reason; 14/05/2002:tech specs; 17/06/2002:US changed reason; 06/08/2002:para 18;
							ŀ	
901461	France	WMD	ARTIFICIAL	\$ 230,158.55	10/08/200	US: WMD dual use and pending further technical review	US	13/08/2001:partial ROH (UK); 30/08/2001:tech specs (dir); 24/10/2001:US changed reason
			INSEMINATION REQUIREMENTS			and the second		(S/2001/561); 26/10/2001:BVS NOINFO reminder; 06/08/2002:para 18;
						na Bartan an an sa da ang mangan ga barang sa sa		
						and the manifest and the second s		
						1. Start St		
901472	Lebanon	OKINFO	CANDLE FILTER	\$ 573,504.27	13/08/200	Provide previously requested specifications for the electric board including processor type and manufacturer, maximum certified clock speed, and certified thermal operating range (item #5). Provide all requested information in English in order to facilitate review.	US	04/09/2001:tech specs; 30/10/2001:US changed reason; 02/01/2002:BVS NOINFO reminder; 18/01/2002:status changed to Inactive Hold; 31/01/2002:tech specs; 04/02/2002:status change On Hold; 07/03/2002:US changed reason; 26/04/2002:tech specs; 06/08/2002:para 18;
						and the second		
901475	Italy	WMD	PESTICIDE	\$ 571,388.89	09/08/200	WMD dual-use item: concern related to S/2001/569, Page 9, Paragraph A.44 -	US	07/09/2001:tech info (dir); 06/08/2002:para 18;
. • •						Phenthoate is a precursor to O,O-Diethyl phosphorodithioate (items #1 and #3)		
901488	Egypt	WMD .	PESTICIDE	\$ 136,344.13	13/08/200	WMD dual-use item: concern related to S/2001/560, Page 9, Paragraph A.44 -	US	07/08/2002:07/08/2002;
						Phenthoate is an immediate precursor to 0 O,O-Diethyl phosphorodithioate (items #1 and #3).		
							1	
901515	Jordan	WMD	PESTICIDE	\$ 1,291,681.20	13/08/200	1 WMD dual-use item: concern related to \$/2001/560, Page 2, Paragraph A.43 -	lus	13/09/2001:clarification (not requested); 16/10/2001:tech specs (not requested);
201010			LONGIDE	1,201,001.20	10,00/200	Triazophos (item # 1).		07/08/2002:07/08/2002;
						n an		
						and the second		
				1				

C	MMC	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
178	901589	Jordan	WMD	CHLOROPYRIFOS E	\$ 108,362.52		WMD dual- use item: concern related to S/2001/560, Page 9, Paragraph A.44 - Chloropyrifose Ethyl (item #1).	US	17/10/2001:tech info (not requested); 26/10/2001:US changed reason; 04/06/2002:para 18;
	901633	Jordan	OKINFO	COLD STORE; SPARE PARTS	\$ 3,034,150.61		US: Provide technical specifications for cold stores, cold stores machines, civil works, generating plant, weight bridge, and forklift Including dimensions function, drawings, and components (items #1, and #4.#9). provide the temperature range and interior volume of the cold stores the equipment can support (items #1 and #4). provide specifications for all pumps and compressors including dimensions, weight, type, material -composition for components and linings, flow rate, inlevoutiet pressures, rotation speed and cross- sectional drawings (items #12.1, #12.2, #12.3, #12.29, #13.21, and #13.23). provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #12.7 - #12.9). provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (items #13.7 and #15.21). provide technical specification for humidifier, humidistat, CO2 controller, and temperature & humidity measuring device including dimensions, means of operation, and drawings (items #12.23-#12.26); identify item #15.8 and provide its function, dimensions and drawings. provide technical specifications for load cells for weigh bridge including maximum load, precision, response time, manufacturer's data sheets, and numbers per weigh bridge (spare parts list, weighing bridge: item #16.3). provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		15/11/2001:partial ROH (UK); 15/01/2002:BVS NOINFO reminder; 01/02/2002:status changed to Inactive Hold; 04/02/2002:detailed tech specs; 04/02/2002:status changed to On Hold; 10/04/2002:BVS OKINFO reminder; 04/06/2002:para 18;

and a state of the second s

and a second
COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
901673	Saudi Arabia		IRRIGATION SYSTEMS ; SPARE PARTS	\$ 3,213,660.25		Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, rotation speed and cross-sectional drawings (Annex 1: items #2 and #3, and component of item #1). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (Annex 2: component of item #1). Provide specifications for nozzles including material composition, dimensions, maximum pressure, flow rate, droplet size distribution, and drawing (Annex 1: item #1). Provide technical specifications for pivot imgation system including length of spray radius, dimensions, material composition of major components, area covered, and technical drawings (Annex 1: item #1). Il Provide an itemized list for the 10% spare parts (Annex 1: item #6). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. Provide all requested non- alloy or polymer material composition as a percentage composition by weight for each component.		21/02/2002:BVS OKINFO reminder; 21/02/2002:US changed reason; 24/04/2002:BVS NOINFO reminder; 20/05/2002:tech specs; 03/06/2002:tech specs; 08/08/2002:para 18;
00170	France	PFE	PUMPS	\$ 256,262,70	20/14/2001	Pending further technical review.	US	29/01/2002:BVS OKINFO reminder; 05/02/2002:reminder; 08/08/2002:para 18;
	- i ance	FFE		ý 200,202.70	29/11/2001	Pencing rurner technical review.		
90182	2 Egypt	WMD**	VETY INSTRUMENTS	\$ 673,500.00	21/11/2001	Goods are WMD dual use: concern related to S/2001/561, page 22, Paragraph 3.1 - fermenters, bioreactor with 50 liters or more capacity (items #05-04-00235 and #05-04- 00243). Please provide specifications on the oven (item #05-04-00233) and water bath (item #05-04-00259) to include temperature range, accuracy for process control and material composition for all parts in contact with process fluid.	US	20/12/2001:requested Info sent direct; 20/02/2002:BVS OKINFO reminder; 12/06/2002:UNOHC clarification;

in oder der ode see

.

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
901863	Yugoslavia	OKINFO	WASTE WATER TREATMENT PLANT	\$ 1,206,611.57	01/11/2007	Provide previously requested specifications for all pumps and compressors in a concise tabular form including dimensions, weight, type, material composition for all components and linings, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #1 through #15). Provide previously requested specifications for all valves including dimensions, weight type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #1 through #15).1 BCorrelate all informational items with numbers in the original Comm. Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component	ŀ	06/12/2001:tech specs; 13/12/2001:partial ROH (UK); 05/02/2002:BVS OKINFO reminder; 12/02/2002:tech specs; 11/04/2002:US changed reason; 12/06/2002:tech specs; 18/06/2002:para 29/07/2002:tech specs to UNMOVIC-OLDHOLDINFO1;
901865	Jordan	WMD*	LABORATORY INSTRUMENT	\$ 99,638.55	19/10/200		US	19/12/2001:BVS NOINFO reminder; 04/01/2002:status changed to Inactive Hold; 05/06/2002:statu changed to On Hold as per new procedures;
901879	Spain	0	VETY- PHARMACEUTICA	\$ 42,929.29	26/10/200	Would have no objection with FAO maintaining control of the live vaccines.	US	16/01/2002:monitoring confirmed; 09/08/2002:para 18;
			LS	`}				
						and an ann an Arland an Arland an Arland An Arland an Arland an Arland an Arland Arland an Arland an Arland an Arland		
						a second sec Second second br>Second second		
						an a		
						an an the second se In the second	~	
						n dara (27) Jacobier Maria, and Angeler Maria (1997) Jacobier Maria (1997)		
						ing a star 147 7 Angelan angela Angelan Santar Santar ang angelan ang		
						$\sum_{i=1}^{n} \frac{1}{i} \sum_{j=1}^{n} \frac{1}{i} \sum_{j$		

•

ŧ.

COMM	mission	Hold Status	Goods	Amou	int	Date of Hold	Reason	holdby	HoldAction		
	France	WMD**	LABORATORY EQUIPMENT	S	140,746.04		US: Item 9, (computerized gas chromatography Shimadzu GC-I7 with microprocessor) dual use (BW) per UN doc S/1995/208, p. 15, para 1.3.8. Items 36 and 37 (aflatoxin analytical unit complete model LX5200 with 37 reagents) are dual use (BW) per S/2001/560 (The revised I051list) p. 23, para 6.1 and p. 28, list 1 (1.3.2). Provide technical specifications for gas chromatograph unit including dimensions, functions, manufacturer's data sheets, and technical schematics (item #9). Please provide types of detectors to be supplied with GC-I7 (components of item #8). Provide technical specifications on molecular sieve split and carrier (item #31), deteionization bags (item #34), desiccant cartridge (item #35) including functions, materi- compositions of major and active components, dimensions, drawings and/or technical schematics, and method of operation.0 Provide technical specifications for chromatography columns and lists of compounds they will be used to detect/quantify (items #22 and #23).0 Provide technical specifications for fiber analysis unit including functions, dimensions, means of operation/detection, detection limits and maximum concentrations for each analyte, manufacturers data sheet, and technical schematics (item # 1). Provide technical specifications for aflatoxin and reagents analysis unit including functions, dimensions, means of operation/ detection, detection limits and maximum concentrations for each analyte, manufacturers data sheets, and technical schematics (item #36). Provide specifications for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (item #36). Provide specifications for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (iter #36). Provide specifications as both an IUPAC or standard commercial designation and as a percentage composition by weight for each alloy component. Please provide all requested fon-alloy and polymer material compositions as both an IUPAC or standard co	of	26/12/2001:BVS NOINFO reminder; 03/01/2002:info sent direct (US only); 11/01/2002:status changed to Inactive Hold; 05/02/2002:tech specs to UK; 07/02/2002:status changed to On Hold; 11/02/2002:partal ROH (UK); 10/04/2002:BVS OKINFO reminder; 03/06/2002:UNOHCI clarificatio 18/06/2002:parta 18;		
901891	Jordan	D 1051	LABORATORY EQUIPMENT	S	180,956.57	07/12/2001	1US: Item is 1051: S/2001/560, Page 19, paragraph 10.4.7 - spectrophotometer (item #7 WMD dual-use item: concern related to S/2001/560, Page 22, Paragraph 3.3 - shaker (item #6 and #10) and Page 23, Paragraph 6.1 - shaker (item #4). Pending further review. 0	r). US	13/12/2001:partial ROH (UK); 01/07/2002:para 18;		
							West and a state of the state o				

فوتحان أأفرحه بأليونية بتواصلان الماحلان بعتر

48 48

4

24.55	و مربع ر	1.1	· • •	?	1.51

СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
901905	l Italy	OKINFO	BAGGING EQUIPMENT WITH SPARE PARTS	\$ 610,101.01	18/12/2001	Provide previously requested specifications for all valves including definition of chemica nickel treatment, lining composition, actuator response time, and cross-sectional drawings (item #15). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	20/02/2002:BVS NOINFO reminder; 21/02/2002:tech specs; 24/04/2002:US changed reason; 17/06/2002:tech specs; 09/08/2002:para 18;
901910	Russian Federation	OKINFO	CARGO TRUCKS W/ SPARES AND ACCESSORIES	\$ 12,345,242.73	12/11/2001	Trucks are acceptable. Concern is related to some spare parts. Provide specifications for all valves, including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #162, #189, #319, #321, #437, #449, #457 #467 and #472). Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation, speed and cross sectional drawings (item #8, #44, #45, #268). Please confirm that the "rocket assemblies" are indeed "rocker assemblies" (items #1133) Please specify the efficiency at 0.3 micron for all filters and filter elements (items #1148, #153, #157, #158, #159, #170, #171, #205, #209 and #429). Please itemize the unspecified repair kits (items #178 and #269). Please specify the volume and material composition for the tank and any associated lining (item #221). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage component.		10/01/2002:tech specs & drawings; 12/02/2002:tech specs; 12/03/2002:BVS OKINFO reminde 09/08/2002:para 18;
	5 Germany	WMD**	AGRICULTURAL SUPPLIES	\$ 44,229.00	14/11/2001	US: Goods are WMD dual-use item: concern related to S/2001/560, Page 23, Paragraph. 6.2 -microplates (items I # 1 and #2). provide the dimensions for items #1 and #2.	US	15/11/2001:partial ROH (UK); 12/12/2001:requested info; 21/02/2002:BVS OKINFO reminder; 09/08/2002:para 18;
		-				1. 1997 - 1997 - 1997 - 1997 - 1997 - 1997 1997 -		
901924	4 Italy	0	BURNER	\$ 538,670.00	23/11/200	The U.S. would have no objection providing the following items are removed from the contract #3, #9, #15, #22, #35, and #43.	US	09/08/2002:para 18;
1	1							

and the second second

ł

 $P_{ij}^{\bullet} \in I_{i+1,j}^{\bullet} = \left\{ \begin{array}{c} e_{ij} & e_{ij} \\

6	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
		maaton		00003	Anount	Date of fiold	11203011	lioluby	
1									
	901925	Egypt	OKINFO	AGRICULTURAL	\$ 9,594,607.41			US	22/04/2002:Specs and end-use/user (direct); 24/04/2002:BVS NOINFO reminder; 29/05/2002:partial
				VEHICLE			used for civilian purpose; Military dual-use item (GRL) S/2002/515, Page 273, Paragraph		ROH (UK); 09/08/2002:para 18;
							9.A.13.b - vehicles have military cross-country capabilities (item #1) including all-wheel		
]				drive, central inflation system, and high aspiration.		
			1						
								!	
192							an a		
	901926	Egypt	OKINFO	AGRICULTURAL	\$ 32,659,714.20	13/02/2002	US: Military dual-use item: concern related to S/RES/687 (1991), Page 8, Paragraph	US	17/04/2002:BVS NOINFO reminder; 22/04/2002:specs and end-use/user (direct); 30/05/2002:partial
				VEHICLE			24(a) and S/2002/515, Page 273, Paragraph 9.A.13.b (GRL) - vehicles with military		ROH (UK); 09/08/2002:para 18;
				W/SPARES			capbilities (item #1): all wheel drive, 4x4, 5-tonne, central tire inflation, high aspiration.		
i		{						1	
							 South and the second secon second second sec		
193		[and the second		
	901934	France	OKINFO	LABORATORY	\$ 405,873.00	13/11/2001	Provide technical specifications for spectrometer/analyzer including monochromator	US	15/01/2002:tech specs; 16/01/2002:BVS NOINFO reminder; 01/02/2002:status changed to Inactive
				INSTRUMENT			length, slit widths, wavelength accuracy and precision, spectral region, detector type,	ŀ	Hold; 15/02/2002:status changed to On Hold; 20/03/2002:BVS OKINFO reminder;
			1				lamp sources, sample chamber dimensions, sample holder configuration, and technical		20/05/2002:UNOHCI tech clarification; 12/08/2002:para 18;
				· ·			drawings for the spectrometers and accessories (items #16, # 17). Provide technical specifications for meters including dimensions, capabilities, manufacturers data sheets,	1	
			1	1			and drawings (items #1 and #13 through #15). Provide list of lamps by element (item #	1	
							 Provide technical specifications for nutrients kit including full list of analytes, 		
				•	1 ·		analysis methods, and means of quantization for each analyte (item #13). Provide		
							technical specifications for probe and electrode Including material composition,		
			1				temperature range, and drawings (item #2 and #3). Provide all requested alloy material	1	
							compositions as both an ASTM or DIN standard alloy and as a percentage composition		
							by weight for each alloy component. Provide all requested polymer material		
				1			compositions as both an IUPAC or standard commercial designation and as a percentage composition by weight for each	1 .	
				1					
							component.		
				}			an ta' an	1	
				1					
-				1			$\left(\frac{\partial w_{ij}}{\partial t} + \frac{\partial w_{ij}}{\partial t} \right) = \left(\frac{\partial w_{ij}}{\partial t} + \frac{\partial w_{ij}}{\partial t} \right)$	1	
				1	1			1	
194	·	L	L	.I	L	<u> </u>	and the Adress to the Participan		
							an the second		

Tarren og Alal vit nær e som som Tarren veder og av billet er er and the state of the second

.

.

and the second and s

. . .

.

nation (nation) nation (nation) (nation)

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
901936	France	OKINFO	LABORATORY EQUIPMENT	\$ 100,884.82	24/01/2002	Provide previously requested technical specifications for fume cabinet including function, dimensions, material composition of major components, manufacturer's data sheets, and technical drawings (item #4). Provide previously requested specifications for all filters including function, pore size, maximum efficienty, flow rate, material composition, maximum pressure, and dimensions (item #5). Provide previously requested technical specifications for de-ionized water system and carhidges including function, principle of operation, dimensions, material composition of major components including the acknange resin, flow rate, production rate, recirculating capacity, product resistivity, manufacturer's data sheets, and technical drawings (items #9 and #10). Provide previously requested technical specifications for mulfile furnace and refrigerator including function, dimensions, material composition of major components, manufacturer's data sheets, thermal accuracy, operational temperature ranges, operational pressures, capability or option for introducing an inert atmosphere, and technical drawings (items #		01/03/2002:tech specs (dir); 01/05/2002:BVS OKINFO reminder; 23/05/2002:US changed reason; 03/06/2002:UNOHCI clarification; 11/06/2002:tech specs; 12/08/2002:para 18;
901937	France	OKINFO	HAND AUGER SET	\$ 366,114.00	11/02/2003			17/04/2002:BVS NOINFO reminder; 18/04/2002:tech specs (dir); 12/08/2002:para 18;

a an frants a standard an Taga standard Aga standard Aga standard an

الموجد فالتراجي والمرجع المتعود فا

ی اینکار اینکاری دوران میکند. اینکاری اینکار اینکار میکند. اینکاری اینکار میکند دوران کارکار اینکاری

and and a second se The second s The second s The second s

.

مصرب الأشفر وليحومهم فتعتاك والوا

COM	MM mi	nission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
90	901942 Rt	ussian ederation	1051*	HELICOPTERS	\$ 4,402,623.59	27/11/2001	specifications for altimeter (Annex 2: item #4), indicator (Annex 2: A. item #10 and #12), vertical speed indicator (Annex 2: item #44), radiost-n (Annex 2: item #22), radio altimeter (Annex 2: item #23), radio receiver (Annex 2: item #25), vibration indicator (Annex 5: item #36), testing hydraulic system (Annex 5: item #22), rotor blade tracking test (Annex 5: item #30), mobile hydraulic crane (Annex 6: item #2), airfield generator (Annex 5: item #3), and "versating compressor" (Annex 6: item #4) including manufacturer's data sheets, principle of operation, drawings, photographs, and appropriate technical specifications such as dimensions, weight, accuracy, range, limits, etc. Provide specifications for all pumps and compressors including dimensions, weight, type, material: composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed, and cross-sectional drawings (Annex 7: items #14 and #15).0 Provide requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. UK: Require tech specs for the Impex rated Aircraft Sprayers in this contract.		30/01/2002:BVS NOINFO reminder; 14/02/2002:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 26/06/2002:list A - fax to mission;
197 9	901951 U.	JAE	OKINFO	IRRIGATION SYSTEMS	\$ 830,255.00	30/11/2001	Please provide specifications for all pumps including dimensions, weight, type, material composition for all 0 components and linings, inlet/outliet pressures, rotation speerl and cross sectional drawings (line #3). 0	US	07/01/2002:tech specs; 12/03/2002:BVS OKINFO reminder; 12/08/2002:para 18;
198							Dease provide all requests for alloy material composition as both an ASTM or DIN Standard alloy and as a percentage composition by weight for each alloy component.		
9	901966 E	gypt	NOINFO	WATER TANKER	\$ 27,129,629.63	04/12/2001	Military equipment: S/RE5/687 (1991), Page 8, Paragraph 24(a): military vehicle (item #1). Provide specifications for vehicle including manufacturer's data sheets, number of driven wheels, drawings with dimensions, and photographs (item #1).	US	07/12/2001:US changed reason; 06/02/2002:BVS NOINFO reminder; 12/02/2002:tech info (direct); 16/04/2002:BVS OKINFO reminder; 14/06/2002:US changed reason; 12/08/2002:para 18;
199 9	901968 Jo	lordan	WMD	PESTICIDE	\$ 292,876.22	12/12/200	WMD dual-use item; concern related to S/2001/560, Page 9, Paragraph A.44 - triazophos (item #1) -precursor chemical.	US	12/08/2002;para 18;

na na milje upgleged standard av tali i standard standard av gette standard standard standard l san production

сала и продати и прод 52

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
	901977	UAE	WMD	ACID COOLERS	\$ 1,628,626.89		WMD dual-use item: concern related to S/2001/560, Page 18, Paragraph 10.4.1.2- corrosion resistant heat exchangers of A316L with surface areas of 196 m2, 501 m2, 141 m2, and 64 m2 (items #1 through #4),	US	20/02/2002:tech specs; 23/04/2002:BVS OKINFO reminder; 15/05/2002:reminder; 30/05/2002:US changed reason;
201							 An approximation of the second se		
202	901978	Austria	1051*	LABORATORY EQUIPMENT	\$ 191,843.72		US: Items 154 and 135 are 1051 per UNMOVIC. WMD dual-use items: concern related to S/2001/560, Page 22, Paragraph 3.3 -shakers' (item #47). Provide specs for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlev/outlet pressures, rotation speed and cross-sectional drawings (item #143). Provide specs for all valves including dimensions, weight, type, material composition for all components and linings, flow rate/ maximum pressure/ minimum internal diameter, actuator response time, and drawings (item #23). Provide tech specs for crude protein unit, distillation system; level sensor, combined electrode, filling station, pellet press, electrodes, printed circuit boards, water distilling apparatus, condensate cooler, and circulating chiller including function, dimensions, material composition of major components, legible manufacturer's data sheets; model number ordered, and technical drawings (items #1, #3, #24, #27, #28, #37, #38, #48, #52, #145, and #146). Provide all requested aloy material compositions as both an ASTM or DIN standard allo percentage composition by weight for each alloy component. Provide all requested non-alloy or polymer material compositions as both an IUPAC or standard commercial designation and as a percentage composition by weight for each component. Pending further review.		27/02/2002:BVS NOINFO reminder; 15/03/2002:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 26/06/2002:list A - fax to mission;
	901993	Egypt	WMD**	LAB EQUIPMENT & SPARE PARTS	\$ 73,833.63	16/01/2002	Provide more detailed end user information. Describe the various facilities listed and their requirements for the number of freezers for each location. Why do some facilities need so many more freezers than others? ITEM-I: CHEST DEEP FREEZER (X250) (FOR LABORATORY USE PER END-USE DECLARATION) ARE DUAL -USE/WMD (BW) PER S/1995/208, PAGE 14, PARA. 1.3.	US	13/03/2002:end-use/user info;
203									

.53

ويصبقه بتديدا

.

4

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
902012	India	OKINFO	ERECTION MATERIALS AND EQUIPMENT	\$ 1,687,290.77		US: Provide specifications for all valves and valves for which spare parts are destined including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and	US	19/04/2002:partial ROH (UK); 18/06/2002:detailed tech specs;
						cross-sectional drawings (items #12, #31, #90, #212 through #222; #227 through #230, and #277). Provide specifications for nozzles including material composition, dimensions, maximum pressure, flow rate, droplet size distribution, and drawings (items		
				-		#85, #86, #281, #282, and #291). Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (items #92 and #226).		
						Provide technical specifications for impellers including function, dimensions, material composition, maximum rpm and airflow, manufacturer's data sheets, and location of use shown on technical drawings (items #174, #286, and #326), Provide technical		
						specifications for solenoid coils including function, dimensions, response time, manufacturer's data sheets, and technical drawings (items #224 and #225).0		
						Provide technical specifications for infrared scanner including function, dimensions, spectral response, manufacturer's data sheets, and technical drawings (item #97). Provide technical specifications for refractory material		
						including function, dimensions or amount, material composition, manufacturer's data sheets, and locations of use shown on technical drawings (items #88 and #290); Please provide all requested alloy material compositions		
						as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. Provide all requested non-alloy or polymer		
						material compositions as an IUPAC or CAS designation, as a standard commercial designation, and as a percentage composition by weight for each component.		
						na sa ka sa		
			-			and the second		
902013	Jordan		COLD STORE	\$ 1.612,235.92	07/05/2002	US: Provide material composition for all metal parts of the cold stores. Provide	us	03/06/2002:detailed tech specs;
				V 1,012,200.02		specifications for all compressor including dimensions, weight, type, material composition for all components and linings, flow rate, inité/outlet pressures, rotation speed and corss-sectional drawings (item #4.1). Provide specifications for load cells	03	US/V0/2/02.detailed tech specs;
						including maximum weight, accuracy, dimensions and photographs (item #8). Provide specifications for all valves including dimensions, weight, type, material composition for		
						all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (spares for refrigeration machines: item #6, #7 and #8). Provide the specifications for the filters including flow		
						rate, pore size efficiency at 0.3 micron (DOP rating) (spare parts for refrigeration: items #22 and #23). Provide specifications for the condensers and evaporator including size, weight, material compositions (items #4.2 and #4.3)Provide all requested alloy		
						material compositions as both an ASTM or DIN standard alloy and as a percentage com and pending further technical review.0		
						i in the control of the test of the second secon Second second br>Second second br>Second second br>Second second s		
		I	[an to militan and in the second s Second second		
						and the second s		

.

٠

.

1

The second spin set of second s

СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
90203	0 Egypt	DU	GENERATING	\$ 3,993,307,94	11/03/2002	US: Dual military use. UK: We appreciate the extra information we have received for	US. UK	12/03/2002:UK changed reason; 04/06/2002:info provided (direct); 19/06/2002:UK changed reason;
			SETS AND PARTS			this hold, however we are still waiting to receive confirmation of monitoring from OIP, as		······································
						per our fax of 12/3/02.		
						Section of the sectio		
						and the second secon		
90203	3 Italy	WMD**	PESTICIDE	\$ 451,208.98	25/04/2002	US: WMD dual-use item: concern related to S/2001/560, Page 9, Paragraph A.44 and	lus	26/04/2002:partial ROH (UK);
00200				φ 401,200.00	20/04/2002	Page 16, Paragraph B.17 - phentolate is structurally similar to referenced chemicals and		
						a possible precursor to organophosphorus pesticide and cholinesterase inhibitor (items #1 and #2). Provide specifications for the "anti- corrosion substance" painted inside		
						shipping drum including material composition. Provide all requested non-alloy or	[
						polymer material compositions as an IUPAC or CAS designation, as a standard		
						commercial designation, and as a percentage composition by weight for each component.		
	1					overgenere Latter of weeks (Latter of any of the		· · · · · · · · · · · · · · · · · · ·
7						and the second		
100112	22 France	WMD**	LAB EQUIPMENT & SPARE PARTS	\$ 349,413.00	07/12/2001	WMD dual-use item: concern related to S/2001/560, Page 19, paragraph 10.4.7, and S/1995/208, Page 15, paragraph 1.3.8 -Gas chromatograph (item #19). Provide	US	06/02/2002:BVS NOINFO reminder; 15/02/2002:tech specs (dir); 20/02/2002:tech specs & end- use/user info; 25/02/2002:partial ROH (UK); 16/04/2002:BVS OKINFO reminder; 28/05/2002:US
1						previously requested specific end-use locations, for vaccinators (items # 1and #9).		changed reason; 03/06/2002:UNOHCI clarification;
						Provide previously requested specific end-uses and end-use locations for gas		
						chromatograph (item #19). Provide previously requested test methods and analytes for DBS and DBWax columns		
						(items #31 and #32).		
			· ·			a ser the second sec		
8								
100113	36 Egypt	DU*	TRUCKS AND SPARE PARTS	\$ 13,748,370.37	07/12/2001	US: Military Item: S/RES/687 (1991), Page 8, Paragraph 24(a) -military recovery trucks. Provide specifications for emergency car listed in the itemized list of tools including	. US	07/01/2002:end-use-user info; 17/01/2002:end-use/user info; 06/02/2002:BVS NOINFO reminder; 12/02/2002:tech info (direct); 07/03/2002:US changed reason; 22/04/2002:tech info (dir) (US only);
			of Aller Allio			maker model, manufacturer's data sheets, and an itemization of all accessories.		28/05/2002:US changed reason;
						the first second se		· ·
						a second property and the second		
9						to state in the state of the		
	88 Lebanon	D 1051	LAB EQUIPMENT	\$ 2,459,866.43	19/12/200	As previously stated -1051 list item: S/2001/560, Page 19, Paragraph 10.4.6 -	US	29/01/2002:clarification; 08/02/2002:additional Info; 23/05/2002:US changed reason;
			& SPARE PARTS			incinerators (items #1 and #2).0 WMD dual-use item: concern related to S/1995/208, Page 15, Paragraph 1.4.6 -		
						incinerators (items #1 and #2).		
ŀ					[and the second		
						an an an an an an an ann an ann an an an		
٥						Salation of the second second second		

55

*


G	OMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
	1001198	Egypt	OKINFO	BUSES	\$ 22,481,478.78	21/01/2002	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (item #60). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter; actuator response time, and cross-sectional drawings (item #260, #261, #265, #27 and #268) Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	26/02/2002:tech info (dir); 04/03/2002:partial ROH (UK); 04/06/2002:end-use/user info (not requested);
211	1001252	Russian Federation	NOINFO	VALVES	\$ 119,323.24	19/02/2002	Provide previously requested specifications for all valves and actuators including dimensions, type, material composition for all components and linings, flow rate, maximum pressure, actuator response time, and cross- sectional drawings (items #1 through #3 (Numbers from the new application)). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. Provide more information on end-use.	US	20/03/2002:US changed reason; 24/04/2002:BVS NOINFO reminder; 13/05/2002:tech specs (no end- use);
213	1001378	Russian Federation	DU**	TRUCK WITH SPARES	\$ 21,659,225.29	03/01/200	US: Dual-use military item S/RES/687 (1991), Page 8, Paragraph 24a -Military transport vehicles and spare parts (items #1 through #247). Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings (items #39, #48, #49, and #153). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, minimum internal diameter, maximum pressure, actuator response time, and cross-sectional drawings (items #54, #192 through #195, #199, and #222). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	UK	06/03/2002:BVS NOINFO reminder; 22/03/2002:status changed to Inactive Hold; 26/04/2002:tech specs & end-use/user info (dir); 29/04/2002:status changed to On Hold; 19/06/2002:end-use/user info; 21/06/2002:clarification; 02/07/2002:end-use/user info; 08/08/2002:partial ROH (UK);
	1001392	China .	OKINFO	PUMPS AND SPARE PARTS; PUMPS ACCESSORIES	\$ 1,618,165.63	15/03/200	Provide material composition of pumps and lining used. Also, provide end use information for the two overhead electric granes with 20 ton capacity	US	21/06/2002:tech specs;
214	1001513	Russian Federation	DU**	TRUCK	\$ 2,504,140.69	11/01/200	2US: Military Item - UNSCR 687 violation: S/RES/687 (1991), Page 6, Paragraph 24a - Military transport vehicles and spare parts (items #1 through #140.	US, UK	13/03/2002:BVS NOINFO reminder; 01/04/2002:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 27/06/2002:end-use/user info; 02/07/2002:end-use/user info; 08/08/2002:partial ROH (UK);

56

.

•

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
						the second second		
100153	1 Spain	OKINFO	VETY- Pharmaceutica Ls	\$ 2,321,125.88		Provide technical specifications for HHS vaccine including function, material composition of major components, means and method of preparation, and viral species used in preparation (item #2).	US	11/02/2002:tech specs; 16/04/2002:BVS OKINFO reminder;
						n na sana ang ang ang ang ang ang ang ang ang		
		ĺ						
6								· · · · · · · · · · · · · · · · · · ·
100153	52 Italy	0	STEEL IDLERS	\$ 26,873.24	18/01/2002	Confirmation of monitoring required.	UK	
			i					
7						in a start of the		
100155	50 France	WMD	MOBILE CRANES	\$ 2,854,577.46	08/03/2002	Goods are dual use/WMD (missile) per \$/1995/208, page 45; para: 2.6.2.	US	21/06/2002:end-use/user info; 27/06/2002:end-use/user info;
1							}	
			ļ			a an		
						[10] A. S. Martin, M. S. Ma		
8								
-	59 Egypt	OKINFO	SPRINKLER IRRIGATION	\$ 9,610,475.35	22/01/2002	Provide the technical specifications and material composition of the pumps	US	12/02/2002:US changed reason; 20/02/2002:tech specs; 04/03/2002:tech specs; 23/04/2002:BVS OKINFO reminder;
			SYSTEM					
							İ	
19								
_	01 Jordan	WMD	PESTICIDE	\$ 276,936.62	24/01/2002	Goods are WMD dual-use item: concern related to S/2001/560, Page 9, Paragraph A-43 and A-44, and Page 17, Paragraph B, 17 - methidathion and chlorpyrifos are precursors to O,O-dimethyl phosphorodithicate and O,O-dimethyl phosphorothicate (items #1 and	US	· · · · · · · · · · · · · · · · · · ·
						#2).		· · ·
			i.			ta ta ta ta ta ta ta ta ta ta ta ta ta t		
20								
10016	03 Turkey	1051**	VACCINE	\$ 271,126.76	23/01/2003	US: Goods are on the 1051 list as indicated by the Secretariat. Vaccines to list 1 microorganisms, (Clostridium perfringens). Please justify quantity.	US	24/01/2002:partial ROH (UK); 05/02/2002:requested info; 10/04/2002:BVS OKINFO reminder; 26/06/2002:list A - fax to mission;
	1	1	1	1	1	I the second sec	1	



e and a part of the state of the state of the

.

and the second second second second second

CO	MM	mission	Hold Status	Goods	Amount	t	Date of Hold	Reason	holdby	HoldAction
10	001623	Turkey	OKINFO	PESTICIDE	\$	186,399.65	18/01/2002	Provide the chemical structure of fenamiphose.		28/01/2002:chemical structure of fenamiphose; 03/04/2002:BVS OKINFO reminder; 05/06/2002:para 18; 17/07/2002:add info to UNMOVIC-OLDHOLDINFO1 (19/07/02);
222	001659		NOINFO	LATHE MACHINE		111,250.00	00/05/2002	US: Provide full technical specifications of the lathes including manufacturer's data	US. UK	
223	001009			W/SPARES				sheets, photographs, number of axes that can be coordinated simultaneously and positioning accuracies along any rotary or linear axis (items #1, #2 and #3). Provide technical specifications for all components of the cooling systems. Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross- sectional drawings. Provide specifications for all valves including dimensions, weight, type, material composition for all components and lining, flow rate, maximum pressure, minimum internal diameter, actuator response time and cross-sectional drawings (item		
224		Russian Federation	DU**	TRACTOR WITH SEMITRAILER AND SPARE PARTS	\$	665,926.06		US: Military dual use item: concern related to S/2002/515, Page 273, Paragraph 9.A.13.a - low loader trailers, 697, loading ramp, gooseneck, 16.7 m long, 3.0 m wide, 4- axles (item #1). UK: Require detailed end use/user information for the goods in his contract		15/02/2002:end-use/user info & end-use locations (US/UK); 20/03/2002:clarification & end-use/user info; 27/03/2002:BVS NOINFO reminder; 12/04/2002:status changed to Inactive Hold; 19/04/2002:tech specs; 22/04/2002:status changed to On Hold; 26/04/2002:tech specs; 30/04/2002:specs; 01/05/2002:tech specs & end-use/user; 05/06/2002:para 18; 05/06/2002:add info (UNMOVIC-OLDHOLDINFO1); 12/07/2002:US changed reason;
	001667	Russian Federation	OKINFO	TRAILERS W/ SPARE PARTS	\$ 1,	,907,667.25		US: Provide specifications for trailer body including material composition, manufacturer's data sheets, dimensions, load ratings, drawings with dimensions, and photograph. Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum messure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #2 through #5). Provide specifications for all lipumps/compressors including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #10 and #37). Please itemize all kits and toolboxes. Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		12/03/2002:end-use locations; 20/03/2002:end-use/user info; 03/04/2002:BVS NOINFO reminder; 23/04/2002:tech specs; 01/05/2002:tech specs & end-use/user; 07/05/2002:tech specs and end-use; 05/06/2002:para 18;

the second second بتد مع بريد 58

•

23 Interference WECHNICK MECHNICK State of the second damage (term SH, Fill, SH, SH, and Fill, SH, SH, SH, SH, SH, SH, SH, SH, SH, SH	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
228 UNITER SIGNARES Viel et al. In this is a promotion straining form #A, #12, #14, #14, #15, #10, #16, #16, #10, #10, #10, #10, #10, #10, #10, #10									
1001675 Russian OKINFO MECHANICAL AN ELCTRICAL ECO	100167		OKINFO		\$ 4,734,551.06		specifications for all pumps, compressors including dimensions, weight, type, material composition for all component and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #45, #102, #114, and #127). Provide specifications for all valves including dimensions, weight, type, material acomposition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #39, #79, #115, #123, and #124). Provide specifications for all nozzles, injectors including material composition, dimensions, maximum pressure, flow rate, droplet size distribution, and cross-sectional drawing (items #85 and #118). Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (items #25 through #27, #54 through #57, #95, and #116). Please itemize the contents for all tool kits. Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		15/03/2002:partial ROH (UK); 03/04/2002:BVS NOINFO reminder; 19/04/2002:status changed to Inactive Hold; 05/06/2002:status changed to On Hold as per new procedures; 03/07/2002:tech specs & end-use/user; 10/07/2002:additional info;
Federation ELECTRICAL EQUIPMENT Composition for all components and linings, flow rate, high/outlet pressures, rotation Speed and cross-sectional drawings (films #16, #17, 440, #67, 964, #174 and #227). Provide specifications for all avise incluiding dimensions, weight type, material composition for all components and linings, flow rater maximum pressure, minimum internal diameter, actuator response time, altif composition for all avises excitonal drawings (films #19, #23, #24, #27, 400, #69, 100, Paese specifications for all avises, sectional drawings (films #19, #23, #24, #27, 400, #69, 100, Paese specifications for all avises, sectional drawings (films #19, #23, #24, #27, #00, #69, 100, Paese specifications for all avises, filmings, flow rater rough 460, Paese specifications for all avises incluiding material composition of all components and linings, flow rater rough 460, Provide appecifications for pressure gaiges incluiding pressure ranges, material composition and accuracy (films #187 and #179, 100, 100, 100, 100, 100, 100, 100, 10	_								
227			OKINFO	ELECTRICAL EQUIPMENT	\$ 52,064,080.99		composition for all components and linings, flow rate, injet/outjet pressures, rotation speed and cross-sectional drawings (terms #16, #17, #48, #67, #84, #174 and #237). Provide specifications for all valves including dimensions, weight, type, material composition for all components and ifnings, flow rater maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #19, #23 #24, #27, #40, #59, #71 through #74, #226, #228 through #231, #246 through #248, #258 and #260). Please specify the lengths and material composition for pipes and pipe pleces (items #5, #8, #21, #25, #28, #29, #30, #32, #33, #41, #61, #64 and #99). Provide specifications for all tanks including material composition for all components and linings, volume, dimensions and cross-sectional drawings (items #54, #64 and #99). Provide operating specifications for pressure gauges including pressure ranges, materia composition and accuracy (items #187 and #179). Provide all specifications for vibrometer including manufacturer's data sheets, principle of operation, operational frequency range, accuracy, resolution (in m/sec2), photographs, and cross-sectional drawings (item #185). In Please provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. Supplier provided a tot of information but it is difficult to accurately associate it with items listed in the application. If the supplier provides the completed OIP forms most of the questions could be eliminated.		07/05/2002:partial ROH (UK); 27/06/2002:tech specs; 08/07/2002:tech specs;

weeking weeking and

Produktion and the second second second

COM	VI miss	sion	Hold Status	Goods	Amo	ount	Date of Ho	ld I	Reason	holdby	HoldAction
					l				and the second second second second second second second second second second second second second second second		
100	1676 Rus	ssian	OKINFO	TANKER AND	\$	817,654.05	02/05/	2002	Provide material composition of "high quality steel" for water tank.	US	15/05/2002:material composition; 05/06/2002:para 18; 05/06/2002:add info to UNMOVIC-
	Fede	leration		SPARE PARTS					and the second second second second second second second second second second second second second second second	1	OLDHOLDINFO1; 12/06/2002:tech specs to UNMOVIC-OLDHOLDINFO2;
					1				a tanàna amin'ny taona 2008. Ilay kaominina dia kaominina dia kaominina dia kaominina dia kaominina dia kaomini Jeografia dia kaominina dia k	1	
					1						
									and the second second second second second second second second second second second second second second second		
								1	and the second second second second second second second second second second second second second second second		
							1				
8											
100	1677 Rus	ssian	DU	TRUCK TRACTOR	\$	3,498,987.68	03/05	2002	US: Trucks poses a high risk of diversion to military transport use.	US	28/05/2002:end-use/user info; 05/06/2002:add info; 12/06/2002:partial ROH (UK);
	Fed	deration		W/ SPARES			l	1			
											•
							ľ		and the second second second second second second second second second second second second second second second		
							1		د کرد. در ماه کرد از منطقه می از منطقه با این می از می از می از می از می از می از می از می از می از می از می از می در ماه کرد از می از می از می از می از می از می از می از می از می از می از می از می از می از می از می از می از م		
							1	1	s.	1	
									الم الماري المنظمين المواجع العالمين المارية المحاطبة المعالمين المحاطبة المحاطبة المحاطبة المحاطبة المحاطبة ا المحاطبة المحاطبة الم		
29									ಗೌನ್ ಕ್ರಾಂಕ್ಷ್ಮಮ್ಮನ್ನು ಸ್ಪ್ರಮ್ಮೇ ಕ್ರೈದಿಸಿಕ ಕ್ರಿಯಾಗಿ ಸಂಗಾಣಕ ಸಂಭಾಗ ಗಾಡಿ		
100	1694 Jord	rdan	WMD	PESTICIDE	\$	434,286.97	28/01		Goods are WMD dual-use items: concern related to S/2001/560, Page 9, Paragraph	US	
									A.44, and Page 17, Paragraph B.17 - Triazophos (item #1) -precursor chemical.		
											•
				1					and a start of the		
									and a start of the start of the start of the start of the start of the start of the start of the start of the s International start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the		
								- 1	i na segunda na segunda na segunda na segunda na segunda na segunda na segunda na segunda na segunda na segund An segunda na segunda na segunda na segunda na segunda na segunda na segunda na segunda na segunda na segunda na		
30								- 1	the second second second second second second second second second second second second second second second s		
100)1740 Rus		OKINFO	CATALYSTS	\$	479,348.59	04/02		Provide specifications for catalysts including manufacturer's data sheets, type of catalyst	t US	03/04/2002:tech specs; 17/05/2002:para 18;
	Fed	deration	•		· ·				support (zeolite, crystalline, amorphous), and elemental composition of catalyst and		
	1.			Į					support. Provide all requested chemical compositions as an IUPAC or CAS designation		
									a standard commercial designation, and as a percentage composition by weight for eac component.	n	
									component.		
					1						
								1	and the second second second second second second second second second second second second second second second	1	
31									and the second second second second second second second second second second second second second second second		
100)1761 Aus	stria	WMD**	CENTRIFUGE/SPA	\$	624,350.70	29/01		WMD dual- use item: concern related to S/2001/560, Page 22, Paragraph 4.2-	US	01/02/2002:tech specs & end-use/user info; 18/03/2002:US changed reason; 17/05/2002:para 18;
				RE PARTS	1		1		refrigerated centrifuges (item # 1).0	1	12/06/2002:UNOHCI clarification to UNMOVIC-OLDHOLDINFO1;
									Provide previously requested exact usage for this piece of equipment including what	1	
				1	1		1		test(s) will be performed?		
			1				1			1	
				1	1		1			1	
32								· · .			

60°

and the second second second second second second second second second second second second second second second

OMM mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
1001795 Belgium	NOINFO	COMPRESSOR W/ ACCESSORIES AND SPARES	\$ 451,830.99	07/02/2002	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (components of items #21 and #39). 0 Provide specifications for all compressors including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (tems #2, #7, #10, and #15). Provide specifications for air receivers including function, dimensions, material composition of major components, and technical drawings (tems #8 and #11). Provide specifications for air receivers including function, dimensions, material composition of major components, and technical drawings (tems #8 and #11). Provide specifications for dryer including function, dimensions, material composition of major components in spare parts kits #20, #21, #25, #26, #29, #35, and #44). Provide technical specifications for dryer including function, dimensions, material composition of major components, maximum capacity, and technical drawings (tems #8 and #1). Provide technical drawings (components of tems #25, #26, #36, #37, and #45). Provide technical specifications for dryer including function, dimensions, material composition of major components, maximum capacity, and technical drawings (component of major components, maximum capacity, and technical specifications for H.D.F. kit including function, dimensions, material composition for major components, maximum capacity, and technical drawings (component of tem #30). 0 Provide technical specifications for H.D.F. kit including function, dimensions, material composition for major components, maximum capacity, and technical drawings (component of item #35). Provide all requested alloy material composition se both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. Provide all requested non-alloy or polymer material compositions as both an UP		10/04/2002:BVS NOINFO reminder; 26/04/2002:status changed to Inactive Hold; 05/06/2002:s changed to On Hold as per new procedures;
1001829 Jordan	WMD	LABORATORY EQUIPMENT & ACCESSORIES	\$ 670,070.42	08/02/2002	ITEM-1: ELECTRICAL AUTOCLAVE FOR STERILIZATION MODEL PRESOCLAVE -CAP: 75 LITERS WITH LISTED ACCESSORIES (X100) ARE DUAL - USE/WMD (BW) PER S/1995/208, PAGE 15, PARA. 1.4.6.	US	12/03/2002:operation manual for the autoclave; 05/06/2002:para 18;
1001882 Austria	WMD	LABORATORY EQUIPMENT	\$ 1,477,994.28	06/03/2002	WMD dual-use item: concern related to 5/2001/560, Page 22, Paragraph 2.5, S/2001/560, Page 22, Paragraph 3.1 - temperature and pressure controlled vessels greater than SO-liter usable as fermenter and bioreactor vessels (item #1) with vacuum pump (item #2); 5/1995/208, Page 15, paragraph 1.3.11 and Paragraph 1.3.12 - vertical jacketed vessel and control units for jacketed vessel (item #1).	US	11/06/2002:tech specs;

the part of the second s

							Fig. 2. Constraints and the second s second second seco		
	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason Control de la control d	holdby	HoldAction
					1		and the second second second second second second second second second second second second second second second		
	1001906	Saudi Arabia	OKINFO	CENTER PIVOT IRRIGATION SYSTEM	\$ 3,726,372.98		Provide specifications for all pumps including dimensions; weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #320 and #323). Provide specifications for all valves including dimensions, weight, type, material composition for all components	US	10/07/2002:tech specs;
							and linings/ flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #262, #325, and #326). Provide specifications		
							for all piping/tubing including dimensions, quantity/length provided, and material composition for pipe/tubing and lining (items #92 through #97, #320 through #322, #342	Ì	
							through #351, #353, and #355 through #357). Itemize the components of the "fertilizer		
							system" (item #320) and provide the information requested above for relevant components. Provide all requested alloy material compositions as both an ASTM or DIN		
							standard alloy and as a percentage composition by weight for each alloy component.		
							a an the formation of the second second second second second second second second second second second second s International Second Second second second second second second second second second second second second second		
							and an and a set of provide the set of the set of the set of the set of the set of the set of the set of the set		
236							in sectorization in a specification.	<u> </u>	· · · · · · · · · · · · · · · · · · ·
	1001910	France	NOINFO	WATER CHILLERS	\$ 1,597,711.27	16/05/2002	Provide specifications for all compressors including dimensions, weight, type, material	US	
					1		composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #64 through #66). Provide specifications for		
							valves including dimensions, weight, type, material composition for all components and		
							linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #77 through #79). Provide technical specifications for boards		
							including function, dimensions, major components, manufacturers data sheets, and technical drawings (items #81 through #83). Provide technical drawings for water		
							chillers showing the process layout, and dimensions of all component5 including tanks		
							(Items #1 and #2). Provide technical information on tanks including function, dimensions, and material compositions (components of items #1 and #2). Provide primary end-use	1	
			1				function and locations of these units (items #1 and #2). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage com		
							weight for each alloy component. Provide all requested non-alloy or polymer material compositions as an IUPAC or CAS designation, as a standard		
							commercial designation, and as a percentage composition by weight for		
							each component.		
					1				
]			and the second second second second second second second second second second second second second second second		
237			1						
237	1002023	Lebanon	OKINFO	GENERATING SET	S 1,025,906.74	24/05/2003	Identify specific end use and user for each generator. How many required at each	US	18/06/2002:end-use/user info;
					1,020,000.14	2400/2002	location? How many are to be held in reserve? Can these generators be fixed at the enc users' facilities?		
			1						
							ر المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المراجع المرا المراجع المراجع br>المراجع المراجع		
						1	atter and a second strate program and strate the	1.	
238	L.	<u> </u>		L	<u> </u>		and the stand of the second seco	<u> </u>	
				·			a the second second second second second second second second second second second second second second second		
							and the second second second second second second second second second second second second second second secon		
							Star Harry Barling the second star		
							and a stand of the		
	· .						an transit with the state of the state of the state of the state		
							62		
							and the second second second second second second second second second second second second second second secon		
							the second second second second second		

in the second second second second second second second second second second second second second second second

.

÷

ante a construction de la construcción de la constr

MM I	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
						and the second for the second second second second second second		
002025	Lehanon	Dù	GENERATING SET	\$ 1 025 906 74	26/04/2002		LIS.	25/06/2002:para 18;
002020	Lobalion	00	CEREIX INCOET	1,020,000.74	2010-1/2002	Coous have dual minutery uses.	00	2000/2002.para 10,
1			1		1	a hard a start of the start of the start of the start of the start of the start of the start of the start of the		
						$\frac{2}{2} \frac{1}{2} \frac{1}$		· · · · · · · · · · · · · · · · · · ·
				1				· ·
						k na katalan katalan katalan katalan katalan katalan katalan katalan katalan katalan katalan katalan katalan ka Katalan katalan		
002065	Egypt	WMD	PESTICIDE	\$ 174,546.63	03/05/2002	US: WMD dual-use item: concern related to S/2001/560, Page 9, Paragraph A 44 -	US	04/06/2002:Info provided;
					1			
			·	1			1	
		[1			· ·
				{			1	
			ļ					
002066	Egypt	OKINFO		\$ 786,528.50	31/05/2002		US	26/06/2002:tech info;
			SETS/PARTS		l		1	
			1					
					1			
						specifications for generators including power output and manufacturer's data sheets		
		1				(item #1). Provide end use and end user information. Provide all requested alloy	1	
						Composition by weight for each alloy component.		
002067	Lebanon	DU	GENERATOR	\$ 786 528 50	04/04/2002	Goods are military dual use	US	
			SETS/PARTS				1.	
			1		1		1	
1			1				1	
002071	Lebanon	OKINFO	SPRINKI FR	\$ 5,656,735,75	5 10/05/2002	Provide a conv of the contract for this Comm: Provide specifications for all valves	us	06/06/2002:tech info and other details;
			IRRIGATION					
			SYSTEM	· ·				
			1			maximum pressure, flow rate, droplet size distribution, and drawings (component of iten		
				1		#3). Provide all requested alloy material compositions as both an ASTM or DIN standar		
			1		1	alloy and as a percentage composition by weight for each alloy component. Provide all		
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		requested non-alloy or polymer material compositions as an IUPAC or CAS designation	. 1	
							'I	
						as a standard commercial designation, and as a percentage composition by weight for	[•]	
						as a standard commercial designation, and as a percentage composition by weight for each alloy component.		
						as a standard commercial designation, and as a percentage composition by weight for each alloy component.		
						as a standard commercial designation, and as a percentage composition by weight for each alloy component.		
						as a standard commercial designation, and as a percentage composition by weight for each alloy component.		
						as a standard commercial designation, and as a percentage composition by weight for each alloy component.		
						as a standard commercial designation, and as a percentage composition by weight for each alloy component.		
						as a standard commercial designation, and as a percentage composition by weight for each alloy component.	4	
	1002065	DMM mission 1002025 Lebanon 1002065 Egypt 1002066 Egypt 1002067 Lebanon 1002071 Lebanon	1002025 Lebanon DU 1002065 Egypt WMD 1002066 Egypt OKINFO 1002067 Lebanon DU	1002025 Lebanon DU GENERATING SET 1002065 Egypt WMD PESTICIDE 1002066 Egypt OKINFO GENERATOR SETS/PARTS 1002067 Lebanon DU GENERATOR SETS/PARTS 1002067 Lebanon OKINFO SPRINKLER IRRIGATION	IO02025 Lebanon DU GENERATING SET \$ 1,025,906.74 IO02065 Egypt WMD PESTICIDE \$ 174,546.63 IO02066 Egypt WMD PESTICIDE \$ 174,546.63 IO02066 Egypt OKINFO GENERATOR SETS/PARTS \$ 786,528.50 IO02067 Lebanon DU GENERATOR SETS/PARTS \$ 786,528.50 IO02067 Lebanon DU GENERATOR SETS/PARTS \$ 786,528.50 IO02067 Lebanon OKINFO SETS/PARTS \$ 5,656,735.74	IO02025 Lebanon DU GENERATING SET \$ 1,025,906.74 26/04/2002 IO02065 Egypt WMD PESTICIDE \$ 174,546.63 03/05/2002 IO02066 Egypt OKINFO GENERATOR \$ 786,528.50 31/05/2002 IO02067 Lebanon DU GENERATOR \$ 786,528.50 31/05/2002 IO02067 Lebanon DU GENERATOR \$ 786,528.50 04/04/2002 IO02067 Lebanon DU GENERATOR \$ 786,528.50 04/04/2002 IO02067 Lebanon DU GENERATOR \$ 786,528.50 04/04/2002 IO02067 Lebanon OKINFO SPRINKLER \$ 5,656,735.75 10/05/2002	002025 Lebanon DU GENERATING SET \$ 1,025,906.74 26/04/2002 Goods have dual military uses. 1002085 Egypt WMD PESTICIDE \$ 174,546.63 0.3/05/2002 US: WMD dual-use item: concern related to S/2001/560, Page 9, Paragraph A.44 - phenthoate (tern #1) is a precursor to 0, 0 - diethyl phosphord/thicate. 1002086 Egypt OKINFO GENERATOR SETS/PARTS \$ 786,528.50 31/05/2002 Provide specifications for all valves including dimensions, weight, bye, material composition for all components and lines, flow rate, maximum pressure, minimum internal diameter, actuator response time and cross-section dirawings (tern #34). Provide specifications for composition and Material Stately Data Scheels (tern #34). Provide specifications for composition and Material Stately Data Scheels (tern #34). Provide specifications for composition and Material Scheels (tern #34). Provide specifications for composition and Material Scheels (tern #34). Provide specifications for composition and Material Scheels (tern #34). Provide specifications for composition and Material Scheels (tern #34). Provide specifications for composition and Material Scheels (tern #34). Provide specifications for composition and Material Scheels (tern #34). Provide specifications for composition and Material Scheels (tern #34). Provide specifications for composition and Material Scheels (tern #34). Provide specifications for cancel and scheels (tern #34). Provide specifications for cancel and scheels (tern #34). Provide specifications for cancel and scheels (tern #34). Provide specifications for cancel and scheels (tern #34). Provide specifications for cancel and scheels (tern #34). Provide specifications for cancel and scheels (tern #34). Provide specifications for cancel and scheels (te	Instrume Instrume

. Botani pana na mangangi na putan putan na mangana na putan

Agriculture Holds as of 14 August 2002

.

د

.

r	0014	· · · · · · · · · · · · · · · · · · ·	hu ne	10		L	and the state of the state of the state of the state of the state of the state of the state of the state of the		
ľ	COMM	mission	Hold Status	Goods	Amount	Date of Hold		hoidby	HoldAction
- 1					l			1	
Ì	1002093	Lebanon	NOINFO	GENERATING SET	\$ 796.850.39	15/04/2002	Concern related to some spare parts; Please provide specifications for all valves	US	
							including dimensions, weight, type, material composition for all components and linings,		
1] .	1	flow rate, maximum pressure, minimum internal diameter, actuator response time, and		
- 1							cross-sectional drawings (item #34). Provide specifications for all nozzles including		
			1			1	material composition, dimensions, maximum pressure, flow rate, minimum droplet size,	ļ	
							and cross-sectional drawing (items #12 and #22); Please provide all requested alloy		· · · · · · · · · · · · · · · · · · ·
							material compositions as both an ASTM or DIN standard alloy and as a percentage		
1			1	1	1	1	composition by weight for each alloy component. Please provide end use and end user	1	
			1				information for the generators.		
i				1		1			
				1.1			 The second se Second second sec		
I				Į.				Į	
244						-			
	1002098	italy	OKINFO	SPARE PARTS	\$ 128.174.59	23/04/2002	Provide specifications for all pumps including dimensions, weight, type, material	US	28/05/2002:detailed tech specs:
		,		FOR			composition for all components and linings, flow rate, inlet/outlet pressures, rotation	1	
		1	1	AGRICULTURAL			speed and cross-sectional drawings (items #50). Provide all requested alloy material	1	
			1	TRACTORS			compositions as both an ASTM or DIN standard alloy and as a percentage composition		
								[
					-		by weight for each alloy component		
			1	1	1				
		1	1	1					
245						1.1.1			
240	1002103	Equat	NOINFO	SPRINKLER	\$ 5.730.971.1	11/06/2003	Provide specifications for all pumps including material composition for all components	US	
	1002103	суург	NOINFO	IRRIGATION	\$ 5,730,871.1.	11/00/2002	and linings (item #6).0	03	
		1	1	SYSTEM		1	Provide all requests for alloy material composition as both an ASTM or DIN standard	[
				STOTEM			alloy and as a percentage composition by weight for each alloy component.		
							andy and as a percentage composition by weight for each andy component.		
					1			1.	
			1				and the second second second second second second second second second second second second second second second		
		l			[and the second second second second second second second second second second second second second second second	Į į	
			1				a da ser a construcción de la const La construcción de la construcción d		
246								ļ	
	1002132	Jordan	OKINFO	WELDING	\$ 132,897.1	23/05/2002	Provide specifications for all welding machines including manufacturer's data sheets,	US	08/07/2002:tech specs;
				MACHINE			type (eg DC arc, TIG, MIG, etc), and any provisions or options for providing gas to the	1	
			1				welding head (item #1).	1	
		·	1				and the second second second second second second second second second second second second second second secon		
			1		1	1	and the second second second second second second second second second second second second second second second	l l	
			1		1				
					1				
247			1				and the second second second second second second second second second second second second second second second	1	
	1002148	Russian	OKINFO	LIGHTING	\$ 10,037,122.7	10/06/2002	Please justify the amount requested (974 generators). Also, please identify geographic	US	02/07/2002:end-use/user info;
		Federation		GENERATORS			location where each generator would be used.		
		l	I .	WITH SPARES	ł			1	
		1	1		1	1	an and the second second second second second second second second second second second second second second se	1	
		Į	1		1		an an an an an an an an an an an an an a	1	
		}	1	1	1	1	a the antibacture of the state of the state.	1	
		1 .		1		1			
	1					· ·	STATISTICS STATES		
248			T		1	1	Star in a state of the state of the state of the state of the state of the state of the state of the state of the	1	
		•				. <u>.</u>			

64

Sec. 19 - 12

CC	OMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason Control	holdby	HoldAction
					l		 Start Starts 2014 (1997) 		
1	1002168	China	NOINFO	SHOVEL TIRE WITH ACCESSORIES AND SPARE PARTS	\$ 5,308,875.00		Please itemize and provide material composition for all them identified as metal sets and metal kit sets (items #4-#7 and #10-#17). Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, intel/outlet pressures, rotation speed and cross-sectional drawings (items #36, #39, #68, #143, #258, #267 and #364- #366). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross- sectional drawings (items #135, #136, #165, #238, #283, #333, #340, #359, #368 and #369). Il Provide specifications for the nozzle including dimensions, droplet size, number of fluids processed and diagram (item #137). Provide specifications for all filters including pore size, percent efficiency at 0.3 micron, dimensions and diagram (item #65, #88,#92, #167, #170 and #270). Provide material composition, length and inner diameter for all piping and associated lining (items #47, #60-#65 and #174). Please itemize all repair kit #285 and #338). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component; and pending further technical review.		
249 1	1100037	China	OKINFO	SPARE PARTS FOR MARSH MACHINE EXCAVATOR	\$ 801,745.60		Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #25, #50, #75, #78, #79, #80, #83, #84, #86 through #89, #121, #124, #125, #152 and #153). Provide specifications for all composients and linings, flow rate, inlavioutlet pressures, rotation speed and cross-sectional drawings (items #17, #18, #20, #77 and #174). Provide specifications for dryer including manufacturer's data sheets, drawing with dimensions, material composition, and photographs (item #176). Provide specifications for condenser including manufacturer's data sheets, drawing with dimensions, material composition, and photographs (item #176). Provide specifications for condenser including manufacturer's data sheets, drawing with material composition (item #177). 1100Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		27/06/2002:tech specs;

24.2000 - 24.200

.

۰,

C	OMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
	1100178	Russian Federation	OKINFO	CARGO TRUCK	\$ 48,573,264.25		US: Concern is with some spare parts. Provide detailed end use and end user information. Provide a breakdown of where and how the vehicles will be distributed and monitoring options to ensure the vehicles are used for the supposed divil end use. In Describe the off-road capabilities of these trucks. Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #7, #38, #39, #202, and #356). Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross- sectional drawings (items #56, #143, #202, and #439). Itemize the contents of all repair kits (items #121, #344, #351, #352, and #409). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.0	US	12/06/2002:partial ROH (UK); 24/07/2002:tech specs;
251							and the second second second second second second second second second second second second second second secon		
252	1100193	Egypt	NOINFO	TYRES	\$ 455,958.55	03/04/2002	US: Request detailed specs;	US	
253	1100262	Russian Federation	OKINFO	TRACTOR/SPARE PARTS	\$ 2,402,425.20	25/04/2002	Provide specifications for all, valves including dimensions, weight, type, material composition for all components and linings, flow rate, minimum internal diameter, maximum pressure, actuator response time, and cross-sectional drawings (items #43, #44, and #154).0 Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed, and cross-sectional drawings (items #36, #149, and #150). Provide specifications for nozzles including material composition, dimensions, maximum pressure, flow rate, droplet size distribution, and drawings (Spare Parts list, item #33). Provide all requested alloy material compositions as both an ASTM or INI standard alloy and as a percentage composition by weight for each alloy component. Provide all requested non-alloy or polymer material compositions as an IUPAC or CAS designation as a standard commercial designation, and as a percentage composition by weight for each component.	US	23/05/2002:clarification; 28/05/2002:add info; 28/06/2002:additional info;

الحاصر جي والتحد الحدارجا

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason		holdby	HoldAction
1100271	italy	PFE	SPARE PARTS	\$ 12,347,539.81	08/07/2002	US: Pending further review	UK: Pending consideration by experts	US, UK	
			EQUIPMENT				$(e^{i\theta}) = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \frac{\partial \phi_{\theta}}{\partial t} = \frac{1}{2} e^{i\theta} \partial \phi$		
								1	
			1		1		and a second second second second second second second second second second second second second second second Second second br>Second second		
								}	
1100287		WMD**	HYUNDAI HD 120	\$ 44,191.47	12/04/2003	US: WMD and Dual Lice con	cerns. Provide all technical specifications for the crane.	US	15/04/2002:partial ROH (UK); 23/05/2002:specs for crane;
1100207	UNC	WW	LORRY	44,131.47	12/04/2002			000	
				1					
							an an an an an an an an an an an an an a		
]						e - British with Landstradig Area Charles Area		
		· ·			1				
							in the straight dealers (Are strated)		
1100292	UAE	DU	HYUNDAI GALLOPER	\$ 1,997,454.07	12/04/2002	2 US: Military and Dual Use co	ncerns.	US	15/04/2002:UK changed reason; 17/04/2002:amendment to contract; 08/05/2002:partial ROH (16/05/2002:end-use/user info:
			GALLOPER				an an an an an an Arthur an Arthur an Arthur an Arthur an Arthur an Arthur an Arthur an Arthur an Arthur an Art		10/05/2002:end-use/user into;
				1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
						1944			
				, · ·			an de la participación de la construcción de la debarra de la construcción de la debarra de la debarra de la de La participación de la debarra de la debarra de la debarra de la debarra de la debarra de la debarra de la deba La construcción de la debarra de la debarra de la debarra de la debarra de la debarra de la debarra de la debar		
							n by the state of		
110032	Jordan	OKINFO	SPARE PARTS	\$ 234,716.16	24/04/2002	2 Provide specifications for all	valves including dimensions, weigh4 type, material	US	06/06/2002:tech specs;
			FOR TRACTORS				nts and linings, flow rate, maximum pressure, minimum		
							sponse time, and cross-sectional drawings (items #165 a s for electromagnets including function, drawing with	and	
		ļ				dimensions (items #338 and	#339) and if they are valves, provide the information		
							ems. Itemize the contents of all repair kits and all "sets of 31, #332, #333, #335 through #337, and #397). Provide a		
						requested alloy material corr	positions as both an ASTM or DIN standard alloy and as		
						percentage composition by v	weight for each alloy component.		
					1		and a state of the		
							 建築業業業業に応じたとれていた。 		
							an a shekara a shekara a shekara a shekara a shekara a shekara a shekara a shekara a shekara a shekara a shekar	_	
110034	France	DU	SPARE PARTS	\$ 4,842,833.77	29/04/200	2 Goods are military dual use		US	31/05/2002:tech specs;
			EXCAVATOR						
							and a second second second second second second second second second second second second second second second		
		1	1	1	1	1	 And the second se 	1	
	1								

.

.

x

1	COMM	mission	Hold Status	Goods	A	Data addata	0	E	
				Goods	Amount		Reason	holdby	HoldAction
259	1100389	Russian Federation	NOINFO	TRUCK WITH SPARES	\$ 33,109,542.68	19/04/2002	US: Please either define or remove "standard tools" from the contract ()	US .	12/06/2002:partial ROH (UK); 19/06/2002:end-use/user info;
260	1100473	France	WMD	VETY- PHARMACEUTICA LS	\$ 141,951.01			US	26/04/2002:partial ROH (UK); 29/04/2002:US changed reason;
261	1100494	Turkey	OKINFO	PUMP SET W/ ELECTRICAL MOTORS & ACCESSORIES	\$ 4,060,039.37		Provide specifications for all pumps including dimensions, weight; manufacturer's data sheets, rotation speed, and cross-sectional drawings	US	16/05/2002:tech specs;
261	1100529	Jordan	WMD*	INSECTICIDE	\$ 1,578,062.12		WMD dual-use item: concern related to S/2001/560; Page 9, Paragraph A.44 - Ethroprophos (item #5) [c-ethyl, s.s- dipropyl phosphorodithicate] is chemically similar in structure and a precursor to the listed chemical. Provide specifications for the drums in which chemicals are to be packaged including material composition and Internal coating (Article 3 "Packing" of the contract). Provide specifications for all items including manufacturer's data sheets, product information sheets, chemical names (IUPAC), CA5 number, chemical formulas, names of all components, and concentrations in percentage by weight for all items (items #1 through #8). Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	UŚ	
263	1100530	Jordan	WMD	PESTICIDE	\$ 52,930.88		WMD dual-use item: concern related to S/2001/560, Page 5, Paragraph A.19; Page 15, Paragraph 8.09; Page 2, Paragraph A.01 -Fosetyl -AI (Aluminum tris O-ethyl hydrogen phosponate), which is structurally similar and a precursor to chemicals listed above (ite # 1)	US	

an the second second second second second second second second second second second second second second second The second seco

٩,

C	OMM	mission	Hold Status	Goods	Amo	unt	Date of Hold	Reason	holdby	HoldAction
264	1100536	Jordan	OKINFO	SUBMERSIBLE PUMPS AND ACCESSORIES	\$	470,388.45	01/05/2002	US: Provide specifications for all gumps including material composition for all components and linings (items #A1 on both lists). Please itemize all items included in "pipe work" (item #B11 on both lists) and "necessary fittings" (item #A2 on both lists) and provide material composition, dimensions and quantity of each item. Provide all requested alloy material compositions as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	14/06/2002:tech specs;
265	1100716	France	WMD*	Pesticide	\$	100,087.49	09/05/2002	WMD dual-use itam: concern related to S/2001/560, Page 9, Paragraph A.43 - pyridophenthion is a derivative of O.O- diethyl phosphorothioate (Item # 1). Provide the material composition and any lining/coating for the 200-Liter drums in which the goods will be packaged. Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	
	1100719	Cyprus	WMD	PESTICIDE	\$	353,048.99	09/05/2002	WMD dual-use item: concern related to S/2001/560; Page 9; Paragraph A.43 and A.44 - chlorpyrifos (component of item #1). This Comm can be approved by eliminating the chlorpyrifos from item #1 (cypermethrin is approvable by itself).	US	
	1100861	Switzerland	OKINFO	ALFACRON 10 PLUS	\$	297,833.94	28/05/2002			12/06/2002:tech specs;
267	1100872	Lebanon	OKINFO	PESTICIDE	\$	426,523.01	24/05/2002	Provide technical specifications for famoxate and flusilazole including Material Safety Data Sheets, manufacturer's data sheets, functions and uses, and material compositions as an IUPAC or CAS designation, as a standard compercial designation, and as a percentage composition by weight for each component (item #5 and component of item #4).	US	17/06/2002:tech specs;
269	1100990	Russian Federation	0	GENERATING SETS AND PARTS	\$	1,040,810.47	05/06/2002	Request applicant substitute these generators for ones with less power. Stated end use (to drive submersible pumps and sprinklers by farmers) can be accomplished with less powerful units. Large number of powerful generators requested which can be diverted to military applications.		06/06/2002:US changed reason; 02/07/2002:end-use/user info;

.

.

۰. 4

E		8		<u></u>				r	
	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason Contraction Sector Statements	holdby	HoldAction
	1101032	Germany	NOINFO	MACHINE FOR BORED PILES AND ACCESSORIES	\$ 1,835,740.07	25/06/2002	US: Provide specifications for the drilling rig and carrier platform including maximum drilling degrees off perpendicular capability, dimensions, weight and diagrams/photographs (item #1). Provide specifications for all pumps/hydraulic motors including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #144, #304, #305, #361 and #364). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross- sectional drawings (items #364). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross- sectional drawings (items #313, #314 and #315). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.	US	08/07/2002:partial ROH (UK);
270							e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la comp de la companya de la c		
271	1101058	India	WMD*	PESTICIDE	\$ 64,133.57	11/06/2002	US: WMD dual-use item: concern related to S/2001/560, Page 5, Paragraph A.14 and multiple derivatives and related chemicals (Page 5, Paragraph A.13; Page 5-6, A.15- A.21; Page 10, Paragraph A.51) – zinc and aluminium phosphides yield precursor chemicals (Items #1 and #2). Provide end use and end user information. Suggest substituting the phosphids with warfarin, a solid agent.	US	14/06/2002:partial ROH (UK);
272	1101125	UAE	NOINFO	NISSAN PATROL STATION WAGON	\$ 3,224,878.05	17/06/2003	Provide more specific information on end-use and justification for four-wheel drive.	US	
273	1101157	Cyprus	WMD*	PESTICIDE	\$ 2,636,591.55	17/06/200:	US: WMD dual-use item: concern related to S/2001/560, Page 17, Paragraph B.17 - Profenofos (Component of Polytrin C). Provide technical specifications for tetrachlorvinphos, triazamate, and pyraclofos including function, which pesticide it is a component of, and manufacturer's data sheets (additional information included in Comm).	US	20/06/2002:partial ROH (UK); 03/07/2002:clarification;

.

,

• \$

a General manager de land selation i sa

СОММ	mission	Hold Status	Goods	Amo	unt	Date of Hold	Reason	holdby	HoldAction
1101184	China	OKINFO	SPARE PARTS	ls-	357,897.18	19/06/2002	US: Provide specifications for boats in which these spare parts will be used and the	US	21/06/2002:partial ROH (UK); 23/07/2002:tech specs; 05/08/2002:tech specs;
1101104	Oning			1	551,031.10	19/00/2002	intended use of these boats.		
· ·						· ·	Provide specifications for each engine, including manufacturer's data sheets, output	1	
			1				power, maximum range for each engine, and maximum speed for each engine given a typical boat in which the engine would be installed. Provide specifications for all pumps		
			1	1			including dimensions, weight, type, material composition for all components and linings,		
				1		· ·	flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #69	1	
			1	1		l	and #158, #73 and #162, and #89 and #178). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition		
						[by weight for each alloy component.		·
			1			Į	ener La contracta de la contracta de		
						[l	
						ļ	and the second second second second second second second second second second second second second second second	[
				-			and the second second second second second second second second second second second second second second second		
1101192	Russian Federation	OKINFO	PIPES	\$	6,107,323.94	21/06/2002	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings; and cross-sectional drawings (item # 11).	US	24/07/2002:tech specs; 05/08/2002:tech specs and end-use/user info;
	Cucranon			1			Provide specifications for all valves including dimensions, weight, type, material		
			1	1			composition for all components and linings, flow rate, maximum pressure, minimum		
			1	1		1	internal diameter, actuator response time, and cross-sectional drawings (items #4 and #14). Provide specifications for nozzles including material composition, dimensions,		
			1				maximum pressure, flow rate, droplet size distribution, and cross-sectional drawings		
ŀ							(item #3). Provide all requested alloy material compositions as both an ASTM or DIN	1	
							standard alloy and as a percentage composition by weight for each alloy component.		
]		1]	Provide all requested non-alloy or polymer material compositions as an IUPAC or CAS designation, as a standard commercial designation, and as a percentage composition by		
		l					weight for each component	1	
1							and water and the state of the		
1		1							
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -									
i								I	
1101196	Denmark	OKINFO	SPARE PARTS	\$	1,526,702.35	19/06/2002	Thank the Mission for the excellent supporting information, unfortunately some additiona information is requested 1	lus	28/06/2002:tech specs;
1			FOR TRACTORS				Provide specifications for the hydraulic pump including dimensions, weight, type,	1	
]]			1	material composition for all components and linings, flow rate, inlet/outlet pressures,	1	
1	1			1]	rotation speed and cross-sectional drawings (item #69). Provide specifications for the		
1	l		1				control valve including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response		
	l			1			time, and cross-sectional drawings (item #70). Provide all requests for alloy material	1	
· ·	l	1					composition as both an ASTM or DIN standard alloy and as a percentage composition		
1				1			by weight for each alloy component.	Į.	
							and the second second second second second second second second second second second second second second secon	ļ	
1	1			1			and the second second second second second second second second second second second second second second second	{	
5		}					a series and the series of the	1	
1101197	Denmark	0	SPARE PARTS	\$	1,216,369.01	20/06/2002	US: The U.S. would have no-objection provided that either the control valve (item #41) is	US	
1	1	1	FOR COMBINE HARVESTERS				deleted and an amendment is submitted or additional information is presented for	1	
1	1	-	TARVESTERS	1		1	assessment and possible clearing of this item.	1	
1	1	1	[[Contraction in Physics, and a date		
1	1			1			the start of the start of the start of the start of the start of the start of the start of the start of the star The start of the star	1	
1	1	1		1					
							t ann an tha ann an Arrainn an Arrainn 19 an tha ann an Arrainn an Arrainn an Arrainn 19 an Ar Station an Arrainn an Arrainn		

An 1997 (British States) San 1997 (British States)

Agriculture Holds as of 14 August 2002 and the same of the same $\theta^{(2)}_{i}(t) = \theta^{(2)}_{i}$

(interest

110

СОММ mission Hold Status HoldAction Goods Amount Date of Hold Reason holdby OKINFO SPARE PARTS 872.535.21 26/06/2002 US: Provide specifications for all valves including dimensions, weight, type, material 05/07/2002:tech specs; 1101198 Denmark 15 US FOR TRACTORS composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #15 and #16). Provide specifications for the "hydrostatic" including dimensions, weight, type, material composition for all components and linings, flow rate, injet/outlet pressures, rotation speed and cross-sectional drawings (item #70). Itemize the contents of the unspecified "kit" (item #49). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. the here and 278 19/06/2002 US: Thank the Mission for the excellent supporting information, unfortunately some 20/06/2002:partial ROH (UK); 28/06/2002:tech specs; 1101200 Denmark OKINFO SPARE PARTS 3,364,815.02 lus \$ FOR TRACTORS additional information is requested. Provide specifications for unspecified: valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (item #22). Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component. 279 1101203 Russian OKINFO SPARE PARTS 3.615.023.47 19/06/2002 Application references Comm 600318 for reference: Supplier included specifications for US 08/07/2002:tech specs; 08/07/2002:tech specs; s FOR DRAG LINE some spare parts that are acceptable; Unable to assess some spare parts because no Federation EXCAVATOR information was provided. Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (item #50, #226, and #456). Provide technical operating specifications for the "air cleaner" (item #748), "multiclone" (item #750), "air intake" (item #751), and "moisture separator" (item #213) including material composition, dimensions, flow rate, filter pore size/particle retention size, efficiency, and maximum pressure. Provide specifications for the "sprayer assembly" including dimensions, material composition for all components and linings, flow rate, droplet size, maximum pressure, minimum internal diameter, and drawings (item #967) Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy, component and the state of the state of and a second second second second second second second second second second second second second second second s Second second second second second second second second second second second second second second second second s Second second second second second second second second second second second second second second second second

> 19 The state state of the State of the State of the State STRUMPSCHLIDEN: MY MADEL and the states of the states o Same and the second state of the the store the light little in a state in a second Star Start Starts 35 Sand a start with the second and the second second 1.200

> > 72

280

c	OMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction
L							and the second second second second second second second second second second second second second second second		
	1101271	Belgium	WMD*	SPARES FOR HATCHERIES	\$ 1,229,155.4		parts will be used in incubators which can be used for virus production or in the cultivation of microorganisms (items # 1 through #76). Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-sectional drawings (items #42, #43, #66, and #73). Provide specifications for all filters, including dimensions, material composition, pore size, efficiency at 0.3 micron (items #7 and #58). Provide specifications for the pulsator (item	US	
							#8) and Hatch-Q-Matic control (item #56) including manufacturer's data sheets, parameters monitored, range of operation and a description of the theory of operation and function.il Provide specifications for each hatchery including temperature and humidity ranges. Provide all requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		
281	1101354	France	NOINFO	SPARE PARTS	\$ 293,461.4	10/07/2002	Provide the material composition for the pipes and tubes and any lining (items #7	US	11/07/2002:US changed reason;
				FOR IRRIGATION	• 200,101.1		through #10 and #55). Provide all requests for all oy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		
					- - -				
282	1101357	Egypt	NOINFO	SPRINKLER IRRIGATION	\$ 3,955,868.5	10/07/2002	Provide specifications for all pumps including dimensions, weight, material composition for all components and linings, and cross-sectional drawings (Item #6). Provide all		11/07/2002:US changed reason; 05/08/2002:tech info (cover sheet only);
				SYSTEM			requests for alloy material composition as both an ASTM or DIN standard alloy and as a percentage composition by weight for each alloy component.		
283									
263	1101396	UAE	NOINFO	MAIN LINE PIPES	\$ 2,138,028.1	7 10/07/2002	weight, type, flow rate, inlet/outlet pressures, rotation speed and cross-sectional	US	11/07/2002:US changed reason; 19/07/2002:clarification (not requested);
							drawings (items #7).		
284							a na tradición de la construction de la construcción de la construcción de la construcción de la construcción d		

 A second sec Second sec

 $\label{eq:constraint} \left\| f_{i} + c_{i} \right\|_{\mathcal{H}} \leq \left\| f_{i}^{i} + c_{i}^{i} + c_{i}^{i} \right\|_{\mathcal{H}} \leq \left\| f_{i}^{i} + c_{i}^{i} \right\|_{\mathcal{H}} \leq \left\| f_{i}^{i} + c_{i}^{i} \right\|_{\mathcal{H}} \leq \left\| f_{i}^{i} + c_{i}^{i} + c_{i$ 73

and the second second second second second second second second second second second second second second second

~

'n,

nahanahashisis na ar ar ara. 1947 - Ang ar ga ar ar ar

E		missisa	It late Oferic	10	1 American	Data actuald	6	h a labor	IIIda-di	
ľ	MMO	mission	Hold Status	Goods	Amount	Date of Hold	Reason	holdby	HoldAction	•
	1		e de la companya de l		1 · · ·	1				
H	1101397		NOINFO	WRECKER TRUCK	\$ 734,985.92	11/07/200	Provide specifications for all valves including dimensions, weight, type, material	US		
			1001110		104,000.02	11/01/2002	composition for all components and linings, flow rate, maximum pressure, minimum			
							internal diameter, actuator response time, and cross-sectional drawings (items #40, #54,			•
						1				· ·
		•		1		l	#58, and #61). I			
			1	1		1	Please itemize the contents of all repair kits (items #63 through #66, and #68), tool kits,			
						1	and first aid kits and provide a description of each item drawing with dimension and			
			1	1		1	material composition. Provide specification for the vehicle and recovery unit including			
						1	manufacturer's data sheets, drawings with dimensions labeled, and photographs.	· ·		
1			1		Ì	1.	Provide all requested alloy material compositions as both an ASTM or DIN standard			
			1			1	alloy and as a percentage composition by weight for each alloy component; and pending			
			1		1	{	further technical review.	· ·		
	1							ļ		
						1				
							。 1997年———————————————————————————————————			
285			}			1	an an an an Anna an Anna Anna Anna Anna	1		
- F	1101398	UAF	NOINFO	TIP TRUCKS W/	\$ 3,020,843.96	11/07/200	Provide specifications for all pumps including dimensions, weight, type, material	US	12/07/2002:US changed reason;	
	1101000	0.12	10000	SPARE PARTS	0,020,010.00	1.000.200	composition for all components and linings; flow rate, inlet/outlet pressures, rotation	100		
			1	OF ANE PANTO			speed and cross-sectional drawings (items #79 and #80). Provide specifications on			
					{	ł			· · · · · · · · · · · · · · · · · · ·	
						1	capabilities of the hydraulics on the trucks. Provide specifications for all valves including			
		•	1		1.		dimensions, weight, type, material composition for all components and linings, flow rate,	1		
			1				maximum pressure, minimum internal diameter, actuator response time, and cross-	l		
							sectional drawings (items #35, #52, #61 and #77). Please itemize the contents of all			
				1	1	1	repair kits (items #6 and #48), tool kit, and first aid kits and provide a description of each	1.		•
			1	1	1	1	item, drawing with dimension, and material composition. Provide all requested alloy	1		
			ł		1	1	material compositions as both an A5TM or DIN standard alloy and as a percentage	1		
			1			1	composition by weight for each alloy component.	{		
				1		1				
			1					1		
								1		
					1	1		Į		
- 1										
286			1		1			1		
200	4404400		0/01/150		4 200 204 04	1 11/07/000		1.0	42/07/0000	
	1101409	litaly	OKINFO	MOBILE SEED	\$ 1,386,334.64	11/0//200	2US: Provide specifications for all sieves and screens (component of item #1 and item	US	12/07/2002:partial ROH (UK); 24/07/2002:tech specs;	
1		1	1	CLEANERS		1	#10) and air aspiration duct diffuser screens (component of item #1) including pore size,			
							particle retention size, maximum efficiency, flow rate, material composition, maximum			
- 1		1					pressure, and dimensions. Provide all requests for alloy material composition as both an			
							ASTM or DIN standard alloy and as a percentage composition by weight for each alloy	1		
							component and pending further technical review.	1		
			1		· ·	1		ł		
	1		ł				$(h_{1},h_{2}) = \left(h_{1},h_{2} + 1 \right)^{2}$			
287			1			1	$-20^{-1} \frac{1}{2} 1$			
							n an	*		
							and the second se		·	
							and the second second second second second second second second second second second second second second second			
							$+ 208 \beta_{11}^{(1)} + 2 \beta_{12} \beta_{2}^{(2)} \delta_{2}$			
							Start Start Start			
							and the second second second second second second second second second second second second second second secon			
							and a second second second second second second second second second second second second second second second			
		. •					aga senta di San La Calanda di San La Calanda di San San San San San San San San San San			
							 A second sec second second sec			
							and the second second second second second second second second second second second second second second second			
							이 것은 말에 가지 않는 것이 같다. 가지 않는 것이 가지 않는 것이 같아요. 가지 않는 것이 같이 있는 것이 없다. 가지 않는 것이 않는 것이 없는 이 않이 않이 않는 것이 없는 않이			
							74			
•							and the second second second second second second second second second second second second second second secon			
•										