	СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
	3218	Jordan	0	MEDICAL SUPPLIES	\$ 145,562.50	04/01/1998	more info about contract	US	
1	3365	Jordan	0	LABORATORY EQUIPMENT	\$ 1,511,115.20	05/05/1998	More info about contract.	US	
2	3469	France	0	COMPRESSOR	\$ 9,600.00	26/05/1998	More info about contract	US	
3	4803	Jordan	0	MEDICAL SUPPLIES	\$ 276,732.90	10/12/1998	Need end use/user information	US	
4									

СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
	3 India	O	MEDICAL SUPPLIES	\$ 1,820,349.23	06/05/1999	Change blk to hold pending technical specs. on various items (see fax for details).	US	
6	France	OKINFO	MEDICAL EQUIPMENT PARTS	\$ 94,157.28	04/08/1999	US: for composition material of electric pumps and technical specs on bacteriologic filter	US	01/09/1999:tech specs to US (dir); 05/09/1999:tech specs to UK (dir); 07/06/2001:tech specs to UK (dir); 20/06/2001:partial ROH (UK); 26/10/2001:BVS NOINFO reminder; 13/11/2001:BVS OKINFO
600318	3 Japan	OKINFO	MEDICAL EQUIPMENT PARTS	\$ 838,846.10		for technical specs and clarification of quantities (10 sterlizers for 13 hospitals).	US	24/01/2000:tech info and quantities explanation by supplier; 17/03/2000:detailed end-use info (allocation plan); 01/10/2001:BVS OKINFO reminder;
60063	India	D 1051	MEDICAL EQUIPMENT	\$ 2,448,246.00	08/11/2000	1051 list items: Tab 10, Page 15, Paragraph 1.4 - Bio-safety level-3 facility; Tab 10, Page 19, Paragraph 2 - BL-3 lab; Tab 10, Page 20, Paragraph 2.3 and 2.5 - HEPA filters and Autoclaves	US	17/11/2000:partial ROH (UK)p; 02/02/2001:reminder; 06/03/2001:reminderp; 18/04/2001:tech specsp; 01/05/2001:US changed reasonp; 22/05/2001:add info (not requesetd); tech info; 24/05/2001:tech specs;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold	i	hold by	HoldAction
	600855	Egypt	DU	MEDICAL EQUIPMENT	\$ 1,601,018.85	12/04/2000	dual use	US	25/04/2000:tech info;
9									
10	600919			SERUM	\$ 67,118.81	20/09/2000	Goods on 1051 list as indicated by Sec't & items 1-9, 13, 16, 17, 18 are on 1051 list at tab 10, pg 24, para 1.1.17 & pg 28, para A. Also, chemical composition of #14, 15 & what micro-organisms can they be used for? (No tech info	us	01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 07/11/2001:clarifications (dir); 09/11/2001:status changed to On Hold; 08/01/2002:BVS OKINFO reminder;
11	600968	Jordan	L 1051**	DIAGNOSTIC MATERIALS	\$ 71,730.12	20/12/1999	goods on 1051 list, how is the serum prepared and detailed end use/uesr info	US	30/12/1999:tech info to US; 09/04/2000:EU info; 24/04/2000:end use/user info; 01/10/2001:BVS OKINFO reminder;
12	600979	Italy	L 1051	LABORATORY SUPPLIES	\$ 34,272.00	22/12/1999		US, UK	14/02/2000:tech spec; 26/04/2000:request from the mission; 05/04/2001:UK changed reason;

	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
13	601042		L 1051	MEDICAL EQUIPMENT	\$ 2,494,100.00	06/01/2000	US: goods on 1051 list;	US	26/01/2000:UK in addition asked for details (from OIP) of how UNOHCI will monitor these items in accordance with reasons given on the application; 04/10/2000:partial ROH (UK) w. EU monitoring.;
14	601089	•	OKINFO	MEDICAL EQUIPMENT PARTS	\$ 236,907.00	11/01/2000	US: what type of machine is toshiba unit?	US	11/02/2000:brief end-use info provided by supplier; 16/02/2000:partial ROH (UK); 08/11/2000:tech specs on the toshiba unit; 25/11/2000:reminder; 20/02/2001:additional info end-use/user info;
15	601140	Jordan	PFE	SPARE PARTS	\$ 185,549.76	19/01/2000	US: pending further technical review	US	20/01/2000:partial ROH (UK); 01/06/2000:deletion of Israeli clause and other technical details; 01/10/2001:BVS OKINFO reminder;
16	601182	italy	WMD*	MEDICAL EQUIPMENT	\$ 550,900.00	01/02/2000	US: Goods are WMD dual-use item: concern related to S/RES/1382 (2001), Page 12, Paragraph 14.a and S/1995/208, Page 16, Paragraph 1.5 - film coating system (item #1). Provide specifications for the film	US, UK	01/02/2000:tech spec on item 10; 01/02/2000:tech info; 15/03/2000:partial ROH (UK); 21/09/2000:addendum to replace 1051 item; 14/11/2000:info on lining; 12/02/2002:US changed reason;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
17	601270	France	L 1051	MEDICAL EQUIPMENT	\$ 10,262,045.75		items FP202 (vision powerstation MPX single processing station) & FP285 (set of documentation in English) have dual use applications & are on the 1051 list	US	11/02/2000:end-user (allocation plan) per gamma cameras; 08/09/2000:additional info to US (not requested);
18	601275	Italy	L 1051**	INCINERATOR PARTS	\$ 1,281,171.45		detailed end use info, which hospitals will receive goods? item 4 on 1051 list	US	18/02/2000:US changed reason; 01/03/2000:tech info; 08/03/2000:tech & end-use info; 11/04/2000:detailed EU (allocation plan) for hospital incinerators; 01/10/2001:BVS OKINFO reminder;
19	601276	Italy	L 1051	LABORATORY SUPPLIES	\$ 152,703.13	28/01/2000	, ,	US, UK	17/02/2000:tech spec; 04/09/2001:UK changed reason;
20	601434	Switzerland	D 1051**	MEDICAL EQUIPMENT	\$ 897,300.00	08/05/2000	US: Goods are on the 1051 list item: \$/2001/560, Page 22, Paragraph 3.1 - Fermenters, bioreactors (item #1); Provide the output particle size range possible with the granulator (item #1). UK: Require UNMOVIC to be present in Iraq	UK	23/05/2000:tech info (not requested); 29/09/2000:UK changed reason; 24/11/2000:additional tech specs; 24/07/2001:US changed reason (S/2001/560); 01/10/2001:BVS NOINFO

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
	601467	France	D 1051	DIAGNOSTIC MATERIALS	\$ 46,853.23		items #26, 30-44 are on 1051 list at tab 10, pg 14, para 1.2.	US	11/01/2001:add clarification; 25/01/2001:end-use and additional info (not requested);
21									
	601468	France	D 1051	DIAGNOSTIC MATERIALS	\$ 10,975.72	18/09/2000	US: items#31-34 are on the 1051 list at Tab 10, page 14, para. 1.2	US	11/01/2001:add clarification; 25/01/2001:end-use and additional info (not requested);
22									
	601533	Germany	L 1051**	INCUBATOR	\$ 271,541.65		detailed end use/user - goods on 1051 list	US	03/05/2000:end-use/user info; 08/09/2000:end- use/user info; 01/10/2001:BVS OKINFO reminder;
23	601672	Italy	1051	MEDICAL EQUIPMENT	\$ 851,360.00	22/06/2000	goods on 1051 list	US	08/08/2000:tech spec on the filters; 27/04/2001:reminder;
24							. 1		

	COMM	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
25	601744	Germany	WMD*	MEDICAL EQUIPMENT	\$ 6,300,000.00		WMD dual use related to S/RES/1382, Page 5, Paragraph 1d -Fiber optics, optical terminals and amplifiers included with Coroskop, Hicor, Acorn, T.O.P. net and related applications. Provide a complete list of all fiberoptic	US	19/05/2000:tech clarifications; 16/10/2001:US changed reason; 18/12/2001:BVS OKINFO reminder; 31/01/2002:reminder; 07/02/2002:US changed reason;
26	601773		WMD**	MEDICAL EQUIPMENT	\$ 142,390.00		WMD dual use item: concern related to S/1995/208, Page 20, Paragraph 4; Provide previously requested specifications including the particle size range and method of granulation for the granulator (item #1); Provide previously	US	15/09/2000:tech specs; 25/09/2000:US changed reason; 14/05/2001:US changed reason; 21/05/2001:tech info; 29/05/2001:tech specs; 01/10/2001:BVS OKINFO reminder;
27	601776		D 1051**	MEDICAL EQUIPMENT	\$ 811,545.94	,	1051 item: tab 9, p50, para 72.2 litotripsy instrument has triggered spark gaps; additional info required on: operating frequency, power rating in watts for ultrasonic generator and transducer set; specs for computer included in	US	15/03/2001:tech specs; 01/10/2001:BVS OKINFO reminder;
28	601778	Germany	OKINFO	MEDICAL EQUIPMENT	\$ 4,554,883.20		US: provide an itemized listing of the special tools mentioned in the maintenance contract (item #4.4a)	US	31/07/2000:tech info; 22/02/2001:partial ROH (UK); 16/10/2001:US changed reason; 29/10/2001:clarification; 02/01/2002:BVS OKINFO reminder; 31/01/2002:reminder;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
29	601884	Jordan		MEDICAL EQUIPMENT	\$ 779,190.50	07/09/2000	US: Goods are on the 1051 list item: S/2001/560, Page 40, Paragraph 34.6 -IR spectrophotometer (items #7 and #8); S/2001/560, Page 23, Paragraph 4.5 -ultra low freezer (item #9). WMD dualuse item: concern related to	US	29/09/2000:partial ROH (UK); 16/10/2000:detailed tech info; 16/10/2001:US changed reason; 19/10/2001:US changed reason; 19/12/2001:BVS NOINFO reminder; 04/01/2002:status changed
20	700128	France	1051	MEDICAL EQUIPMENT	\$ 2,687,500.00	01/05/2000	US: item 5 (HD 160) with fast moving parts on 1051 list;	us	04/10/2000:partial ROH (UK) w. EU observation.;
31	700348			MEDICAL EQUIPMENT	\$ 88,961.40	06/07/2000	The following items appear to be on the 1051 list: hematology training at Tab 10, Pg 17, Para 1.13 & Tab 5, Annex C Pg 22, Para 2. OIP to provide tech info/assessments used to determine that the above goods are not subject to		22/08/2000:add clarification; 09/10/2000:clarification to US; 07/02/2002:reminder;
32	701110	Spain	WMD	TRUCKS/PARTS	\$ 1,486,000.00	06/07/2000	WMD dual use: concern related to S/1995/208, Page 14, Paragraph 1.3 cold stores truck can transport biologicals	US	07/07/2000:partial ROH (UK); 27/07/2000:additional info on the temp control in refrigerated cabinet; 18/08/2000:refrigerator cobinet-temperature control info; 29/09/2000:additional info to US;

	СОММ	mission	Hold	Goods	Amount	Date of Hold	Reason	hold	HoldAction
			Status					by	
33	701117			MEDICAL EQUIPMENT, SUPPLIES FOR	\$ 276,732.90		specs	US	20/04/2000:tech specification provided; 24/04/2000:end-use/user info; 30/06/2000:hold pending further review of technical specifications; 14/02/2001:reminder; 14/02/2001:tech specs
34	701119	Italy	WMD	LABORATORY SUPPLIES	\$ 18,180.00		We have BW concerns with the Growth Media in this contract. We therefore cannot consider approving this contract unless UNMOVIC are present in Iraq.	UK	10/07/1999:Info sent to UK; 10/08/1999:explanation of test hits by the supplier via GOI; 03/07/2000:hold per UK; 01/09/2000:brief end- use info; 12/09/2000:UK changed reason; 04/09/2001:UK changed
35	701123	India	L 1051	MEDICAL EQUIPMENT	\$ 506,150.00	03/07/2000	item #1 on 1051 list	US	
36	701126	France	1051	SPRAYERS/PARTS	\$ 2,583,447.00	i i	wheelbarrow sprayers on 1051 list at Tab 10, Pg 16, Para 1.9.	US	20/01/2000:UK changed reason; 03/02/2000:add reason (UK); 02/05/2000:addendum to delete item; 18/05/2000:hold the amendment does not appear to address all the UK's concern's on this

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
37	701135	Jordan	1051	MEDICAL SUPPLIES	\$ 62,100.94		US: goods on 1051 list as indicated by Sec't; UK: BW concerns with impex-rated items 6-9 & therefore require presence of UNMOVIC in Iraq before approval	UK	28/03/2000:UK changed reason; 30/06/2000:re- circulated, new reason; 08/09/2000:end-user info (not requested) sent to US & UK; 26/01/2001:UK changed reason;
	701143	Italy	L 1051	MEDICAL EQUIPMENT	\$ 1,293,330.00		item 1 - 1051 list - t10, p11, 10.4.1 & t10, p16, 1.9 & 2.2 &2.3	US	27/04/2001:reminder; 28/06/2001:re-circulated: "Item 1 is on the 1051 list";
38	701187	Turkey	D 1051	MEDICAL APPLIANCES; MEDICAL EQUIPMENT	\$ 39,861.25		goods on 1051 list at Tab 10, Pg 20, #4. OIP to provide tech info/assessments used to determine that above goods are not subject to SCR 1051.		01/08/2000:tech specs; 15/01/2001:OIP clarification to US;
39	701221	France	OKINFO	INSECTICIDE	\$ 1,476,903.00		for detailed structures of these insecticides of IUPAC name	US	28/07/2000:Info directly to US; 01/10/2001:BVS OKINFO reminder;
40		L							

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
	701240	Thailand	D 1051	MEDICAL APPLIANCES; MEDICAL EQUIPMENT	\$ 954,665.00	19/07/2000	US: nebulizers - 1051 list - tab 5, annex c, p21, 3	us	04/08/2000:detailed tech info; 29/09/2000:partial ROH (UK); 09/10/2000:OIP clarification to US; 17/11/2000:tech specs (not requested);
41	701254	Spain	D 1051	SPARE PARTS	\$ 108,049.27	21/08/2000	Goods are on the 1051 list item: Tab 10, Page 12, Paragraph 10.4.6 - incineration equipment.	US	29/08/2000:tech info; 18/04/2001:US changed reason;
42									
43		The United Kingdom	WMD	SPARE PARTS	\$ 486,710.49		WMD dual use items: concern related to S/1995/208, Pg 15, Para 1.4.5- spare parts for autoclaves with an internal volume grater than 0.3 cu m (all items for codes 02-04-00473 & 02-04-00475)	US	04/01/2000:reminder by UK; 08/11/2000:internal volume of the sterilizer and end-user info; 01/02/2001:US changed reason; 12/02/2001:tech specs; 07/03/2001:US changed of reason; 09/03/2001:tech info;
44	701485	Sweden	1051**	MEDICAL APPLIANCES; MEDICAL EQUIPMENT	\$ 12,082,070.00		Goods are on the 1051 list as indicated by the Secretariat and WMD dual-use item: concern related to S/1995/208, Page 15, Paragraph 1.4.5 - autoclaves and steam sterilizers (items #1 and #2). Provide specifications for	US	19/10/2000:additional information (not requested); 01/05/2001:additional information (not requested); 28/11/2001:US changed reason (S/2001/560); 17/01/2002:tech specs;

	COMM	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
45	701509	Jordan	OKINFO	PUMPS AND SPARE PARTS	\$ 595,339.47	03/08/2000	Provide specifications including the accelerator peak energy, maximum accelerating charge, and pulsing capability on the x-ray generator for model HD-150G813.	US	04/12/2000:tech info; 14/05/2001:US changed reason; 25/05/2001:tech specs; 01/10/2001:BVS OKINFO reminder; 16/10/2001:tech specs;
46	701511	Jordan	PFE	SPARE PARTS	\$ 133,254.00	13/09/2000	US: pending further tech review;	US	20/10/2000:partial ROH (UK); 01/10/2001:BVS OKINFO reminder; 30/10/2001:tech info (not requested);
	701753	Greece	D 1051	MEDICINE CARRYING TRUCKS; SPARE PARTS	\$ 11,477,900.00	23/08/2000	US: goods are on the 1051 list at Tab 10, page 14, para 1.3;	US	09/10/2000:partial ROH (UK); 15/01/2001:OIP clarification to US;
48	701799	France	WMD**	MOBILE LABORATORY	\$ 6,971,770.80	12/09/2000	US: WMD dual-use item: concern related to S/2001/560, Page 23, Paragraph 6.3- Biological agent detection systems (complete system). Provide specifications for all MEL/MPN portable labs including packaging sizes of	US, UK	18/09/2000:mat compostion; 09/10/2001:US changed reason (S/2001/560); 12/12/2001:BVS NOINFO reminder; 28/12/2001:status changed to Inactive Hold; 28/12/2001:detailed tech clarifications;

	COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
49	701835	UAE	OKINFO	AIR CONDITIONING WAREHOUSE AND SPARE PARTS	\$ 15,100,334	40 31/08/2000	for detailed end user info	US	06/12/2000:(13/09/00); end- use/user info; 25/01/2001:reminder from the supplier; 12/04/2001:end- use/user info; 01/09/2001:MDOU requested to provide info; 01/10/2001:BVS OKINFO
50	701840	Austria		MEDICAL APPLIANCES; MEDICAL EQUIPMENT	\$ 4,183,833	90 03/10/2000	US: goods on 1051 list as indicated by Sec't;	US	04/10/2000:partial ROH (UK) w. EU observation; 17/10/2000:detailed tech specs;
51	701841			BOATS	\$ 4,037,028	41 03/10/2000	US: Specify the 5-year reagent supply and consumables to include quantities and chemical compositions (items listed under chemical analysis equipment); and pending further technical review.	İ	04/10/2000:partial ROH (UK) w. EU obs; 17/04/2001:tech info and letter (dir); 17/08/2001:US changed reason (S/2001/560); 26/10/2001:BVS NOINFO reminder; 09/11/2001:status changed to Inactive Hold;
52	701977	France	WMD**	MOBILE LABORATORY; SPARE PARTS	\$ 6,843,762	80 22/09/2000	Goods are WMD dual-use item: concern related to S/2001/560, Page 19, Paragraph 10.4.7 - Chemical agent detection systems. Provide specs for all sensors/analyzers including manufacturer's data sheets, ability to sense or detect	US	17/06/2001:tech specs; 17/10/2001:US changed reason (S/2001/561); 19/12/2001:BVS NOINFO reminder; 28/12/2001:detailed tech clarifications; 26/02/2002:BVS OKINFO

	COMM	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
53	702044	Lebanon	DU	INSECTICIDE	\$ 58,000.00	14/09/2000	goods are dual use	US	20/12/2000:letter stating that a contract with the same goods approved previously;
54	702050	Jordan	OKINFO	EQUIPMENT	\$ 7,235,236.80	03/07/2001	Provide the previously requested detailed listing of the components included In the Service Engineering Tool Kit (item #66-last item in spare parts list).	US	01/10/2001:BVS NOINFO reminder; 17/10/2001:US changed reason (S/2001/561); 24/10/2001:status changed to Inactive Hold; 05/11/2001:tool kit contents; 13/11/2001:status changed
55	702267	italy	WMD	MEDICAL MACHINES	\$ 123,648.00		US: WMD dual-use item: concern related to BW process items #1 and #4 and pending further technical review.	US	14/11/2001:status changed 14/11/2000:tech specs to US & UK; 21/11/2000:amendment to delete Israeli clause appr maintain hold; 01/12/2000:partial ROH (UK) w. monitoring; 17/08/2001:US changed
56	702289	Germany	OKINFO	MEDICAL EQUIPMENT	\$ 4,863,520.00	15/01/2001	Provide previously requested information on the amen X-ray tubes, photomultiplier tubes including acceleration potential, anode pulse rise time and surface area). Explain the previously requested use of storage in San Francisco	US	26/03/2001:US changed reason; 02/04/2001:tech info and clarification; 10/10/2001:US changed reason (S/2001/560); 22/10/2001:tech specs; 12/12/2001:BVS NOINFO reminder;

ſ	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
	702292	Italy	1	MEDICAL APPLIANCES; MEDICAL EQUIPMENT	\$ 1,468,210.12		goods on 1051 list as indicated by the Sect	US	
57									
58		Belgium	NOINFO	AIR COMPRESSORS/SPA RE PARTS	\$ 90,630.17		Provide previously requested specs for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time and	US	06/03/2001:reminder; 11/05/2001:detailed end- use/user info; 24/09/2001:US changed reason; 16/10/2001:tech specs; 18/12/2001:BVS OKINFO reminder; 12/02/2002:US changed reason;
59		Germany	PFE	SURGERY SYSTEM	\$ 4,038,249.00		Pending further technical review.	US	02/08/2001:reminder; 14/08/2001:additional clarification; 18/10/2001:US changed reason (S/2001/561); 18/10/2001:amendment deleting item; 08/11/2001:amendment to
60	702360	Italy	D 1051	MEDICAL MACHINES	\$ 357,932.00		US: items #1 & 2 on 1051 list at tab 10, pg 15, para 1.39 & tab 10, pg 14, para 1.3	US	20/11/2000:tech info to US & UK; 20/11/2000:partial ROH (UK); 20/11/2000:maintain hold (US); 21/11/2000:Israeli clause deleted;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
61	702399	Belgium	OKINFO	MEDICAL MACHINES	\$ 1,053,795.60	12/12/2000	need specific end use	US	25/01/2001:end-use info; 01/10/2001:BVS OKINFO reminder; 29/11/2001:end- use/user info;
62	702430	Italy	D 1051	MEDICAL MACHINES	\$ 106,484.39	29/11/2000	1051 listed item; Tab 10, Page 12 Paragraph 10.4.1.1 and 10.4.1.5 and Tab 10, Page 39, Paragraph 2.2.5.2 double cone dry powder mixer (item #1)	us	06/12/2000:tech info; 15/01/2001:OIP clarification to US; 21/02/2001:US changed reason;
02	702436	Italy	1051	MEDICAL MACHINES	\$ 2,359,754.43		US: Goods on 1051 list as indicated by Sec't; UK: pending cinsideration by experts	US, UK	
63 64	702463	France	D 1051	MEDICAL MACHINES	\$ 176,550.87		1051 list item: Tab 10, Page 14, Paragraph 1.2 – micro organism assay and detection system (item #3); WMD dual use item: concern related to S/1995/208, Page 16, Paragraph 1.6 - filter apparatus which can be used to filter	US	05/01/2000:UK acknowledges receipt of info on item 1 but still wants info on 2 & 3 (ch reason); 21/12/2000:clarification and tech info to US/UK (21/12/00);; 08/01/2001:partial ROH

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
65	702488	italy	D 1051**	MEDICAL MACHINES	\$ 1,428,070.89	29/12/2000	UK: pending consideration by experts. US: goods on 1051 list at Tab 10, pg 15, par. 1.3.10 drum drying equipment. OIP please provide any technical information/assessments used to determine that the above goods are not subject to the	US, UK	26/10/2001:BVS NOINFO reminder; 07/11/2001:technical information; 09/11/2001:status changed to Inactive Hold; 13/11/2001:status changed to On Hold; 08/01/2002:BVS
66		Russian Federation	OKINFO	FIRE ALARM SYSTEM	\$ 3,307,685.02	16/03/2001	US: provide previously requested specifications for all ionization and optical smoke detectors to include radioactive source material type, isotope and activity (items #5, #6, #20, #21, #35, #36, #50 and #51). provide previously requested	US	04/04/2001:add info also confirmation to transfer fron Phase 7 to 8; 01/10/2001:BVS NOINFO reminder; 18/10/2001:US changed reason (S/2001/561); 24/10/2001:status changed
67	702594	Algeria	1051**	MACHINES; SPARE PARTS	\$ 1,782,349.18	25/04/2001	US: Goods are on the 1051 1ist as indicated by the Secretariat; provide in English specifications and functions for bipolar ball, stirrup and over- pressurizer including dimensions, weight, type, material composition and	US	08/08/2001:tech specs (directly to US); 31/08/2001:specifications (direct); 26/10/2001:BVS OKINFO reminder; 21/01/2002:addendum to delete items;
68	702628	France	WMD	LABORATORY MATERIALS	\$ 17,819.60	14/03/2001	UK: We have CW concerns with the Tartaric Acid (item 2) in this contract. We therefore cannot consider approving this contract unless either this item is removed or as a minimum, UNMOVIC is present in the country.	UK	24/07/2001:partial ROH (US);

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
69	702632	Jordan	WMD*	MEDICAL MACHINES	\$ 590,078.83	06/02/2002	US: System is WMD dual use related to S/1995/208 page 15, para 1.3.8. Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures,	US, UK	
70	702635	Jordan	О	MEDICAL MACHINES	\$ 742,340.05	06/02/2002	US: WMD dual-use item: concern related to S/2001/560, Page 22, Paragraph 3.1 - programmable CO2 incubator (item #7), and turbidity meter (item #6). Provide specifications for all pumps associated with capillary GC	US, UK	
71	702643	Spain	OKINFO	MEDICAL EQUIPMENT	\$ 475,934.92	27/04/2001	Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure and dimensions (additional machine, machine heating); provide specifications for all	US	16/05/2001:tech specs; 05/07/2001:tech specs; 01/10/2001:BVS OKINFO reminder;
72	702650	Italy	1051**	MEDICAL MACHINES	\$ 2,220,832.00	24/09/2001	US:Goods are on the 1051 list item as indicated by the Secretariat. provide technical and operating specifications for autoclave, to include manufacturers data sheets, and material compositions and drawings for all components	US	01/11/2001:tech specs (dir); 02/01/2002:BVS OKINFO reminder;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
73	702659	Spain	OKINFO	BLEACHING MACHINE	\$ 305,065.43	07/11/2001	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings	US	09/11/2001:partial ROH (UK); 27/12/2001:detailed tech specs; 26/02/2002:BVS OKINFO reminder;
	702682	France	WMD	INSECTICIDE	\$ 126,500.00	12/06/2001	US: WMD dual-use item: concern related to S/1995/208, Page 6, Paragraph 1.52: O,O - diethylphosphorothioate (item #1).	US	
74	702743	Italy	D 1051	MEDICAL MACHINES	\$ 973,786.34	20/02/2002	US: 1051 items: S/2001/560, Page 22, Paragraph 3.1 and S/1995/208, Page 15, Paragraph 1.3.11 -wheeled insulated jacketed vessel greater that 100 L (item #7). S/2001/560, Page 23, Paragraph 4.4 and S/1995/208,	US, UK	
76	801318	Spain	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 8,253,460.78	19/01/2001	US: Provide specific hospitals within the named cities. Provide an explanation why 13 units are destined for military stores (Directorate of Military Medical Affairs) as an end-use location? Indicate where these units will be used and by what	US	01/05/2001:end-use/user info; 21/05/2001:US changed reason; 05/07/2001:end-use/user info; 28/09/2001:requested info; 01/10/2001:BVS OKINFO reminder; 02/10/2001:end use info (repeated);

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
77	801420		OKINFO	MEDICAL MACHINES	\$ 175,081.14	08/02/2001	Provide specifications for the air dryer including the principle of operations, relative humidity of the output air, and drawings.	US	01/03/2001:content of TB pack & water coolers; 21/03/2001:US changed reason; 09/04/2001:tech specs; 16/04/2001:US changed reason; 18/04/2001:tech specs; 14/05/2001:US changed
78	801438	Malaysia	OKINFO	SPARE PARTS	\$ 68,444.32	11/04/2001	Provide the previously requested information on the specific end-use facilities at which these spare parts will be used.	US	01/05/2001:tech info; 02/10/2001:US changed reason; 26/10/2001:BVS NOINFO reminder; 02/11/2001:end-use/user info; 20/11/2001:end-user info; 02/01/2002:BVS OKINFO reminder;
79	801516	Italy	OKINFO	MEDICAL MACHINES	\$ 2,544,403.08		Please provide the previously requested efficiency at 0.3 microns DOP and dimensions for filters that are included with the industrial vacuum system (item #17).	US	22/08/2001:additional info; 24/09/2001:US changed reason; 04/10/2001:tech info; 04/12/2001:BVS OKINFO reminder;
80	801620	Belgium	WMD	MEDICAL EQUIPMENT AND APPLIANCES	\$ 522,349.94	07/03/2001	WMD dual- use item: concern related to S/1995/208, Page 14, Paragraph 1.2-Kit (item #37, #41, and #42).	US	09/03/2001:partial ROH (UK); 27/03/2001:tech info; 16/05/2001:US changed reason; 05/10/2001:US changed reason (S/2001/560);

	СОММ		Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
81		Russian Federation	WMD	MACHINES; SPARE PARTS	\$ 16,335,463.48	28/03/2001	US: WMD dual- use item: concern related to S/2001/580, Page 24, Paragraph 7.3, fogger with spares and accessories delivery rate exceeds 1 liter per minute.	US	29/03/2001:UK changed reason; 19/04/2001:detailed tech specs & drawings; 08/06/2001:partial ROH; 02/07/2001:clarifications; 01/10/2001:BVS OKINFO reminder; 18/12/2001:US changed reason
	801695	Lebanon	WMD	INSECTICIDE	\$ 425,081.53		WMD dual-use item related to S/1995/208, Page 6, Paragraph 1.53 precursor for O,O-Diethyl phosphorodithionate.	US	
82	801749	Austria	OKINFO	SPARE PARTS	\$ 14,956,687.91	26/02/2001	Supplier did not provide any of the requested technical information; Provide previously requested cross-sectional drawing of burner fluid flow path (item #4); Provide previously requested material composition of radiator	US	04/04/2001:detailed tech specs; 19/04/2001:tech specs & drawings; 15/05/2001:US changed reason; 05/06/2001:tech specs; 06/06/2001:tech specs and drawings for items # 4, 70, 80, 114 (original to
84	801813	Russian Federation	WMD*	MEDICAL EQUIPMENT AND APPLIANCES	\$ 393,463.97	30/04/2001	WMD dual- use concern related to S/2001/561, Page 71, Paragraph 62 (S/1995/215, Page 44, Paragraph 58.1) vacuum induction furnace. Provide the previously requested volume for the crucible and the usable volume	US	02/05/2001:US changed reason; 19/06/2001:tech specs, mat comp and drawings; 01/10/2001:BVS OKINFO reminder; 12/12/2001:additional info; 18/12/2001:US changed reason (S/2001/561);

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
85	801825	Malaysia	OKINFO	MEDICINE	\$ 646,855.63	27/02/2001	Provide specific end-user or end-use. Provide information on the standard reference substances in clause 15 on the contract.	US	30/04/2001:Reminder (30/04/01); 08/05/2001:end- use (08/05/01); 18/05/2001:clarification (not requested); 19/06/2001:reminder; 10/07/2001:reminder; 17/07/2001:letter to 661;
86	801899	France	1051**	MEDICAL OXYGEN CONCENTRATOR	\$ 1,007,746.50	28/03/2001	US: Goods are on the 1051 list as indicated by the Secretariat. Provide specifications for all filters and filter elements including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions	US	29/03/2001:partial ROH (UK); 26/05/2001:tech specs; 01/10/2001:BVS OKINFO reminder; 04/12/2001:additional info (not requested);
87	802052	Italy	1051**	FOOD HANDLING EQUIPMENT/SPARE PARTS	\$ 328,007.68	22/03/2001	Goods are on the 1051 list as indicated by the Secretariat and please provide previously requested specifications for all valves including dimensions, type, flow rate minimum internal diameter, and actuator response time (items #17, #18,	US	06/04/2001:tech specs; 15/05/2001:US changed reason; 22/06/2001:tech specs; 01/10/2001:BVS OKINFO reminder;
88	802104	France	WMD*	MEDICAL EQUIPMENT AND APPLIANCES	\$ 485,766.07	30/03/2001	WMD dual use item: concern related to S/1995/208, Page 14, Paragraph 1.3 -Storage and transportation of microorganisms (items #1 through #5).Please provide previously requested specifications for all valves	US	11/05/2001:tech specs; 01/10/2001:BVS NOINFO reminder; 09/10/2001:US changed reason (S/2001/560); 24/10/2001:status changed to Inactive Hold; 19/11/2001:status changed

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
89	802145	Egypt	OKINFO	GENERATOR AND SPARE PARTS	\$ 3,093,931.84	08/05/2001	Provide the specific end-use locations for each of the generator sets; provide an itemized list of tools and clothes being provided under Clause 15 of the contract.	US	06/06/2001:End-use info and tech info; 26/06/2001:end-use/user info; 01/10/2001:BVS OKINFO reminder; 28/02/2002:reminder and clarification;
90	802156	Austria	OKINFO	SPARE PARTS FOR DENTAL EQUIPMENT	\$ 3,046,297.56		Provide previously requested in English, specifications for all filters to include pore size, material composition and efficiency (catalog items #994, #4893, #995, #1664, #271003, #221008, and #221009);Provide previously	us	27/07/2001:tech specs; 18/09/2001:US changed reason; 21/11/2001:BVS NOINFO reminder; 27/11/2001:tech specs in English; 29/01/2002:BVS OKINFO reminder; 14/02/2002:tech specs;
	802199	France	WMD	PESTICIDAL GENERATOR AND SPARE PARTS	\$ 1,241,694.38		WMD dual- use item: concern related to S/2001/560, Page 24, Paragraph 7.3.	US	14/05/2001:tech info; 02/10/2001:US changed reason;
91		Russian Federation	WMD*	SPRAYERS	\$ 398,841.67	09/04/2001	US: WMD dual- use item: concern related to S/1995/208, Page 16, Paragraph 1.9 - Sprayer and associated parts (items #1 -#12); Please provide mean droplet size for sprayers (items #1 through #12).	US	22/05/2001:details of flow rates for sprayers (UK/US); 29/05/2001:partial ROH (UK); 18/12/2001:US changed reason; 20/02/2002:BVS NOINFO reminder;

	COMM	mission	Hold	Goods	Amount	Date of Hold	Reason	hold	HoldAction
			Status				:	by	
93	802264	Jordan	WMD	INSECTICIDE	\$ 149,624.23	10/04/2001	WMD dual-use item: concern related to S/1995/208, Page 6, Paragraph 1.52 .	US	10/05/2001:US changed reason; 21/06/2001:detailed tech specs;
94	802316	France	1051*	SPARE PARTS	\$ 42,058.09	24/04/2001	US:Goods are on the 1051 list as indicated by the Secretariat. Provide technical specifications for foggers including function, dimensions, material composition of major components, manufacturers data sheets, and technical		14/05/2001:clarifications; 20/05/2001:partial ROH w/monitoring (UK); 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 09/11/2001:status changed to On Hold; 13/11/2001:BVS
	802322	France	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,851,077.02	23/04/2001	UK: Require tech specs for the Universal Sprayer and Spray Diffuser in this contract, in particular, we require flow rates and particle sizes.		14/05/2001:tech specs; 19/09/2001:partial ROH (US); 01/10/2001:BVS OKINFO reminder; 12/10/2001:reminder;
95 96	802370	Jordan	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 6,431,033.98	25/04/2001	US: provide technical operating specifications for spectrophotometers (item # 1) to include manufacturer's data sheets, ion source specifications, linings and material composition of working surfaces and sample	US	06/01/2001:detailed tech specs; 01/05/2001:partial ROH (UK); 25/05/2001:tech specs; 01/10/2001:BVS OKINFO reminder;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
97	802375	Jordan	WMD	MEDICAL EQUIPMENT AND APPLIANCES	\$ 3,666,254.86	01/03/2002	US: Pending further technical review - #1 is WMD dual use per S/1995/208 page 15, para 1.3.8. UK: Our expert's have CW concerns with the sulphur wavelength filters & phosphorus wavelength filters & phosphorus filters in this	US, UK	
98	802394	Austria	WMD**	MEDICAL EQUIPMENT AND APPLIANCES	\$ 595,710.72	01/05/2001	WMD dual use item: concern related to S/1995/215, Page 16, Paragraph 1.7 - 5-L polysulfone bottle as fermentation chamber (items #4 and #21). Recommend changing the bottle material; provide	us	22/05/2001:tech specs; 01/10/2001:BVS OKINFO reminder;
00	802398	Spain	OKINFO	VEHICLE/SPARE PARTS	\$ 4,278,989.76		Please supply technical information on the communications equipment being supplied with these vehicles.	US	15/05/2001:tech specs (dir); 26/10/2001:BVS OKINFO reminder; 18/01/2002:reminder;
99	802417	Jordan	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 871,264.97	19/12/2001	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings	US	20/02/2002:BVS NOINFO reminder;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
101	802452	Jordan	D 1051**	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,113,917.07	10/05/2001	1051 items: Tab 9, Page 52, Paragraph 78 - Pentium II computers (listed as additional spare parts not integrated with medical devices); WMD dual use related to S/1995/208, Page 21, Paragraph 7.1 and 7.2 - Flow cytometer used for	US	01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 30/10/2001:tech info provided (dir); 09/11/2001:status changed to On Hold; 02/01/2002:BVS OKINFO reminder;
102	802453	Jordan	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 247,504.23	04/06/2001	Provide previously requested material composition dimensions, maximum pressure, flow rate, droplet size distribution, and drawing for atomizer (component of system). Provide previously requested specifications for all	US	05/06/2001:partial ROH (UK); 22/10/2001:US changed reason (S/2001/561); 24/10/2001:tech specs and other requested information; 24/10/2001:status changed to Inactive Hold;
102	802488	France	1051	MEDICAL EQUIPMENT AND APPLIANCES	\$ 4,798,265.41	17/07/2001	Goods are on the 1051 list as indicated by the Secretariat and pending further review.	US	
103	802491	italy		MEDICAL EQUIPMENT AND APPLIANCES	\$ 32,437.41	17/05/2001	Provide specifications on sterilizer (item # 1) to include operating principles and specifications, drawings and manufacturer's data sheets	US	31/05/2001:tech info; 01/10/2001:BVS OKINFO reminder;
104		L							

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
105	802521	italy		MEDICAL EQUIPMENT; SPARE PARTS	\$ 1,843,447.22	!	Provide specifications for "single fiber sw" including manufacturer's data sheets, drawings, and a description of the function and use (item #11). Provide specifications for the spare part computer boards including	US	22/08/2001:additional info; 26/10/2001:BVS OKINFO reminder;
106	802528	France	WMD	FREEZER; SPARE PARTS	\$ 40,891.63		Goods are BW dual use related to S/1995/208 page 4 para. 1.3.	US	
	802530	France	DU	OXYGEN PRODUCTION PLANT & ACCESSORIES	\$ 58,333,795.60	16/10/2001	Dual military use	US	23/10/2001:clarification and end-use/user;
107	802553	Spain	1051**	LABORATORY MATERIALS	\$ 96,526.24	18/06/2001	US: Goods are on the 1051 list as indicated by the Secretariat. Provide specific analysis, with methodology, that the following chemicals will be used for (item #1, #3, #4, #5, #11, #15, #16, #17, #18, #24, #25, #26, #27, #28, #31, and #36.)		22/06/2001:partial ROH; 14/09/2001:tech specs; 26/10/2001:BVS NOINFO reminder; 13/11/2001:BVS OKINFO reminder;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
109	802564	Jordan	WMD	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,940,484.83	14/06/2001	US: WMD dual- use item: concern related to S/1995/208, Page 15, Paragraph 1.3.8 - chromatography equipment for analytical and preparative separations (items #1, #11, and #31) and pending further technical review.	US	22/06/2001:partial ROH (UK); 20/07/2001:detailed tech specs; 22/10/2001:US changed reason (S/2001/561);
110	802631	Spain	1051	MEDICINE	\$ 23,355.97	29/06/2001	US: Goods are on the 1051 list as indicated by the Secretariat. This contract should be approved providing items #5, #7, and #9 are removed from the contract and an amended contract is recirculated. UK: Cannot	US, UK	03/07/2001:UK changed reason; 11/07/2001:US changed reason;
111	802632	Spain	WMD**	MEDICINE	\$ 44,417.54	29/06/2001	Goods are WMD dual-use item: concern related to S/1995/208, Page 5 - 6, Paragraph 1.43, 1.44, 1.47 -1.50 - Tris(hydroxymethyl) aminomethane precursor to listed chemicals (items #31 and #32). Provide specific illnesses		11/07/2001:US changed reason; 14/09/2001:tech specs; 13/11/2001:BVS OKINFO reminder;
112	802644	Jordan	NOINFO	MEDICINE	\$ 12,759,981.13		•	US, UK	21/12/2001:UK changed reason; 20/02/2002:BVS NOINFO reminder; 20/02/2002:end-use/user info;

	COMM	mission	Hold Status	Goods	Amount		Date of Hold	Reason	hold by	HoldAction
	802651	Saudi Arabia	WMD	MEDICAL EQUIPMENT AND APPLIANCES	\$	50,811.08		WMD dual-use item: concern related to S/1995/208, Page 14, Paragraph 1.3 - triple- vented petri dishes (item #1)	US	
113										
114	802662		D 1051	CYTOGENIC KIT	\$	21,803.09		US: 1051 list item: S/2001/560, Page 23, Paragraph 6.2 - DNA polymerase I (item #4); 1051 list item: S/2001/560, Page 23, Paragraph 6.1 - Ficoll lymphocyte separation solution (items #5 and #9); WMD dual-	US	31/07/2001:partial ROH (UK);
115	802698	France	D 1051**	MEDICAL EQUIPMENT AND APPLIANCES	\$ 1,12	29,808.79		Goods are on the 1051 list item: S/2001/560, Page 23, Paragraph 6.1 and 6.3 - immunological assay systems (item #1); Provide operating specifications for spectrophotometer to include operational capabilities,	US	27/09/2001:tech specs; 27/11/2001:BVS OKINFO reminder;
116	802734	France	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,19	92,149.54		Provide technical specifications for Autocon 350 high frequency surgery unit including dimensions, components, means of operation, pictures, manufacturers data sheets and technical schematics (Section F item #36, Section J item #91,	US	10/12/2001:tech specs; 21/02/2002:BVS OKINFO reminder;

	COMM		Hold Status	Goods	Amount		Date of Hold		hold by	HoldAction
117	802737	Germany		MEDICAL EQUIPMENT AND APPLIANCES	\$ 4,7	98,461.19		Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items		29/10/2001:tech specs; 02/01/2002:BVS OKINFO reminder; 15/01/2002:reminder;
118	802750	Jordan		HOSPITAL INCINCRATOR & SPARES	\$ 3,6	38,693.24		Provide specifications for the burners including a detailed listing of the components, material composition for all components and linings, and manufacturer's data sheets (items #2 and #22). Provide specifications for the nozzles	us	31/08/2001:detailed specs; 16/10/2001:end-use/user info; 08/11/2001:BVS OKINFO reminder;
119	802775	Germany		MEDICAL EQUIPMENT	\$ 4,0	21,795.79		Please provide technical specifications for the included x ray units to include manufacturer's data sheets, peak accelerated electron energy, figure of merit, pulse capability, beam duration and peak	US	18/10/2001:tech info; 18/12/2001:BVS OKINFO reminder;
120	802787	Italy	OKINFO	DENTAL LABORATORIES & CLINIC EQUIPMENT	\$ 1,1	85,263.79		US: Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator	US	26/09/2001:partial ROH, UK; 28/11/2001:BVS NOINFO reminder; 04/12/2001:tech specs (direct); 14/12/2001:status changed to inactive hold; 20/12/2001:status changed to On Hold; 05/02/2002:BVS

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
121	802789	France	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 607,109.08	25/09/2001	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and drawings (item	us	26/09/2001:partial ROH, UK; 28/11/2001:BVS NOINFO reminder; 28/11/2001:tech specs; 29/01/2002:BVS OKINFO reminder;
122	802812	Germany	OKINFO	LINEAR ACCELERATOR/SPAR ES	\$ 7,399,532.05	05/10/2001	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings	US	05/12/2001:BVS NOINFO reminder; 20/12/2001:status changed to Inactive Hold; 31/01/2002:tech specs; 04/02/2002:status changed to On Hold; 19/02/2002:tech specs;
123	802829	•	D 1051**	SPARE PARTS	\$ 337,269.97		US: 1051list items: S/2001/560, Page 22, Paragraph 2.3- HEPA filters (items #92, #93, #94, and #95). Provide specifications for autoclaves for which spare parts are destined including	US, UK	29/11/2001:UK changed reason; 30/01/2002:BVS NOINFO reminder; 07/02/2002:tech specs (direct);
124	900764	Jordan	WMD**	MEDICAL EQUIPMENT AND APPLIANCES	\$ 314,441.13		Goods are WMD dual-use item: concern related to S/1995/208, Page 12, Paragraph 10.4.7, Page 21, Paragraph 6.3 and Page 22, Paragraph 7.5 - visible spectrophotometer and accessories (item #1 through #46). Provide specifications for	US	01/10/2001:BVS NOINFO reminder; 16/10/2001:tech & end-use info; 18/12/2001:BVS OKINFO reminder;

	СОММ		Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
405	900768	Jordan	WMD	KITCHEN EQUIPMENT AND SPARE PARTS	\$ 3,712,839.02	22/06/2001	WMD dual-use item: concern related to S/1995/208, Page 21, Paragraph 4.11- jacketed vessels (items #1, #2, and #3)	US	02/08/2001:tech info; 03/08/2001:US changed reason (S/2001/560); 07/02/2002:reimnder;
125	900898	Spain	WMD	SUBSTATION	\$ 584,404.46	26/10/2001	WMD dual-use item: concern related to S/2001/560, Page 19, Paragraph 10.4.8 - full-face gas masks (component of Box #17).	US	11/12/2001:tech specs; 29/01/2002:US changed reason;
126 127	901022	Jordan	NOINFO	SPARE PARTS	\$ 8,974,641.00		•	US, UK	01/03/2002:UK changed reason;
128	901044	Jordan	PFE	ORPHENADRINE	\$ 85,689.80	10/07/2001	Pending further technical review.	US	22/08/2001:chemical composition; 01/10/2001:BVS OKINFO reminder; 20/02/2002:end- use info;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold			HoldAction
	901113	Egypt	WMD	MEDICINE	\$ 143,408.12		Goods are WMD dual-use item: concern is related to S/2001/560, Page 19, Paragraph 10.4.8 - Drugs for treatment of nerve agents (item #2).		
129	901179	Syria	OKINFO	MEDICAL EQUIPMENT	\$ 1,331,349.03		Provide all technical operating specifications for the all x-ray equipment and spare parts to include peak electron power in W, peak electron energy in MeV, and pulse capability/duration (item #1). Provide a clear copy of the	US	18/01/2002:tech clarification; 27/02/2002:tech specs;
131	901184	Syria	OKINFO	MEDICAL EQUIPMENT	\$ 681,369.62	20/12/2001	<u> </u>	US	18/01/2002:tech clarification; 27/02/2002:tech specs;
132	901271	France	PFE	MEDICINE	\$ 823,044.44	29/10/2001	Pending further review.	US	02/01/2002:BVS OKINFO reminder;

ſ	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
	901282	Jordan	1051	MEDICINE	\$ 108,290.85		As previously stated goods are on the 1051list as indicated by the Secretariat (in response to a clarification from the supplier).	US	27/08/2001:tech specs; 27/08/2001:clarification; 30/10/2001:US changed reason; 30/11/2001:clarification from the supplier;
133	901285	Jordan	WMD	MEDICINE	\$ 2,075,126.50		Goods are WMD dual-use item: concern related to S/2001/560, Page 9, Paragraph A.44 - Azamethiphos (item #1).	US	09/08/2001:chemical composition; 31/08/2001:additional info;
134	901352	Austria	D 1051**	ROTARY EVAPORATOR WITH ACCESSORIES & SPARE PARTS	\$ 41,276.61	31/07/2001	US: 1051 item: *S/2001/560, Page 18, Paragraph 10.4.1.2 - corrosion resistant condensers with surface area >300 cm2; Provide specifications for the included glassware to include dimensions, and drawings; Provide specific end-use and	US	26/10/2001:BVS NOINFO reminder; 06/11/2001:partial ROH (UK) w monitoring; 09/11/2001:status changed to Inactive Hold; 07/12/2001:specs for glassware; 26/02/2002:enduser info; 27/02/2002:status
136	901360	Jordan	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 5,715.77	23/10/2001	Provide specifications for the ultrasonic heated bath to include maximum power, temperature ranges, operating frequency, manufacturer's data sheet, photographs, and type of stainless steel used as both an ASTM or DIN standard alloy	US	30/11/2001:tech info and end use/user; 29/01/2002:BVS OKINFO reminder;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
137	901513		OKINFO	MEDICINE	\$ 1,066,957.09		US: Provide specifications for carpapol 941 including chemical structure, IUPAC notation, CAS number, applications, and material safety data sheet (MSDS) (item #7); Pending further technical review.	US	18/09/2001:end-use info; 26/10/2001:BVS NOINFO reminder; 09/11/2001:status changed to Inactive Hold; 26/11/2001:amendment deletion of item; 13/12/2001:US changed reason; 22/01/2002:tech
138	901538	UAE	DU	CABLES	\$ 63,253.06	10/10/2001	Goods are military dual use.	us	
139	901602	italy	PFE	LABORATORY MATERIALS	\$ 297,899.61	24/08/2001	Pending further technical review.	us	08/11/2001:BVS OKINFO reminder; 12/02/2002:tech specs;
140	901637	Lebanon	WMD	MESTINON	\$ 112,633.45		WMD dual-use item: concern related to S/2001/560, Page 11, Paragraph B.0I-B.03, B.08-B.12, B.17, B.20 and related items - Goods (item # 1 and #2) pre-exposure antidote for nerve agents		29/11/2001:additional details of WMD dual-use item (not requested);

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
	901638	Lebanon	WMD	MEDICINE	\$ 166,414.72		WMD dual-use item: atropine (items #1 and #3).	us	
141	901704	Jordan	О	SPARE PARTS	\$ 5,535,697.99		The U.S. would have no objection to this contract providing items #1a,b and #2a,b are removed from the contract.	US	15/10/2001:tech specs; 12/12/2001:US changed reason;
143	901705	Jordan	OKINFO	SPARE PARTS	\$ 1,521,929.95		US: Provide technical specifications for x-ray tubes and heads to include peak electron energy, figure of merit and peak power (items #1, #2, #3, #5, #7, #9, and # 10).	us	30/08/2001:partial ROH (UK); 02/11/2001:tech specs; 08/11/2001:BVS NOINFO reminder; 02/01/2002:BVS OKINFO reminder;
144	901712	Italy	OKINFO	MEDICAL MACHINES	\$ 192,645.36		US: Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (items #3 through #5). Provide specifications for all pumps	US	09/11/2001:partial ROH (UK); 04/12/2001:tech specs (direct); 05/02/2002:BVS OKINFO reminder;

	СОММ	mission	Hold	Goods	Amount	Date of Hold		hold	HoldAction
			Status					by	l
	901774	Austria	PFE	DENTAL EQUIPMENT	\$ 4,657,864.04	03/10/2001	Pending further technical review.	US	04/12/2001:BVS OKINFO reminder;
145									
146	901814	Germany	OKINFO	DIALYSIS MACHINE SPARE PARTS	\$ 780,558.40		Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings (items #4, #14, #36	US	07/12/2001:requested specs; 24/01/2002:info provided (direct); 05/02/2002:BVS OKINFO reminder;
	901827	Jordan	OKINFO	MEDICINE	\$ 949,947.27	10/10/2001	US:Provide a clear copy of all "medicines" being ordered including chemical composition and structure of all components.	US	06/12/2001:requested info; 13/12/2001:partial ROH (UK); 05/02/2002:BVS OKINFO reminder;
147			1						
	901869	France	PFE	DIAGNOSTIC KITS	\$ 160,267.57		Pending further technical review	US	12/12/2001:reminder; 26/12/2001:BVS OKINFO reminder; 08/02/2002:reminder;
148									

	COMM	mission	Hold	Goods	Amount	Date of Hold	Reason	hold	HoldAction
			Status					by	
	901886	Jordan	NOINFO	WATER PUMP PARTS	\$ 131,799.82		pumps (and for pumps for which spare parts are being ordered) including dimensions,	US	
149							weight, type, material composition for all components and linings, flow rates, inlet/outlet pressures, rotation		
	901916	Germany	OKINFO	BATTERIES	\$ 2,031,000.00		Glucotrend products are no longer produced as of September 2001 so it is not clear what is being provided. These items have a certain shelf life. Is this from old stock?	US	29/01/2002:clarification;
150									
151	901927			MACHINERY	\$ 171,700.34		valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-	US	
152	901944	Germany	4	AIR SEPERATION PLANT; ACCESSORIES; SPARE PARTS	\$ 3,500,672.73		US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings (items	US	23/11/2001:partial ROH (UK); 15/01/2002:tech specs (direct);

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
153	901956	Russian Federation	NOINFO	FIRE FIGHTING SYSTEM	\$ 5,198,506.36		Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings.	US	
154	901965	Egypt	OKINFO	MEDICINE	\$ 4,339,925.45		Please check the spellings of the following items and provide material compositions and functions (items #5, #11, #13, #15, #17, #21, #22, #23, #32, #33, #36, #37, #39, #45 through #48, #50 through #55, and #61). Provide all requested		08/01/2002:detailed tech info; 08/01/2002:tech info (direct); 24/01/2002:end-use info;
155	901992	Egypt	WMD	ADDITIVES	\$ 533,959.93		US: Pending further review. UK: Our experts have CW concerns with items 5 & 13 ('Aerosil 200') in this contract. We therefore cannot consider approving this unless these items are removed or as a minimum UNMOVIC are	US, UK	31/01/2002:UK changed reason; 20/02/2002:tech info (dir);
156	1000732	Lebanon	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 4,409,154.04		Please provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and	US	31/01/2002:tech specs (F);

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
157	1000749	China	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 151,639.94	12/11/2001	Provide specifications for all filters including type, function, pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (items #2 through #6). Provide end-uses and enduse locations for the lancets	US	23/12/2001:clarification; 26/02/2002:BVS OKINFO reminder;
158	1000874			SPARE PARTS	\$ 171,674.00		Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #1 through	US	03/01/2002:tech specs; 10/01/2002:tech specs;
159	1000875			SPARE PARTS FOR COOLING TOWER	\$ 12,004.35	19/11/2001	Provide technical specifications for cooling tower, vibration switch and vibration malfunction detector model 366 XX including functions, dimensions, material, compositions of major components, and technical		26/12/2001:tech specs; 03/01/2002:tech specs; 26/02/2002:BVS OKINFO reminder;
160	1000957	Malaysia	PFE	MEDICINE	\$ 98,181.82	27/11/2001	Pending further technical review	US	06/12/2001:tech specs (not requested); 23/01/2002:reminder; 29/01/2002:BVS OKINFO reminder;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
161	1001066	Russian Federation	OKINFO	SCANNER	\$ 1,493,877.93	05/12/2001	specify the number of scanners being ordered and provide operating specifications and manufacturer's data sheets. provide technical specifications for the x-ray tubes to include electron peak energy in electron volts, operating	US	17/01/2002:tech specs;
162	1001067	Russian Federation		MEDICAL EQUIPMENT; SPARE PARTS	\$ 439,829.02	:	specify the number of x-ray generators being ordered and provide operating specifications and manufacturer's data sheets. provide technical specifications for the x-ray tubes to include electron peak energy in	US	17/01/2002:tech specs;
163	1001078	Austria	OKINFO	DENTAL EQUIPMENT	\$ 11,936,656.24		Provide all operating parameters and specifications for all x-ray units and spare tube heads to include maximum voltage, current, peak electron acceleration and pulse duration. Provide specifications for all valves	US	01/02/2002:tech specs; 06/02/2002:BVS NOINFO reminder;
164	1001081	Jordan	WMD	ATROPINE SULPHATE	\$ 108,122.50	04/12/2001	WMD dual-use item: concern related to S/2001/560, Page 19, Paragraph 10.4.8 - atropine sulfate (items #1 and #2) chemical warfare defensive equipment.		17/01/2002:end-user info & additional details;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
	1001083	Jordan	OKINFO	ULTRAGENT	\$ 665,000.00	04/12/2001	Provide specific end-use and precise end-use locations for this material.		07/01/2002:end-user info; 17/01/2002:end-use/user info;
165	1001158	lordan	1051*	MEDICAL	\$ 603,807.20	07/02/2002	Goods are on the 1051 list as	US	
166				EQUIPMENT AND APPLIANCES	003,807.20	0710272002	indicated by the Secretariat. Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (Parts #K101.2539)	05	
167	1001171	Egypt	OKINFO	MEDICINE	\$ 194,496.88	31/12/2001	US: Provide technical specifications for metferemin and terbutatin and silver sulphasiazin including molecular structure, chemical formula, use and function, and material composition of item ordered (items #4, #5, #6).	US	02/01/2002:partial ROH (UK); 07/01/2002:US changed reason; 05/02/2002:tech specs;
168	1001324	Lebanon	WMD*	AUTOMATIC SOXHLET/SPARES	\$ 104,828.14	31/12/2001	US: WMD dual - use item: concern related to S/2001/560, Page 18, Paragraph 10.4.1.3-Automatic soxhlet extraction system (with inert gas overhead). Equipment can be used to extract various toxins including ricin (although not the		03/01/2002:partial ROH (UK); 07/01/2002:US changed reason;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
169	1001333	India	OKINFO	MEDICINE	\$ 818,984.86	17/01/2002	US: The U.S. would have no objection providing item #3 is removed from the contract and chemical analyses are performed on items #2 and #4 to establish chemical purity of the material being supplied as ibuprofen and finasteride	US	18/01/2002:partial ROH (UK); 11/02/2002:tech clarifications; 19/02/2002:reminder & request for info;
170	1001338	Jordan	OKINFO	MEDICINE	\$ 507,883.35		US: Provide technical specifications for Aerosil including chemical identity and formula, material composition of major components, and function/usage (item #13). Provide all requested non-alloy or polymer material	US	03/01/2002:UK changed reason; 04/01/2002:partial ROH (UK) w/monitoring; 06/02/2002:tech specs;
4.74	1001376	Jordan	OKINFO	VEHICLES WITH SPARE PARTS	\$ 12,200,537.34		Require detailed end-use/user information for goods in this contract.	UK	20/02/2002:end-use/user info; 27/02/2002:end-users info;
171	1001407	France	OKINFO	DIAGNOSTIC KITS	\$ 136,501.87	03/01/2002	Provide the following information. 1) More in-depth end use statement that describes how the human serum will be used. 2) Explain why such a large quantity is requested (about 76 liters). 3) Describe in detail the quality	US	24/01/2002:end-use info and tech specs;

	СОММ		Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
173	1001408	France		MEDICAL EQUIPMENT AND APPLIANCES	\$ 939,65	9.78 03/01/2002	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and drawings (item #1). Provide detailed specifications	US	21/02/2002:tech specs;
4-7-4	1001409	France	- "	LABORATORY MATERIALS	\$ 73,61	7.63 02/01/2002	US: Request a more in-depth end-use statement that describes how the whole blood will be used and a definition of the quality assurance program.	US	03/01/2002:partial ROH (UK); 24/01/2002:end-use info & tech specs;
174	1001410	France		PUMPS AND SPARE PARTS	\$ 1,526,77	3.74 01/02/2002	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, and cross-sectional drawings (items #1 through #13). Provide technical specifications for	us, uk	25/02/2002:tech specs;
176	1001415	Russian Federation	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,698,99	4.35 06/02/2002	Provide full technical specifications of all bacteria filter, including frame size and percentage of DOP efficiency at 0.3 microns for each filter, as previously requested by OIP (items #58, #69 and #75). Specify the dimensions of all	US	

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
177	1001423		OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 23,165,775.89		Provide a manufacturer's catalog for all of this equipment. Provide information on the X-ray tubes including acceleration potential, anode pulse (in MeV), and pulse characteristics (item #1.26). Provide	US	04/02/2002:tech info; 26/02/2002:tech info (dir); 28/02/2002:end-user info;
	1001525	Germany	NOINFO	PIPETTE	\$ 343,201.76	16/01/2002	Provide end use and end user. Please provide specifications for pipettes including ability to use multiple tips.	US	12/02/2002:tech specs;
78									
179	1001595		WMD*	SUPPLY OF DRUGS	\$ 674,466.55		reagents necessary to analyze purchased chemicals and what quantities are to be provided. Provide specifications for impromin including intended use, molecular structures, physical and chemical		
180	1001610	India	NOINFO	SUPPLY OF DRUGS	\$ 489,106.51	31/01/2002	Provide specifications for all indicators and reagents necessary to analyze purchased chemicals including an itemized list, what quantities are to be provided, and specific chemical composition for each Provide all requested chemical		

СОММ	mission	Hold	Goods	Amount		Date of Hold	Reason	hold	HoldAction
		Status						by	
11			MEDICAL EQUIPMENT AND APPLIANCES	\$	151,950.86		Provide specifications for the FRIOS unit including intended use and manufacturers data sheets in English (item #1). Provide specifications for all surgical motors including dimensions, weight, rotation speed, cross-sectional	US	
1001886	Switzerland	PFE	MEDICINE	\$	276,851.60		Pending further technical review.	US	

\$ 442,300,650.63

СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
50127	0 Jordan	WMD*	LABORATORY SUPPLIES	\$ 186,263.42		WMD dual use item: concern related to S/1995/208, Page 14, Paragraph 1.2 -items #1 - #4; provide specifications for all computers including processor type and manufacturer, maximum certified clock speed, certified thermal operating range, and number of		12/10/2000:partial ROH (UK); 14/01/2001:tech specs; 27/03/2001:US changed reason; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;
2	8 India	D 1051*	MEDICAL EQUIPMENT	\$ 351,353.20		US: Goods are on the 1051 list as indicated by the Secretariat and S/2001/560, Page 22, Paragraph 2.4 -HEPA filters (item #2). S/2001/560, Page 22, Paragraph 3.1 - fermentation vessel (item #6). WMD dual use item: concern related to S/2001/560, Page 22, Paragraph 4.3	US, UK	14/12/2000:Explanation to US; 15/01/2001:OIP clarification to US; 20/02/2001:US changed reason; 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 28/11/2001:US changed reason (S/2001/560);
60167	3 Italy	NOINFO	MEDICAL EQUIPMENT	\$ 132,557.00		Provide specifications for the automatic water plant including dimensions, drawings, itemized listing of components, material composition for all components and linings (item #1). Provide specifications for all pumps associated with water plant including		20/09/2000:tech clarifications; 09/10/2000:partial ROH (UK); 27/04/2001:reminder; 24/07/2001:US changed reason (S/2001/560); 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold; 29/11/2001:tech specs (direct);
70082	2 Jordan	NOINFO	MEDICAL EQUIPMENT	\$ 3,673,353.73		Provide the volume of the sterilizer chamber (items #1 and #2); Provide specifications for the sonic irrigator including frequency, power (in watts), and photographs (of the unit and the transducer) (item C); Provide previously requested specific end-use locations including	US	21/03/2001:detailed tech specs; 17/05/2001:US changed reason; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold; 06/12/2001:tech specs;

	COMM	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
5	701118	China	L 1051*	MEDICAL EQUIPMENT	\$ 558,250.00	03/07/2000	US: for tech specs - goods appear to be on 1051 list; UK: for tech specs of "St. St. Vessel" & material composition of ea item. Also require end-user details for these items	UK	29/06/1999:MDOU provided information; 17/06/2000:MDOU asked to provide info; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;
	701150	France	NOINFO	SPARE PARTS FOR AIR DRYER	\$ 19,884.10		US: for detailed end user info; UK: tech specs for "air dryer"		28/06/2000:UK changed reason; 08/09/2000:end-user info sent to UK & US; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;
7	701800	France	WMD*	MOBILE LABORATORY	\$ 1,524,313.95			UK	17/11/2000:additional info including end-use info (US/UK); 04/01/2001:UK changed the reason; 18/01/2001:end-user info (not requested); 17/04/2001:tech info; 05/10/2001:US changed reason; 05/12/2001:BVS NOINFO reminder;
8	702162	Malaysia	NOINFO	MEDICAL APPLIANCES; MEDICAL EQUIPMENT	\$ 754,134.00		US: provide specs on the chemical toxins this sampler can detect, the sensitivity of the detector to these toxins and the principle of operation of the detector	US	22/02/2001:partial ROH (UK) w monitoring; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;

СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
7026	78 Italy	D 1051*	LABORATORY EQUIPMENT	\$ 390,286.48	22/06/2001	US: 1051 list item: Tab 10, Page 20, Paragraph 3.3 -orbital or reciprocal shaker (item #5); Provide specifications for all microprocessors incorporated in the equipment including processor type and manufacturer, maximum certified clock speed, certified		25/06/2001:partial ROH (UK); 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;
8014	76 France	NOINFO	LABORATORY MATERIALS	\$ 181,467.22	01/02/2001	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings; Provide a description of the purpose and use for and material	US, UK	17/08/2001:US changed reason (S/2001/560); 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold;
8014	77 France	1051*	LABORATORY MATERIALS	\$ 114,566.27	14/03/2001	US: Goods are on the 1051 list as indicated by the Secretariat and WMD/Dual-use related to S/2001/560, Page 29, Paragraph 28.14 (d) and (e): tunable dye oscillators and amplifiers (items #9, #10, #11, #12, #13, #20, #25, #40, #46, #47). Provide	UK	20/03/2001:UK changed reason; 22/08/2001:US changed reason (S/2001/560); 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold;
8020	50 Italy	D 1051*	MEDICAL MACHINES	\$ 545,187.90	23/03/2001	US: 1051 item: S/2001/560, Page 22, Paragraph 4.3 Cross-flow and tangential filtration equipment (filter plate press) (Item #5); WMD dual use item: concern related to S/1995/208, Page 15, Paragraph 1.3.11 - insulated I0,000-liter stainless mixing tank with		26/03/2001:UK changed reason (26/03/01); 06/04/2001:add info; 02/08/2001:US changed reason (S/2001/560); 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;

СОММ	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
13	:69 Germany		MEDICAL EQUIPMENT AND APPLIANCES	\$ 1,524,972.35	16/04/2001	Provide previously requested specifications for the dosing pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressure, rotation speed and drawings (items #40). Provide previously requested specifications	US	17/04/2001:partial ROH (UK); 02/07/2001:detailed tech info; 03/10/2001:US changed reason; 05/12/2001:BVS NOINFO reminder; 20/12/2001:status changed to Inactive Hold;
8024	61 Italy	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 473,193.29		Thank the Mission and the supplier for the volume and technical detail of the additional information presented. Unfortunately, due to the presentation method it is impossible to correlate the information presented with the information requested or even with the items	US	18/06/2001:tech specs (dir); 03/10/2001:US changed reason; 05/12/2001:BVS NOINFO reminder; 20/12/2001:status changed to Inactive Hold;
8026	18 France	D 1051*	CYTOGENIC KIT	\$ 164,486.77		1051 list items at Tab 10, Page 21, Paragraph 5 -Media for cultivation of microorganisms (items #1, #2, #3, #4, #10, #14, and #15). Tab 10, Page 21, Paragraph 6.2- Gene probe kit (item #11); Tab 10, Page 21, Paragraph 7 - Molecular biology reagents (items #5, #6, #7, #8, #9,		01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold;
8026	19 France	D 1051*	CYTOGENIC KIT	\$ 6,867.00		US: 1051 list item at Tab 10, Page 21, Paragraph 5 -Media for cultivation of microorganisms (items #1, #2, #3, #4, #5, #6, #7, #8, and #9). What research is being done (what cell lines are being cultivated)? UK: We cannot consider approving this contract until	UK	01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;

COM	1M	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
	02699	France	NOINFO	PACKAGE UNIT W/ SPARE PARTS	\$ 120,736.53		US: Provide specifications for all compressors including dimensions, weight, type, minimum/maximum pressures, capacity, refrigerant type, and drawings (items #1 through #7).	ľ	20/09/2001:partial ROH (UK); 21/11/2001:BVS NOINFO reminder; 07/12/2001:status changed to Inactive Hold;
80	02777	Italy	NOINFO	PUMPS AND SPARE PARTS	\$ 27,268.83	i	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, inlet/outlet pressures (in Bar) and crosssectional drawings (items #1, #8, #15, #16, #23, #30, #37, #44, #51,		01/10/2001:tech info; 08/11/2001:BVS NOINFO reminder; 26/11/2001:status changed to Inactive Hold;
18 90	01373	France	NOINFO	HEMATOLOGICA L KITS	\$ 24,868.80	30/07/2001	#58, #59, #66, #67, #74, #75, #82, US: Pending further technical	UK	26/10/2001:BVS NOINFO reminder; 09/11/2001:status changed to Inactive Hold;
19									
90	01535	UAE	NOINFO	FILTERS	\$ 169,187.39		Provide specific end-use for all filters and explain how filters that are only 30% and 50% efficient at 1.0 micron can be used in a pharmaceutical clean room.	US	07/11/2001:tech specs; 06/12/2001:US changed reason; 06/02/2002:BVS NOINFO reminder; 21/02/2002:status changed to Inactive Hold;
20									

C	ОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
21	901703	Jordan	NOINFO	SPARE PARTS	\$ 715,168.56		US: Provide specifications for the main PCB including manufacturer's data sheets, a block diagram for the PCB, a description of the function, photographs, and technical specifications for any microprocessors (item #4).		30/08/2001:partial ROH (UK); 08/11/2001:BVS NOINFO reminder; 26/11/2001:status changed to Inactive Hold;
22	1000816	Syria	NOINFO	VEHICLES WITH SPARE PARTS	\$ 6,434,809.00		Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed, and cross sectional drawings (items #36 and #131). Provide specifications for all valves including	US	16/01/2002:BVS NOINFO reminder; 01/02/2002:status changed to Inactive Hold;
23	1000909	Egypt	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 416,260.00		Please provide technical specifications for wax baths including medical function, external dimensions, dimensions of bath tank, operating temperature range, temperature precision and accuracy, material composition of major components, and technical drawings	US	22/01/2002:BVS NOINFO reminder; 08/02/2002:status changed to Inactive Hold;
24	1000970	Syria	NOINFO	SURGICAL EQUIPMENT	\$ 143,950.00		Provide technical specifications for all parts including function, dimensions, list of major components in each item, manufacturers data sheets, and technical drawings (items #1.A-1.G and #2.A through #2.1). Provide specifications for the equipment for	US	30/01/2002:BVS NOINFO reminder; 14/02/2002:status changed to Inactive Hold;

	СОММ	mission	Hold Status	Goods	Amount	Date of Hold		hold by	HoldAction
25	1000975	Jordan	1051*	LABORATORY MATERIALS	\$ 15,265.00		Goods are on the l051 list as indicated by the Secretariat. Provide technical specifications for all antisera including preparation, volume, titer, function, ultimate enduse, and end- use locations.	l	30/01/2002:BVS NOINFO reminder; 14/02/2002:status changed to Inactive Hold;
26	1001038			STERILIZER; SPARE PARTS	\$ 1,348,096.20		Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (spare parts list, items #8 through #12, #17, #19,	US	06/02/2002:BVS NOINFO reminder; 06/02/2002:tech specs; 21/02/2002:status changed to Inactive Hold;
27		Federation	NOINFO	COMPRESSOR W/ ACCESSORIES AND SPARES	\$ 95,280.00		Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #10 and #13). Provide specifications for all	US	06/02/2002:BVS NOINFO reminder; 21/02/2002:status changed to Inactive Hold;
28	1001120	France	NOINFO	SPARE PARTS	\$ 92,373.47		Please provide specific end-uses and end-use locations for sprayer (item # 1). Please provide specifications for nozzles including material composition, dimensions, maximum pressure, flow rate, droplet size distribution, and drawing (component of item #1). Please		06/02/2002:BVS NOINFO reminder; 21/02/2002:status changed to Inactive Hold;

COMM	mission	Hold	Goods	Amount	Date of Hold	Reason	hold	HoldAction
		Status					by	
.	}						ļ	

\$ 20,204,400.46