

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
57	702292	Italy	1051	MEDICAL APPLIANCES; MEDICAL EQUIPMENT	\$ 1,468,210.12	28/11/2000	goods on 1051 list as indicated by the Sect	US	
58	702306	Belgium	NOINFO	AIR COMPRESSORS/SPARE PARTS	\$ 90,630.17	16/10/2000	Provide previously requested specs for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time and	US	06/03/2001:reminder; 11/05/2001:detailed end-use/user info; 24/09/2001:US changed reason; 16/10/2001:tech specs; 18/12/2001:BVS OKINFO reminder; 12/02/2002:US changed reason;
59	702314	Germany	PFE	SURGERY SYSTEM	\$ 4,038,249.00	25/06/2001	Pending further technical review.	US	02/08/2001:reminder; 14/08/2001:additional clarification; 18/10/2001:US changed reason (S/2001/561); 18/10/2001:amendment deleting item; 08/11/2001:amendment to
60	702360	Italy	D 1051	MEDICAL MACHINES	\$ 357,932.00	01/11/2000	US: items #1 & 2 on 1051 list at tab 10, pg 15, para 1.39 & tab 10, pg 14, para 1.3	US	20/11/2000:tech info to US & UK; 20/11/2000:partial ROH (UK); 20/11/2000:maintain hold (US); 21/11/2000:Israeli clause deleted;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
61	702399	Belgium	OKINFO	MEDICAL MACHINES	\$ 1,053,795.60	12/12/2000	need specific end use	US	25/01/2001:end-use info; 01/10/2001:BVS OKINFO reminder; 29/11/2001:end- use/user info;
62	702430	Italy	D 1051	MEDICAL MACHINES	\$ 106,484.39	29/11/2000	1051 listed item; Tab 10, Page 12 Paragraph 10.4.1.1 and 10.4.1.5 and Tab 10, Page 39, Paragraph 2.2.5.2 double cone dry powder mixer (item #1)	US	06/12/2000:tech info; 15/01/2001:OIP clarification to US; 21/02/2001:US changed reason;
63	702436	Italy	1051	MEDICAL MACHINES	\$ 2,359,754.43	29/12/2000	US: Goods on 1051 list as indicated by Sec't; UK: pending consideration by experts	US, UK	
64	702463	France	D 1051	MEDICAL MACHINES	\$ 176,550.87	29/11/2000	1051 list item: Tab 10, Page 14, Paragraph 1.2 – micro organism assay and detection system (item #3); WMD dual use item: concern related to S/1995/208, Page 16, Paragraph 1.6 - filter apparatus which can be used to filter	US	05/01/2000:UK acknowledges receipt of info on item 1 but still wants info on 2 & 3 (ch reason); 21/12/2000:clarification and tech info to US/UK (21/12/00);; 08/01/2001:partial ROH

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
65	702488	Italy	D 1051**	MEDICAL MACHINES	\$ 1,428,070.89	29/12/2000	UK: pending consideration by experts. US: goods on 1051 list at Tab 10, pg 15, par. 1.3.10 drum drying equipment. OIP please provide any technical information/assessments used to determine that the above goods are not subject to the	US, UK	26/10/2001:BVS NOINFO reminder; 07/11/2001:technical information; 09/11/2001:status changed to Inactive Hold; 13/11/2001:status changed to On Hold; 08/01/2002:BVS
66	702490	Russian Federation	OKINFO	FIRE ALARM SYSTEM	\$ 3,307,685.02	16/03/2001	US: provide previously requested specifications for all ionization and optical smoke detectors to include radioactive source material type, isotope and activity (items #5, #6, #20, #21, #35, #36, #50 and #51). provide previously requested	US	04/04/2001:add info also confirmation to transfer from Phase 7 to 8; 01/10/2001:BVS NOINFO reminder; 18/10/2001:US changed reason (S/2001/561); 24/10/2001:status changed
67	702594	Algeria	1051**	MACHINES; SPARE PARTS	\$ 1,782,349.18	25/04/2001	US: Goods are on the 1051 list as indicated by the Secretariat; provide in English specifications and functions for bipolar ball, stirrup and over-pressurizer including dimensions, weight, type, material composition and	US	08/08/2001:tech specs (directly to US); 31/08/2001:specifications (direct); 26/10/2001:BVS OKINFO reminder; 21/01/2002:addendum to delete items;
68	702628	France	WMD	LABORATORY MATERIALS	\$ 17,819.60	14/03/2001	UK: We have CW concerns with the Tartaric Acid (item 2) in this contract. We therefore cannot consider approving this contract unless either this item is removed or as a minimum, UNMOVIC is present in the country.	UK	24/07/2001:partial ROH (US);

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
69	702632	Jordan	WMD*	MEDICAL MACHINES	\$ 590,078.83	06/02/2002	US: System is WMD dual use related to S/1995/208 page 15, para 1.3.8. Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures,	US, UK	
70	702635	Jordan	O	MEDICAL MACHINES	\$ 742,340.05	06/02/2002	US: WMD dual-use item: concern related to S/2001/560, Page 22, Paragraph 3.1 - programmable CO2 incubator (item #7), and turbidity meter (item #6). Provide specifications for all pumps associated with capillary GC	US, UK	
71	702643	Spain	OKINFO	MEDICAL EQUIPMENT	\$ 475,934.92	27/04/2001	Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure and dimensions (additional machine, machine heating); provide specifications for all	US	16/05/2001:tech specs; 05/07/2001:tech specs; 01/10/2001:BVS OKINFO reminder;
72	702650	Italy	1051**	MEDICAL MACHINES	\$ 2,220,832.00	24/09/2001	US:Goods are on the 1051 list item as indicated by the Secretariat. provide technical and operating specifications for autoclave, to include manufacturers data sheets, and material compositions and drawings for all components	US	01/11/2001:tech specs (dir); 02/01/2002:BVS OKINFO reminder;

Applications "On Hold"
Health Sector as at 4 March 2002

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
73	702659	Spain	OKINFO	BLEACHING MACHINE	\$ 305,065.43	07/11/2001	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings	US	09/11/2001:partial ROH (UK); 27/12/2001:detailed tech specs; 26/02/2002:BVS OKINFO reminder;
74	702682	France	WMD	INSECTICIDE	\$ 126,500.00	12/06/2001	US: WMD dual-use item: concern related to S/1995/208, Page 6, Paragraph 1.52: O,O - diethylphosphorothioate (item #1).	US	
75	702743	Italy	D 1051	MEDICAL MACHINES	\$ 973,786.34	20/02/2002	US: 1051 items: S/2001/560, Page 22, Paragraph 3.1 and S/1995/208, Page 15, Paragraph 1.3.11 -wheeled insulated jacketed vessel greater than 100 L (item #7). S/2001/560, Page 23, Paragraph 4.4 and S/1995/208,	US, UK	
76	801318	Spain	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 8,253,460.78	19/01/2001	US: Provide specific hospitals within the named cities. Provide an explanation why 13 units are destined for military stores (Directorate of Military Medical Affairs) as an end-use location? Indicate where these units will be used and by what	US	01/05/2001:end-use/user info; 21/05/2001:US changed reason; 05/07/2001:end-use/user info; 28/09/2001:requested info; 01/10/2001:BVS OKINFO reminder; 02/10/2001:end use info (repeated);

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
77	801420	India	OKINFO	MEDICAL MACHINES	\$ 175,081.14	08/02/2001	Provide specifications for the air dryer including the principle of operations, relative humidity of the output air, and drawings.	US	01/03/2001:content of TB pack & water coolers; 21/03/2001:US changed reason; 09/04/2001:tech specs; 16/04/2001:US changed reason; 18/04/2001:tech specs; 14/05/2001:US changed
78	801438	Malaysia	OKINFO	SPARE PARTS	\$ 68,444.32	11/04/2001	Provide the previously requested information on the specific end-use facilities at which these spare parts will be used.	US	01/05/2001:tech info; 02/10/2001:US changed reason; 26/10/2001:BVS NOINFO reminder; 02/11/2001:end-use/user info; 20/11/2001:end-user info; 02/01/2002:BVS OKINFO reminder;
79	801516	Italy	OKINFO	MEDICAL MACHINES	\$ 2,544,403.08	19/04/2001	Please provide the previously requested efficiency at 0.3 microns DOP and dimensions for filters that are included with the industrial vacuum system (item #17).	US	22/08/2001:additional info; 24/09/2001:US changed reason; 04/10/2001:tech info; 04/12/2001:BVS OKINFO reminder;
80	801620	Belgium	WMD	MEDICAL EQUIPMENT AND APPLIANCES	\$ 522,349.94	07/03/2001	WMD dual- use item: concern related to S/1995/208, Page 14, Paragraph 1.2-Kit (item #37, #41, and #42).	US	09/03/2001:partial ROH (UK); 27/03/2001:tech info; 16/05/2001:US changed reason; 05/10/2001:US changed reason (S/2001/560);

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
81	801654	Russian Federation	WMD	MACHINES; SPARE PARTS	\$ 16,335,463.48	28/03/2001	US: WMD dual- use item: concern related to S/2001/580, Page 24, Paragraph 7.3, fogger with spares and accessories delivery rate exceeds 1 liter per minute.	US	29/03/2001:UK changed reason; 19/04/2001:detailed tech specs & drawings; 08/06/2001:partial ROH; 02/07/2001:clarifications; 01/10/2001:BVS OKINFO reminder; 18/12/2001:US changed reason
82	801695	Lebanon	WMD	INSECTICIDE	\$ 425,081.53	16/02/2001	WMD dual-use item related to S/1995/208, Page 6, Paragraph 1.53 precursor for O,O-Diethyl phosphorodithionate.	US	
83	801749	Austria	OKINFO	SPARE PARTS	\$ 14,956,687.91	26/02/2001	Supplier did not provide any of the requested technical information; Provide previously requested cross-sectional drawing of burner fluid flow path (item #4); Provide previously requested material composition of radiator	US	04/04/2001:detailed tech specs; 19/04/2001:tech specs & drawings; 15/05/2001:US changed reason; 05/06/2001:tech specs; 06/06/2001:tech specs and drawings for items # 4, 70, 80, 114 (original to
84	801813	Russian Federation	WMD*	MEDICAL EQUIPMENT AND APPLIANCES	\$ 393,463.97	30/04/2001	WMD dual- use concern related to S/2001/561, Page 71, Paragraph 62 (S/1995/215, Page 44, Paragraph 58.1) vacuum induction furnace. Provide the previously requested volume for the crucible and the usable volume	US	02/05/2001:US changed reason; 19/06/2001:tech specs, mat comp and drawings; 01/10/2001:BVS OKINFO reminder; 12/12/2001:additional info; 18/12/2001:US changed reason (S/2001/561);

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
85	801825	Malaysia	OKINFO	MEDICINE	\$ 646,855.63	27/02/2001	Provide specific end-user or end-use. Provide information on the standard reference substances in clause 15 on the contract.	US	30/04/2001:Reminder (30/04/01); 08/05/2001:end-use (08/05/01); 18/05/2001:clarification (not requested); 19/06/2001:reminder; 10/07/2001:reminder; 17/07/2001:letter to 661;
86	801899	France	1051**	MEDICAL OXYGEN CONCENTRATOR	\$ 1,007,746.50	28/03/2001	US: Goods are on the 1051 list as indicated by the Secretariat. Provide specifications for all filters and filter elements including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions	US	29/03/2001:partial ROH (UK); 26/05/2001:tech specs; 01/10/2001:BVS OKINFO reminder; 04/12/2001:additional info (not requested);
87	802052	Italy	1051**	FOOD HANDLING EQUIPMENT/SPARE PARTS	\$ 328,007.68	22/03/2001	Goods are on the 1051 list as indicated by the Secretariat and please provide previously requested specifications for all valves including dimensions, type, flow rate minimum internal diameter, and actuator response time (items #17, #18,	US	06/04/2001:tech specs; 15/05/2001:US changed reason; 22/06/2001:tech specs; 01/10/2001:BVS OKINFO reminder;
88	802104	France	WMD*	MEDICAL EQUIPMENT AND APPLIANCES	\$ 485,766.07	30/03/2001	WMD dual use item: concern related to S/1995/208, Page 14, Paragraph 1.3 -Storage and transportation of microorganisms (items #1 through #5).Please provide previously requested specifications for all valves	US	11/05/2001:tech specs; 01/10/2001:BVS NOINFO reminder; 09/10/2001:US changed reason (S/2001/560); 24/10/2001:status changed to Inactive Hold; 19/11/2001:status changed

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
89	802145	Egypt	OKINFO	GENERATOR AND SPARE PARTS	\$ 3,093,931.84	08/05/2001	Provide the specific end-use locations for each of the generator sets; provide an itemized list of tools and clothes being provided under Clause 15 of the contract.	US	06/06/2001:End-use info and tech info; 26/06/2001:end-use/user info; 01/10/2001:BVS OKINFO reminder; 28/02/2002:reminder and clarification;
90	802156	Austria	OKINFO	SPARE PARTS FOR DENTAL EQUIPMENT	\$ 3,046,297.56	24/05/2001	Provide previously requested in English, specifications for all filters to include pore size, material composition and efficiency (catalog items #994, #4893, #995, #1664, #271003, #221008, and #221009);Provide previously	US	27/07/2001:tech specs; 18/09/2001:US changed reason; 21/11/2001:BVS NOINFO reminder; 27/11/2001:tech specs in English; 29/01/2002:BVS OKINFO reminder; 14/02/2002:tech specs;
91	802199	France	WMD	PESTICIDAL GENERATOR AND SPARE PARTS	\$ 1,241,694.38	02/04/2001	WMD dual- use item: concern related to S/2001/560, Page 24, Paragraph 7.3.	US	14/05/2001:tech info; 02/10/2001:US changed reason;
92	802237	Russian Federation	WMD*	SPRAYERS	\$ 398,841.67	09/04/2001	US: WMD dual- use item: concern related to S/1995/208, Page 16, Paragraph 1.9 - Sprayer and associated parts (items #1 -#12); Please provide mean droplet size for sprayers (items #1 through #12).	US	22/05/2001:details of flow rates for sprayers (UK/US); 29/05/2001:partial ROH (UK); 18/12/2001:US changed reason; 20/02/2002:BVS NOINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
93	802264	Jordan	WMD	INSECTICIDE	\$ 149,624.23	10/04/2001	WMD dual-use item: concern related to S/1995/208, Page 6, Paragraph 1.52 .	US	10/05/2001:US changed reason; 21/06/2001:detailed tech specs;
94	802316	France	1051*	SPARE PARTS	\$ 42,058.09	24/04/2001	US:Goods are on the 1051 list as indicated by the Secretariat. Provide technical specifications for foggers including function, dimensions, material composition of major components, manufacturers data sheets, and technical	US	14/05/2001:clarifications; 20/05/2001:partial ROH w/monitoring (UK); 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 09/11/2001:status changed to On Hold; 13/11/2001:BVS
95	802322	France	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,851,077.02	23/04/2001	UK: Require tech specs for the Universal Sprayer and Spray Diffuser in this contract, in particular, we require flow rates and particle sizes.	UK	14/05/2001:tech specs; 19/09/2001:partial ROH (US); 01/10/2001:BVS OKINFO reminder; 12/10/2001:reminder;
96	802370	Jordan	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 6,431,033.98	25/04/2001	US: provide technical operating specifications for spectrophotometers (item # 1) to include manufacturer's data sheets, ion source specifications, linings and material composition of working surfaces and sample	US	06/01/2001:detailed tech specs; 01/05/2001:partial ROH (UK); 25/05/2001:tech specs; 01/10/2001:BVS OKINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
97	802375	Jordan	WMD	MEDICAL EQUIPMENT AND APPLIANCES	\$ 3,666,254.86	01/03/2002	US: Pending further technical review - #1 is WMD dual use per S/1995/208 page 15, para 1.3.8. UK: Our expert's have CW concerns with the sulphur wavelength filters & phosphorus wavelength filters & phosphorus filters in this	US, UK	
98	802394	Austria	WMD**	MEDICAL EQUIPMENT AND APPLIANCES	\$ 595,710.72	01/05/2001	WMD dual use item: concern related to S/1995/215, Page 16, Paragraph 1.7 - 5-L polysulfone bottle as fermentation chamber (items #4 and #21). Recommend changing the bottle material; provide	US	22/05/2001:tech specs; 01/10/2001:BVS OKINFO reminder;
99	802398	Spain	OKINFO	VEHICLE/SPARE PARTS	\$ 4,278,989.76	27/04/2001	Please supply technical information on the communications equipment being supplied with these vehicles.	US	15/05/2001:tech specs (dir); 26/10/2001:BVS OKINFO reminder; 18/01/2002:reminder;
100	802417	Jordan	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 871,264.97	19/12/2001	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings	US	20/02/2002:BVS NOINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
101	802452	Jordan	D 1051**	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,113,917.07	10/05/2001	1051 items: Tab 9, Page 52, Paragraph 78 - Pentium II computers (listed as additional spare parts not integrated with medical devices); WMD dual use related to S/1995/208, Page 21, Paragraph 7.1 and 7.2 - Flow cytometer used for	US	01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 30/10/2001:tech info provided (dir); 09/11/2001:status changed to On Hold; 02/01/2002:BVS OKINFO reminder;
102	802453	Jordan	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 247,504.23	04/06/2001	Provide previously requested material composition dimensions, maximum pressure, flow rate, droplet size distribution, and drawing for atomizer (component of system). Provide previously requested specifications for all	US	05/06/2001:partial ROH (UK); 22/10/2001:US changed reason (S/2001/561); 24/10/2001:tech specs and other requested information; 24/10/2001:status changed to Inactive Hold;
103	802488	France	1051	MEDICAL EQUIPMENT AND APPLIANCES	\$ 4,798,265.41	17/07/2001	Goods are on the 1051 list as indicated by the Secretariat and pending further review.	US	
104	802491	Italy	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 32,437.41	17/05/2001	Provide specifications on sterilizer (item # 1) to include operating principles and specifications, drawings and manufacturer's data sheets	US	31/05/2001:tech info; 01/10/2001:BVS OKINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
105	802521	Italy	OKINFO	MEDICAL EQUIPMENT; SPARE PARTS	\$ 1,843,447.22	01/06/2001	Provide specifications for "single fiber sw" including manufacturer's data sheets, drawings, and a description of the function and use (item #11). Provide specifications for the spare part computer boards including	US	22/08/2001:additional info; 26/10/2001:BVS OKINFO reminder;
106	802528	France	WMD	FREEZER; SPARE PARTS	\$ 40,891.63	04/06/2001	Goods are BW dual use related to S/1995/208 page 4 para. 1.3.	US	
107	802530	France	DU	OXYGEN PRODUCTION PLANT & ACCESSORIES	\$ 58,333,795.60	16/10/2001	Dual military use	US	23/10/2001:clarification and end-use/user;
108	802553	Spain	1051**	LABORATORY MATERIALS	\$ 96,526.24	18/06/2001	US: Goods are on the 1051 list as indicated by the Secretariat. Provide specific analysis, with methodology, that the following chemicals will be used for (item #1, #3, #4, #5, #11, #15, #16, #17, #18, #24, #25, #26, #27, #28, #31, and #36.)	US	22/06/2001:partial ROH; 14/09/2001:tech specs; 26/10/2001:BVS NOINFO reminder; 13/11/2001:BVS OKINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
109	802564	Jordan	WMD	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,940,484.83	14/06/2001	US: WMD dual- use item: concern related to S/1995/208, Page 15, Paragraph 1.3.8 - chromatography equipment for analytical and preparative separations (items #1, #11, and #31) and pending further technical review.	US	22/06/2001:partial ROH (UK); 20/07/2001:detailed tech specs; 22/10/2001:US changed reason (S/2001/561);
110	802631	Spain	1051	MEDICINE	\$ 23,355.97	29/06/2001	US: Goods are on the 1051 list as indicated by the Secretariat. This contract should be approved providing items #5, #7, and #9 are removed from the contract and an amended contract is recirculated. UK: Cannot	US, UK	03/07/2001:UK changed reason; 11/07/2001:US changed reason;
111	802632	Spain	WMD**	MEDICINE	\$ 44,417.54	29/06/2001	Goods are WMD dual-use item: concern related to S/1995/208, Page 5 - 6, Paragraph 1.43, 1.44, 1.47 - 1.50 - Tris(hydroxymethyl) aminomethane precursor to listed chemicals (items #31 and #32). Provide specific	US	11/07/2001:US changed reason; 14/09/2001:tech specs; 13/11/2001:BVS OKINFO reminder;
112	802644	Jordan	NOINFO	MEDICINE	\$ 12,759,981.13	20/12/2001	US: Provide specifications for the wireless equipment including manufacturer's data sheets, frequency of operation, number of data and voice channels, data transfer rates, and photographs (listed in unnumbered annex to the	US, UK	21/12/2001:UK changed reason; 20/02/2002:BVS NOINFO reminder; 20/02/2002:end-use/user info;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
113	802651	Saudi Arabia	WMD	MEDICAL EQUIPMENT AND APPLIANCES	\$ 50,811.08	20/07/2001	WMD dual-use item: concern related to S/1995/208, Page 14, Paragraph 1.3 - triple-vented petri dishes (item #1)	US	
114	802662	France	D 1051	CYTOGENIC KIT	\$ 21,803.09	23/07/2001	US: 1051 list item: S/2001/560, Page 23, Paragraph 6.2 - DNA polymerase I (item #4); 1051 list item: S/2001/560, Page 23, Paragraph 6.1 - Ficoll lymphocyte separation solution (items #5 and #9); WMD dual-	US	31/07/2001:partial ROH (UK);
115	802698	France	D 1051**	MEDICAL EQUIPMENT AND APPLIANCES	\$ 1,129,808.79	08/08/2001	Goods are on the 1051 list item: S/2001/560, Page 23, Paragraph 6.1 and 6.3 - immunological assay systems (item #1); Provide operating specifications for spectrophotometer to include operational capabilities,	US	27/09/2001:tech specs; 27/11/2001:BVS OKINFO reminder;
116	802734	France	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,192,149.54	24/10/2001	Provide technical specifications for Autocon 350 high frequency surgery unit including dimensions, components, means of operation, pictures, manufacturers data sheets and technical schematics (Section F item #36, Section J item #91,	US	10/12/2001:tech specs; 21/02/2002:BVS OKINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
117	802737	Germany	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 4,798,461.19	05/09/2001	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items	US	29/10/2001:tech specs; 02/01/2002:BVS OKINFO reminder; 15/01/2002:reminder;
118	802750	Jordan	OKINFO	HOSPITAL INCINCRATOR & SPARES	\$ 3,638,693.24	24/08/2001	Provide specifications for the burners including a detailed listing of the components, material composition for all components and linings, and manufacturer's data sheets (items #2 and #22). Provide specifications for the nozzles	US	31/08/2001:detailed specs; 16/10/2001:end-use/user info; 08/11/2001:BVS OKINFO reminder;
119	802775	Germany	OKINFO	MEDICAL EQUIPMENT	\$ 4,021,795.79	13/09/2001	Please provide technical specifications for the included x ray units to include manufacturer's data sheets, peak accelerated electron energy, figure of merit, pulse capability, beam duration and peak	US	18/10/2001:tech info; 18/12/2001:BVS OKINFO reminder;
120	802787	Italy	OKINFO	DENTAL LABORATORIES & CLINIC EQUIPMENT	\$ 1,185,263.79	25/09/2001	US: Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator	US	26/09/2001:partial ROH, UK; 28/11/2001:BVS NOINFO reminder; 04/12/2001:tech specs (direct); 14/12/2001:status changed to inactive hold; 20/12/2001:status changed to On Hold; 05/02/2002:BVS

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
121	802789	France	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 607,109.08	25/09/2001	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and drawings (item	US	26/09/2001:partial ROH, UK; 28/11/2001:BVS NOINFO reminder; 28/11/2001:tech specs; 29/01/2002:BVS OKINFO reminder;
122	802812	Germany	OKINFO	LINEAR ACCELERATOR/SPARES	\$ 7,399,532.05	05/10/2001	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings	US	05/12/2001:BVS NOINFO reminder; 20/12/2001:status changed to Inactive Hold; 31/01/2002:tech specs; 04/02/2002:status changed to On Hold; 19/02/2002:tech specs;
123	802829	Italy	D 1051**	SPARE PARTS	\$ 337,269.97	28/11/2001	US: 1051list items: S/2001/560, Page 22, Paragraph 2.3- HEPA filters (items #92, #93, #94, and #95). Provide specifications for autoclaves for which spare parts are destined including	US, UK	29/11/2001:UK changed reason; 30/01/2002:BVS NOINFO reminder; 07/02/2002:tech specs (direct);
124	900764	Jordan	WMD**	MEDICAL EQUIPMENT AND APPLIANCES	\$ 314,441.13	27/06/2001	Goods are WMD dual-use item: concern related to S/1995/208, Page 12, Paragraph 10.4.7, Page 21, Paragraph 6.3 and Page 22, Paragraph 7.5 - visible spectrophotometer and accessories (item #1 through	US	01/10/2001:BVS NOINFO reminder; 16/10/2001:tech & end-use info; 18/12/2001:BVS OKINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
125	900768	Jordan	WMD	KITCHEN EQUIPMENT AND SPARE PARTS	\$ 3,712,839.02	22/06/2001	WMD dual-use item: concern related to S/1995/208, Page 21, Paragraph 4.11- jacketed vessels (items #1, #2, and #3)	US	02/08/2001:tech info; 03/08/2001:US changed reason (S/2001/560); 07/02/2002:reimnder;
126	900898	Spain	WMD	SUBSTATION	\$ 584,404.46	26/10/2001	WMD dual-use item: concern related to S/2001/560, Page 19, Paragraph 10.4.8 - full-face gas masks (component of Box #17).	US	11/12/2001:tech specs; 29/01/2002:US changed reason;
127	901022	Jordan	NOINFO	SPARE PARTS	\$ 8,974,641.00	13/02/2002	US: Provide specifications for all pumps/compressors including dimensions, weight type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #20,	US, UK	01/03/2002:UK changed reason;
128	901044	Jordan	PFE	ORPHENADRINE	\$ 85,689.80	10/07/2001	Pending further technical review.	US	22/08/2001:chemical composition; 01/10/2001:BVS OKINFO reminder; 20/02/2002:end-use info;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
129	901113	Egypt	WMD	MEDICINE	\$ 143,408.12	17/07/2001	Goods are WMD dual-use item: concern is related to S/2001/560, Page 19, Paragraph 10.4.8 - Drugs for treatment of nerve agents (item #2).	US	
130	901179	Syria	OKINFO	MEDICAL EQUIPMENT	\$ 1,331,349.03	20/12/2001	Provide all technical operating specifications for the all x-ray equipment and spare parts to include peak electron power in W, peak electron energy in MeV, and pulse capability/duration (item #1). Provide a clear copy of the	US	18/01/2002:tech clarification; 27/02/2002:tech specs;
131	901184	Syria	OKINFO	MEDICAL EQUIPMENT	\$ 681,369.62	20/12/2001	Provide all technical operating specifications for the all x-ray equipment and spare parts to include peak electron power in W, peak electron energy in MeV, and pulse capability/duration (item #1). Provide a clear copy of the	US	18/01/2002:tech clarification; 27/02/2002:tech specs;
132	901271	France	PFE	MEDICINE	\$ 823,044.44	29/10/2001	Pending further review.	US	02/01/2002:BVS OKINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
133	901282	Jordan	1051	MEDICINE	\$ 108,290.85	25/07/2001	As previously stated goods are on the 1051 list as indicated by the Secretariat (in response to a clarification from the supplier).	US	27/08/2001:tech specs; 27/08/2001:clarification; 30/10/2001:US changed reason; 30/11/2001:clarification from the supplier;
134	901285	Jordan	WMD	MEDICINE	\$ 2,075,126.50	24/07/2001	Goods are WMD dual-use item: concern related to S/2001/560, Page 9, Paragraph A.44 -Azamethiphos (item #1).	US	09/08/2001:chemical composition; 31/08/2001:additional info;
135	901352	Austria	D 1051**	ROTARY EVAPORATOR WITH ACCESSORIES & SPARE PARTS	\$ 41,276.61	31/07/2001	US: 1051 item: *S/2001/560, Page 18, Paragraph 10.4.1.2 - corrosion resistant condensers with surface area >300 cm2; Provide specifications for the included glassware to include dimensions, and drawings; Provide specific end-use and	US	26/10/2001:BVS NOINFO reminder; 06/11/2001:partial ROH (UK) w monitoring; 09/11/2001:status changed to Inactive Hold; 07/12/2001:specs for glassware; 26/02/2002:end-user info; 27/02/2002:status
136	901360	Jordan	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 5,715.77	23/10/2001	Provide specifications for the ultrasonic heated bath to include maximum power, temperature ranges, operating frequency, manufacturer's data sheet, photographs, and type of stainless steel used as both an ASTM or DIN standard alloy	US	30/11/2001:tech info and end-use/user; 29/01/2002:BVS OKINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
137	901513	Jordan	OKINFO	MEDICINE	\$ 1,066,957.09	14/08/2001	US: Provide specifications for carpaprol 941 including chemical structure, IUPAC notation, CAS number, applications, and material safety data sheet (MSDS) (item #7); Pending further technical review.	US	18/09/2001:end-use info; 26/10/2001:BVS NOINFO reminder; 09/11/2001:status changed to Inactive Hold; 26/11/2001:amendment deletion of item; 13/12/2001:US changed reason; 22/01/2002:tech
138	901538	UAE	DU	CABLES	\$ 63,253.06	10/10/2001	Goods are military dual use.	US	
139	901602	Italy	PFE	LABORATORY MATERIALS	\$ 297,899.61	24/08/2001	Pending further technical review.	US	08/11/2001:BVS OKINFO reminder; 12/02/2002:tech specs;
140	901637	Lebanon	WMD	MESTINON	\$ 112,633.45	22/08/2001	WMD dual-use item: concern related to S/2001/560, Page 11, Paragraph B.01-B.03, B.08-B.12, B.17, B.20 and related items - Goods (item # 1 and #2) -- pre-exposure antidote for nerve agents	US	29/11/2001:additional details of WMD dual-use item (not requested);

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
141	901638	Lebanon	WMD	MEDICINE	\$ 166,414.72	22/08/2001	WMD dual-use item: atropine (items #1 and #3).	US	
142	901704	Jordan	O	SPARE PARTS	\$ 5,535,697.99	29/08/2001	The U.S. would have no objection to this contract providing items #1a,b and #2a,b are removed from the contract.	US	15/10/2001:tech specs; 12/12/2001:US changed reason;
143	901705	Jordan	OKINFO	SPARE PARTS	\$ 1,521,929.95	29/08/2001	US: Provide technical specifications for x-ray tubes and heads to include peak electron energy, figure of merit and peak power (items #1, #2, #3, #5, #7, #9, and # 10).	US	30/08/2001:partial ROH (UK); 02/11/2001:tech specs; 08/11/2001:BVS NOINFO reminder; 02/01/2002:BVS OKINFO reminder;
144	901712	Italy	OKINFO	MEDICAL MACHINES	\$ 192,645.36	07/11/2001	US: Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (items #3 through #5). Provide specifications for all pumps	US	09/11/2001:partial ROH (UK); 04/12/2001:tech specs (direct); 05/02/2002:BVS OKINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
145	901774	Austria	PFE	DENTAL EQUIPMENT	\$ 4,657,864.04	03/10/2001	Pending further technical review.	US	04/12/2001:BVS OKINFO reminder;
146	901814	Germany	OKINFO	DIALYSIS MACHINE SPARE PARTS	\$ 780,558.40	01/11/2001	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings (items #4, #14, #36	US	07/12/2001:requested specs; 24/01/2002:info provided (direct); 05/02/2002:BVS OKINFO reminder;
147	901827	Jordan	OKINFO	MEDICINE	\$ 949,947.27	10/10/2001	US:Provide a clear copy of all "medicines" being ordered including chemical composition and structure of all components.	US	06/12/2001:requested info; 13/12/2001:partial ROH (UK); 05/02/2002:BVS OKINFO reminder;
148	901869	France	PFE	DIAGNOSTIC KITS	\$ 160,267.57	22/10/2001	Pending further technical review	US	12/12/2001:reminder; 26/12/2001:BVS OKINFO reminder; 08/02/2002:reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
149	901886	Jordan	NOINFO	WATER PUMP PARTS	\$ 131,799.82	11/01/2002	Provide specifications for all pumps (and for pumps for which spare parts are being ordered) including dimensions, weight, type, material composition for all components and linings, flow rates, inlet/outlet pressures, rotation	US	
150	901916	Germany	OKINFO	BATTERIES	\$ 2,031,000.00	17/01/2002	Glucotrend products are no longer produced as of September 2001 so it is not clear what is being provided. These items have a certain shelf life. Is this from old stock?	US	29/01/2002:clarification;
151	901927	Italy	NOINFO	MACHINERY	\$ 171,700.34	04/02/2002	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and cross-	US	
152	901944	Germany	OKINFO	AIR SEPERATION PLANT; ACCESSORIES; SPARE PARTS	\$ 3,500,672.73	20/11/2001	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross sectional drawings (items	US	23/11/2001:partial ROH (UK); 15/01/2002:tech specs (direct);

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
153	901956	Russian Federation	NOINFO	FIRE FIGHTING SYSTEM	\$ 5,198,506.36	15/01/2002	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings.	US	
154	901965	Egypt	OKINFO	MEDICINE	\$ 4,339,925.45	04/12/2001	Please check the spellings of the following items and provide material compositions and functions (items #5, #11, #13, #15, #17, #21, #22, #23, #32, #33, #36, #37, #39, #45 through #48, #50 through #55, and #61). Provide all requested	US	08/01/2002:detailed tech info; 08/01/2002:tech info (direct); 24/01/2002:end-use info;
155	901992	Egypt	WMD	ADDITIVES	\$ 533,959.93	30/01/2002	US: Pending further review. UK: Our experts have CW concerns with items 5 & 13 ('Aerosil 200') in this contract. We therefore cannot consider approving this unless these items are removed or as a minimum UNMOVIC are	US, UK	31/01/2002:UK changed reason; 20/02/2002:tech info (dir);
156	1000732	Lebanon	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 4,409,154.04	05/12/2001	Please provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and	US	31/01/2002:tech specs (F);

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
157	1000749	China	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 151,639.94	12/11/2001	Provide specifications for all filters including type, function, pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (items #2 through #6). Provide end-uses and end-use locations for the lancets	US	23/12/2001:clarification; 26/02/2002:BVS OKINFO reminder;
158	1000874	UAE	OKINFO	SPARE PARTS	\$ 171,674.00	19/11/2001	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings (items #1 through	US	03/01/2002:tech specs; 10/01/2002:tech specs;
159	1000875	UAE	OKINFO	SPARE PARTS FOR COOLING TOWER	\$ 12,004.35	19/11/2001	Provide technical specifications for cooling tower, vibration switch and vibration malfunction detector model 366-XX including functions, dimensions, material, compositions of major components, and technical	US	26/12/2001:tech specs; 03/01/2002:tech specs; 26/02/2002:BVS OKINFO reminder;
160	1000957	Malaysia	PFE	MEDICINE	\$ 98,181.82	27/11/2001	Pending further technical review	US	06/12/2001:tech specs (not requested); 23/01/2002:reminder; 29/01/2002:BVS OKINFO reminder;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
161 1001066	Russian Federation	OKINFO	SCANNER	\$ 1,493,877.93	05/12/2001	specify the number of scanners being ordered and provide operating specifications and manufacturer's data sheets. provide technical specifications for the x-ray tubes to include electron peak energy in electron volts, operating	US	17/01/2002:tech specs;
162 1001067	Russian Federation	OKINFO	MEDICAL EQUIPMENT; SPARE PARTS	\$ 439,829.02	05/12/2001	specify the number of x-ray generators being ordered and provide operating specifications and manufacturer's data sheets. provide technical specifications for the x-ray tubes to include electron peak energy in	US	17/01/2002:tech specs;
163 1001078	Austria	OKINFO	DENTAL EQUIPMENT	\$ 11,936,656.24	04/12/2001	Provide all operating parameters and specifications for all x-ray units and spare tube heads to include maximum voltage, current, peak electron acceleration and pulse duration. Provide specifications for all valves	US	01/02/2002:tech specs; 06/02/2002:BVS NOINFO reminder;
164 1001081	Jordan	WMD	ATROPINE SULPHATE	\$ 108,122.50	04/12/2001	WMD dual-use item: concern related to S/2001/560, Page 19, Paragraph 10.4.8 - atropine sulfate (items #1 and #2) -- chemical warfare defensive equipment.	US	17/01/2002:end-user info & additional details;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
165	1001083	Jordan	OKINFO	ULTRAGENT	\$ 665,000.00	04/12/2001	Provide specific end-use and precise end-use locations for this material.	US	07/01/2002:end-user info; 17/01/2002:end-use/user info;
166	1001158	Jordan	1051*	MEDICAL EQUIPMENT AND APPLIANCES	\$ 603,807.20	07/02/2002	Goods are on the 1051 list as indicated by the Secretariat. Provide specifications for all filters including pore size, maximum efficiency, flow rate, material composition, maximum pressure, and dimensions (Parts #K101.2539	US	
167	1001171	Egypt	OKINFO	MEDICINE	\$ 194,496.88	31/12/2001	US: Provide technical specifications for metferemin and terbutatin and silver sulphasiazin including molecular structure, chemical formula, use and function, and material composition of item ordered (items #4, #5, #6).	US	02/01/2002:partial ROH (UK); 07/01/2002:US changed reason; 05/02/2002:tech specs;
168	1001324	Lebanon	WMD*	AUTOMATIC SOXHLET/SPARES	\$ 104,828.14	31/12/2001	US: WMD dual - use item: concern related to S/2001/560 , Page 18, Paragraph 10.4.1.3- Automatic soxhlet extraction system (with inert gas overhead). Equipment can be used to extract various toxins including ricin (although not the	US	03/01/2002:partial ROH (UK); 07/01/2002:US changed reason;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
169	1001333	India	OKINFO	MEDICINE	\$ 818,984.86	17/01/2002	US: The U.S. would have no objection providing item #3 is removed from the contract and chemical analyses are performed on items #2 and #4 to establish chemical purity of the material being supplied as ibuprofen and finasteride	US	18/01/2002:partial ROH (UK); 11/02/2002:tech clarifications; 19/02/2002:reminder & request for info;
170	1001338	Jordan	OKINFO	MEDICINE	\$ 507,883.35	02/01/2002	US: Provide technical specifications for Aerosil including chemical identity and formula, material composition of major components, and function/usage (item #13). Provide all requested non-alloy or polymer material	US	03/01/2002:UK changed reason; 04/01/2002:partial ROH (UK) w/monitoring; 06/02/2002:tech specs;
171	1001376	Jordan	OKINFO	VEHICLES WITH SPARE PARTS	\$ 12,200,537.34	17/01/2002	Require detailed end-use/user information for goods in this contract.	UK	20/02/2002:end-use/user info; 27/02/2002:end-users info;
172	1001407	France	OKINFO	DIAGNOSTIC KITS	\$ 136,501.87	03/01/2002	Provide the following information. 1) More in-depth end use statement that describes how the human serum will be used. 2) Explain why such a large quantity is requested (about 76 liters). 3) Describe in detail the quality	US	24/01/2002:end-use info and tech specs;

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
173	1001408	France	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 939,659.78	03/01/2002	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and drawings (item #1). Provide detailed specifications	US	21/02/2002:tech specs;
174	1001409	France	OKINFO	LABORATORY MATERIALS	\$ 73,617.63	02/01/2002	US: Request a more in-depth end-use statement that describes how the whole blood will be used and a definition of the quality assurance program.	US	03/01/2002:partial ROH (UK); 24/01/2002:end-use info & tech specs;
175	1001410	France	NOINFO	PUMPS AND SPARE PARTS	\$ 1,526,778.74	01/02/2002	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, and cross-sectional drawings (items #1 through #13). Provide technical specifications for	US, UK	25/02/2002:tech specs;
176	1001415	Russian Federation	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 2,698,994.35	06/02/2002	Provide full technical specifications of all bacteria filter, including frame size and percentage of DOP efficiency at 0.3 microns for each filter, as previously requested by OIP (items #58, #69 and #75). Specify the dimensions of all	US	

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
177 1001423	Egypt	OKINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 23,165,775.89	04/01/2002	Provide a manufacturer's catalog for all of this equipment. Provide information on the X-ray tubes including acceleration potential, anode pulse (in MeV), and pulse characteristics (item #1.26). Provide	US	04/02/2002:tech info; 26/02/2002:tech info (dir); 28/02/2002:end-user info;
178 1001525	Germany	NOINFO	PIPETTE	\$ 343,201.76	16/01/2002	Provide end use and end user. Please provide specifications for pipettes including ability to use multiple tips.	US	12/02/2002:tech specs;
179 1001595	Jordan	WMD*	SUPPLY OF DRUGS	\$ 674,466.55	04/02/2002	US: Itemize all indicators and reagents necessary to analyze purchased chemicals and what quantities are to be provided. Provide specifications for impromin including intended use, molecular structures, physical and chemical	US, UK	
180 1001610	India	NOINFO	SUPPLY OF DRUGS	\$ 489,106.51	31/01/2002	Provide specifications for all indicators and reagents necessary to analyze purchased chemicals including an itemized list, what quantities are to be provided, and specific chemical composition for each. Provide all requested chemical	US	

**Applications "On Hold"
Health Sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
181 1001748	Germany	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 151,950.86	28/01/2002	Provide specifications for the FRIOS unit including intended use and manufacturers data sheets in English (item #1). Provide specifications for all surgical motors including dimensions, weight, rotation speed, cross-sectional	US	
182 1001886	Switzerland	PFE	MEDICINE	\$ 276,851.60	12/02/2002	Pending further technical review.	US	

\$ 442,300,650.63

**Applications on "Inactive Hold"
Health sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
1 501270	Jordan	WMD*	LABORATORY SUPPLIES	\$ 186,263.42	24/07/2000	WMD dual use item: concern related to S/1995/208, Page 14, Paragraph 1.2 -items #1 - #4; provide specifications for all computers including processor type and manufacturer, maximum certified clock speed, certified thermal operating range, and number of	US	12/10/2000:partial ROH (UK); 14/01/2001:tech specs; 27/03/2001:US changed reason; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;
2 501288	India	D 1051*	MEDICAL EQUIPMENT	\$ 351,353.20	28/11/2000	US: Goods are on the 1051 list as indicated by the Secretariat and S/2001/560, Page 22, Paragraph 2.4 -HEPA filters (item #2). S/2001/560, Page 22, Paragraph 3.1 - fermentation vessel (item #6). WMD dual use item: concern related to S/2001/560, Page 22, Paragraph 4.3	US, UK	14/12/2000:Explanation to US; 15/01/2001:OIP clarification to US; 20/02/2001:US changed reason; 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold; 28/11/2001:US changed reason (S/2001/560);
3 601673	Italy	NOINFO	MEDICAL EQUIPMENT	\$ 132,557.00	28/06/2000	Provide specifications for the automatic water plant including dimensions, drawings, itemized listing of components, material composition for all components and linings (item #1). Provide specifications for all pumps associated with water plant including	US	20/09/2000:tech clarifications; 09/10/2000:partial ROH (UK); 27/04/2001:reminder; 24/07/2001:US changed reason (S/2001/560); 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold; 29/11/2001:tech specs (direct);
4 700822	Jordan	NOINFO	MEDICAL EQUIPMENT	\$ 3,673,353.73	22/05/2000	Provide the volume of the sterilizer chamber (items #1 and #2); Provide specifications for the sonic irrigator including frequency, power (in watts), and photographs (of the unit and the transducer) (item C); Provide previously requested specific end-use locations including	US	21/03/2001:detailed tech specs; 17/05/2001:US changed reason; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold; 06/12/2001:tech specs;

**Applications on "Inactive Hold"
Health sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
5 701118	China	L 1051*	MEDICAL EQUIPMENT	\$ 558,250.00	03/07/2000	US: for tech specs - goods appear to be on 1051 list; UK: for tech specs of "St. St. Vessel" & material composition of ea item. Also require end-user details for these items	US, UK	29/06/1999:MDOU provided information; 17/06/2000:MDOU asked to provide info; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;
6 701150	France	NOINFO	SPARE PARTS FOR AIR DRYER	\$ 19,884.10	28/06/2000	US: for detailed end user info; UK: tech specs for "air dryer"	US, UK	28/06/2000:UK changed reason; 08/09/2000:end-user info sent to UK & US; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;
7 701800	France	WMD*	MOBILE LABORATORY	\$ 1,524,313.95	01/09/2000	US: WMD dual- use item: concern related to S/1995/208, Page 14, Paragraph 1.3 -Apollo liquid nitrogen dewar vessels (item #16). What radioisotopes are included in the calibration references? (item #20); Please provide the specifications for the photomultiplier tubes provided	US, UK	17/11/2000:additional info including end-use info (US/UK); 04/01/2001:UK changed the reason; 18/01/2001:end-user info (not requested); 17/04/2001:tech info; 05/10/2001:US changed reason; 05/12/2001:BVS NOINFO reminder;
8 702162	Malaysia	NOINFO	MEDICAL APPLIANCES; MEDICAL EQUIPMENT	\$ 754,134.00	25/01/2001	US: provide specs on the chemical toxins this sampler can detect, the sensitivity of the detector to these toxins and the principle of operation of the detector	US	22/02/2001:partial ROH (UK) w monitoring; 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;

**Applications on "Inactive Hold"
Health sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
9	702678	Italy	D 1051*	LABORATORY EQUIPMENT	\$ 390,286.48	22/06/2001	US: 1051 list item: Tab 10, Page 20, Paragraph 3.3 -orbital or reciprocal shaker (item #5); Provide specifications for all microprocessors incorporated in the equipment including processor type and manufacturer, maximum certified clock speed, certified	US	25/06/2001:partial ROH (UK); 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;
10	801476	France	NOINFO	LABORATORY MATERIALS	\$ 181,467.22	01/02/2001	US: Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed and cross-sectional drawings; Provide a description of the purpose and use for and material	US, UK	17/08/2001:US changed reason (S/2001/560); 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold;
11	801477	France	1051*	LABORATORY MATERIALS	\$ 114,566.27	14/03/2001	US: Goods are on the 1051 list as indicated by the Secretariat and WMD/Dual-use related to S/2001/560, Page 29, Paragraph 28.14 (d) and (e): tunable dye oscillators and amplifiers (items #9, #10, #11, #12, #13, #20, #25, #40, #46, #47). Provide	US, UK	20/03/2001:UK changed reason; 22/08/2001:US changed reason (S/2001/560); 01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold;
12	802050	Italy	D 1051*	MEDICAL MACHINES	\$ 545,187.90	23/03/2001	US: 1051 item: S/2001/560, Page 22, Paragraph 4.3 Cross-flow and tangential filtration equipment (filter plate press) (Item #5); WMD dual use item: concern related to S/1995/208, Page 15, Paragraph 1.3.11 - insulated 10,000-liter stainless mixing tank with	US, UK	26/03/2001:UK changed reason (26/03/01); 06/04/2001:add info; 02/08/2001:US changed reason (S/2001/560); 01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;

**Applications on "Inactive Hold"
Health sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
13	802269	Germany	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 1,524,972.35	16/04/2001	Provide previously requested specifications for the dosing pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressure, rotation speed and drawings (items #40). Provide previously requested specifications	US	17/04/2001:partial ROH (UK); 02/07/2001:detailed tech info; 03/10/2001:US changed reason; 05/12/2001:BVS NOINFO reminder; 20/12/2001:status changed to Inactive Hold;
14	802461	Italy	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 473,193.29	01/06/2001	Thank the Mission and the supplier for the volume and technical detail of the additional information presented. Unfortunately, due to the presentation method it is impossible to correlate the information presented with the information requested or even with the items	US	18/06/2001:tech specs (dir); 03/10/2001:US changed reason; 05/12/2001:BVS NOINFO reminder; 20/12/2001:status changed to Inactive Hold;
15	802618	France	D 1051*	CYTOGENIC KIT	\$ 164,486.77	06/07/2001	1051 list items at Tab 10, Page 21, Paragraph 5 -Media for cultivation of microorganisms (items #1, #2, #3, #4, #10, #14, and #15). Tab 10, Page 21, Paragraph 6.2- Gene probe kit (item #11); Tab 10, Page 21, Paragraph 7 - Molecular biology reagents (items #5, #6, #7, #8, #9,	US	01/10/2001:BVS NOINFO reminder; 24/10/2001:status changed to Inactive Hold;
16	802619	France	D 1051*	CYTOGENIC KIT	\$ 6,867.00	06/07/2001	US: 1051 list item at Tab 10, Page 21, Paragraph 5 -Media for cultivation of microorganisms (items #1, #2, #3, #4, #5, #6, #7, #8, and #9). What research is being done (what cell lines are being cultivated)? UK: We cannot consider approving this contract until	US, UK	01/10/2001:BVS reminder; 24/10/2001:status changed to Inactive Hold;

**Applications on "Inactive Hold"
Health sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction
17 802699	France	NOINFO	PACKAGE UNIT W/ SPARE PARTS	\$ 120,736.53	19/09/2001	US: Provide specifications for all compressors including dimensions, weight, type, minimum/maximum pressures, capacity, refrigerant type, and drawings (items #1 through #7).	US	20/09/2001:partial ROH (UK); 21/11/2001:BVS NOINFO reminder; 07/12/2001:status changed to Inactive Hold;
18 802777	Italy	NOINFO	PUMPS AND SPARE PARTS	\$ 27,268.83	06/09/2001	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, inlet/outlet pressures (in Bar) and cross-sectional drawings (items #1, #8, #15, #16, #23, #30, #37, #44, #51, #58, #59, #66, #67, #74, #75, #82,	US	01/10/2001:tech info; 08/11/2001:BVS NOINFO reminder; 26/11/2001:status changed to Inactive Hold;
19 901373	France	NOINFO	HEMATOLOGICAL KITS	\$ 24,868.80	30/07/2001	US: Pending further technical review. UK: Require technical breakdown for each of the laboratory reagents.	US, UK	26/10/2001:BVS NOINFO reminder; 09/11/2001:status changed to Inactive Hold;
20 901535	UAE	NOINFO	FILTERS	\$ 169,187.39	10/10/2001	Provide specific end-use for all filters and explain how filters that are only 30% and 50% efficient at 1.0 micron can be used in a pharmaceutical clean room.	US	07/11/2001:tech specs; 06/12/2001:US changed reason; 06/02/2002:BVS NOINFO reminder; 21/02/2002:status changed to Inactive Hold;

**Applications on "Inactive Hold"
Health sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
21	901703	Jordan	NOINFO	SPARE PARTS	\$ 715,168.56	29/08/2001	US: Provide specifications for the main PCB including manufacturer's data sheets, a block diagram for the PCB, a description of the function, photographs, and technical specifications for any microprocessors (item #4).	US	30/08/2001:partial ROH (UK); 08/11/2001:BVS NOINFO reminder; 26/11/2001:status changed to Inactive Hold;
22	1000816	Syria	NOINFO	VEHICLES WITH SPARE PARTS	\$ 6,434,809.00	15/11/2001	Provide specifications for all pumps including dimensions, weight, type, material composition for all components and linings, flow rate, inlet/outlet pressures, rotation speed, and cross sectional drawings (items #36 and #131). Provide specifications for all valves including	US	16/01/2002:BVS NOINFO reminder; 01/02/2002:status changed to Inactive Hold;
23	1000909	Egypt	NOINFO	MEDICAL EQUIPMENT AND APPLIANCES	\$ 416,260.00	21/11/2001	Please provide technical specifications for wax baths including medical function, external dimensions, dimensions of bath tank, operating temperature range, temperature precision and accuracy, material composition of major components, and technical drawings	US	22/01/2002:BVS NOINFO reminder; 08/02/2002:status changed to Inactive Hold;
24	1000970	Syria	NOINFO	SURGICAL EQUIPMENT	\$ 143,950.00	27/11/2001	Provide technical specifications for all parts including function, dimensions, list of major components in each item, manufacturers data sheets, and technical drawings (items #1.A-1.G and #2.A through #2.1). Provide specifications for the equipment for	US	30/01/2002:BVS NOINFO reminder; 14/02/2002:status changed to Inactive Hold;

**Applications on "Inactive Hold"
Health sector as at 4 March 2002**

COMM	mission	Hold Status	Goods	Amount	Date of Hold	Reason	hold by	HoldAction	
25	1000975	Jordan	1051*	LABORATORY MATERIALS	\$ 15,265.00	27/11/2001	Goods are on the I051 list as indicated by the Secretariat. Provide technical specifications for all antisera including preparation, volume, titer, function, ultimate end-use, and end- use locations.	US	30/01/2002:BVS NOINFO reminder; 14/02/2002:status changed to Inactive Hold;
26	1001038	Spain	NOINFO	STERILIZER; SPARE PARTS	\$ 1,348,096.20	03/12/2001	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (spare parts list, items #8 through #12, #17, #19,	US	06/02/2002:BVS NOINFO reminder; 06/02/2002:tech specs; 21/02/2002:status changed to Inactive Hold;
27	1001070	Russian Federation	NOINFO	COMPRESSOR W/ ACCESSORIES AND SPARES	\$ 95,280.00	04/12/2001	Provide specifications for all valves including dimensions, weight, type, material composition for all components and linings, flow rate, maximum pressure, minimum internal diameter, actuator response time, and drawings (items #10 and #13). Provide specifications for all	US	06/02/2002:BVS NOINFO reminder; 21/02/2002:status changed to Inactive Hold;
28	1001120	France	NOINFO	SPARE PARTS	\$ 92,373.47	07/12/2001	Please provide specific end-uses and end-use locations for sprayer (item # 1). Please provide specifications for nozzles including material composition, dimensions, maximum pressure, flow rate, droplet size distribution, and drawing (component of item #1). Please	US	06/02/2002:BVS NOINFO reminder; 21/02/2002:status changed to Inactive Hold;

\$ 20,204,400.46